PCT WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5 : C12N 15/64, 15/70 — A1

(11) International Publication Number: WO 92/06204

(43) International Publication Date: 16 April 1992 (16.04.92)

(21) International Application Number: PCT/US91/07149

(22) International Filing Date: 27 September 1991 (27.09.91)

(30) Priority data:
590,219 28 September 1990 (28.09.90) US

(71) Applicant: IXSYS, INC. [US/US]; 3550 General Atomics Court, Suite L103, San Diego, CA 92121 (US).

(72) Inventor: HUSE, William, D. ; 471 Avenida Primavera, Del Mar, CA 92014 (US).

(74) Agents: CAMPBELL, Cathryn et al.; Pretty, Schroeder, Brueggemann & Clark, 444 South Flower Street, Suite 2000, Los Angeles, CA 90071 (US).

(81) Designated States: AT (European patent), AU, BB, BE (European patent), BF (OAPI patent), BG, BJ (OAPI patent), BR, CA, CF (OAPI patent), CG (OAPI patent), CH (European patent), CI (OAPI patent), CM (OAPI patent), CS, DE (European patent), DK (European patent), ES (European patent), FI, FR (European patent), GA (OAPI patent), GB (European patent), GN (OAPI patent), GR (European patent), HU, IT (European patent), JP, KP, KR, LK, LU (European patent), MC, MG, ML (OAPI patent), MN, MR (OAPI patent), MW, NL (European patent), NO, PL, RO, SD, SE (European patent), SN (OAPI patent), SU+,TD (OAPI patent), TG (OAPI patent).

Published
With international search report.

(54) Title: SURFACE EXPRESSION LIBRARIES OF HETEROMERIC RECEPTORS

(57) Abstract

A composition of matter comprising a plurality of procaryotic cells containing diverse combinations of first and second DNA sequences encoding first and second polypeptides which form a heteromeric receptor exhibiting binding activity toward a preselected molecule, said heteromeric receptors being expressed on the surface of filamentous bacteriophage.

+ See back of page

+ DESIGNATIONS OF "SU"

Any designation of "SU" has effect in the Russian Federation. It is not yet known whether any such designation has effect in other States of the former Soviet Union.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MG	Madagascar
AU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MN	Mongolia
BE	Belgium	GA	Gabon	MR	Mauritania
BF	Burkina Faso	GB	United Kingdom	MW	Malawi
BG	Bulgaria	GN	Guinea	NL	Netherlands
BJ	Benin	GR	Greece	NO	Norway
BR	Brazil	HU	Hungary	PL	Poland
CA	Canada	IT	Italy	RO	Romania
CF	Central African Republic	JP	Japan	SD	Sudan
CG	Congo	KP	Democratic People's Republic of Korea	SE	Sweden
CH	Switzerland			SN	Senegal
CI	Côte d'Ivoire	KR	Republic of Korea	SU+	Soviet Union
CM	Cameroon	LI	Liechtenstein	TD	Chad
CS	Czechoslovakia	LK	Sri Lanka	TG	Togo
DE	Germany	LU	Luxembourg	US	United States of America
DK	Denmark	MC	Monaco		

SURFACE EXPRESSION LIBRARIES OF HETEROMERIC RECEPTORS

BACKGROUND OF THE INVENTION

This invention relates generally to recombinant expression of heteromeric receptors and, more particularly, to expression of such receptors on the surface of filamentous bacteriophage.

Antibodies are heteromeric receptors generated by a vertebrates organism's immune system which bind to an antigen. The molecules are composed of two heavy and two light chains disulfide bonded together. Antibodies have the appearance of a "Y" - shaped structure and the antigen binding portion being located at the end of both short arms of the Y. The region on the heavy and light chain polypeptides which corresponds to the antigen binding portion is known as variable region. The differences between antibodies within this region are primarily responsible for the variation in binding specificities between antibody molecules. The binding specificities are a composite of the antigen interactions with both heavy and light chain polypeptides.

The immune system has the capability of generating an almost infinite number of different antibodies. Such a large diversity is generated primarily through recombination to form the variable regions of each chain and through differential pairing of heavy and light chains. The ability to mimic the natural immune system and generate antibodies that bind to any desired molecule is valuable because such antibodies can be used for diagnostic and therapeutic purposes.

Until recently, generation of antibodies against a

desired molecule was accomplished only through manipulation of natural immune responses. Methods included classical immunization techniques of laboratory animals and monoclonal antibody production. Generation of monoclonal antibodies is laborious and time consuming. It involves a series of different techniques and is only performed on animal cells. Animal cells have relatively long generation times and require extra precautions to be taken compared to procaryotic cells to ensure viability of the cultures.

A method for the generation of a large repertoire of diverse antibody molecules in bacteria has been described, Huse et al., Science, 246, 1275-1281 (1989), which is herein incorporated by reference. The method uses the bacteriophage lambda as the vector. The lambda vector is a long, linear double-stranded DNA molecule. Production of antibodies using this vector involves the cloning of heavy and light chain populations of DNA sequences into separate vectors. The vectors are subsequently combined randomly to form a single vector which directs the coexpression of heavy and light chains to form antibody fragments. A disadvantage to this method is that undesired combinations of vector portions are brought together when generating the coexpression vector. Although these undesired combinations do not produce viable phage, they do however, result in a significant loss of sequences from the population and, therefore, a loss in diversity of the number of different combinations which can be obtained between heavy and light chains. Additionally, the size of the lambda phage gene is large compared to the genes that encode the antibody segments. This makes the lambda system inherently more difficult to manipulate as compared to other available vector systems.

There thus exists a need for a method to generate diverse populations of heteromeric receptors which mimics the natural immune system, which is fast and efficient and

results in only desired combinations without loss of diversity. The present invention satisfies these needs and provides related advantages as well.

SUMMARY OF THE INVENTION

The invention relates to a plurality of cells containing diverse combinations of first and second DNA sequences encoding first and second polypeptides which form a heteromeric receptor, said heteromeric receptors being expressed on the surface of a cell, preferably one which produces filamentous bacteriophage, such as M13. Vectors, cloning systems and methods of making and screening the heteromeric receptors are also provided.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a schematic diagram of the two vectors used for surface expression library construction from heavy and light chain libraries. M13IX30 (Figure 1A) is the vector used to clone the heavy chain sequences (open box). The single-headed arrow represents the Lac p/o expression sequences and the double-headed arrow represents the portion of M13IX30 which is to be combined with M13IX11. The amber stop codon and relevant restriction sites are also shown. M13IX11 (Figure 1B) is the vector used to clone the light chain sequences (hatched box). Thick lines represent the pseudo-wild type (gVIII) and wild type (gVIII) gene VIII sequences. The double-headed arrow represents the portion of M13IX11 which is to be combined with M13IX30. Relevant restriction sites are also shown. Figure 1C shows the joining of vector population from heavy and light chain libraries to form the functional surface expression vector M13IXHL. Figure 1D shows the generation of a surface expression library in a non-suppressor strain and the production of phage. The phage are used to infect a suppressor strain (Figure 1E) for surface expression and

screening of the library.

Figure 2 is the nucleotide sequence of M13IX30 (SEQ ID NO: 1).

Figure 3 is the nucleotide sequence of M13IX11 (SEQ ID NO:2).

Figure 4 is the nucleotide sequence of M13IX34 (SEQ ID NO: 3).

Figure 5 is the nucleotide sequence of M13IX13 (SEQ ID NO: 4).

Figure 6 is the nucleotide sequence of M13IX60 (SEQ ID NO: 5).

DETAILED DESCRIPTION OF THE INVENTION

This invention is directed to simple and efficient methods to generate a large repertoire of diverse combinations of heteromeric receptors. The method is advantageous in that only proper combinations of vector portions are randomly brought together for the coexpression of different DNA sequences without loss of population size or diversity. The receptors can be expressed on the surface of cells, such as those producing filamentous bacteriophage, which can be screened in large numbers. The nucleic acid sequences encoding the receptors be readily characterized because the filamentous bacteriophage produce single strand DNA for efficient sequencing and mutagenesis methods. The heteromeric receptors so produced are useful in an unlimited number of diagnostic and therapeutic procedures.

In one embodiment, two populations of diverse heavy (Hc) and light (Lc) chain sequences are synthesized by

polymerase chain reaction (PCR). These populations are cloned into separate M13-based vect r containing elements necessary for expression. The heavy chain vector contains a gene VIII (gVIII) coat protein sequence so that translation of the Hc sequences produces gVIII-Hc fusion proteins. The populations of two vectors are randomly combined such that only the vector portions containing the Hc and Lc sequences are joined into a single circular vector. The combined vector directs the coexpression of both Hc and Lc sequences for assembly of the two polypeptides and surface expression on M13. A mechanism also exists to control the expression of gVIII-Hc fusion proteins during library construction and screening.

As used herein, the term "heteromeric receptors" refers to proteins composed of two or more subunits which together exhibit binding activity toward particular molecule. It is understood that the term includes the subunit fragments so long as assembly of the polypeptides and function of the assembled complex is retained. Heteromeric subunits include, for example, antibodies and fragments thereof such as Fab and $(Fab)_2$ portions, T cell receptors, integrins, hormone receptors and transmitter receptors.

As used herein, the term "preselected molecule" refers to a molecule which is chosen from a number of choices. The molecule can be, for example, a protein or peptide, or an organic molecule such as a drug. Benzodiazapam is a specific example of a preselected molecule.

As used herein, the term "coexpression" refers to the expression of two or more nucleic acid sequences usually expressed as separate polypeptides. For heteromeric receptors, the coexpressed polypeptides assemble to form the heteromer. Therefore, "expression elements" as used herein, refers to sequences necessary for the

transcription, translation, regulation and sorting of the expressed polypeptides which make up the heteromeric receptors. The term also includes the expression of two subunit polypeptides which are linked but are able to assemble into a heteromeric receptor. A specific example of coexpression of linked polypeptides is where Hc and Lc polypeptides are expressed with a flexible peptide or polypeptide linker joining the two subunits into a single chain. The linker is flexible enough to allow association of Hc and Lc portions into a functional Fab fragment.

The invention provides for a composition of matter comprising a plurality of procaryotic cells containing diverse combinations of first and second DNA sequences encoding first and second polypeptides which form a heteromeric receptor exhibiting binding activity toward a preselected molecule, said heteromeric receptors being expressed on the surface of filamentous bacteriophage.

DNA sequences encoding the polypeptides of heteromeric receptors are obtained by methods known to one skilled in the art. Such methods include, for example, cDNA synthesis and polymerase chain reaction (PCR). The need will determine which method or combinations of methods is to be used to obtain the desired populations of sequences. Expression can be performed in any compatible vector/host system. Such systems include, for example, plasmids or phagemids in procaryotes such as E. coli, yeast systems and other eucaryotic systems such as mammalian cells, but will be described herein in context with its presently preferred embodiment, i.e. expression on the surface of filamentous bacteriophage. Filamentous bacteriophage include, for example, M13, f1 and fd. Additionally, the heteromeric receptors can also be expressed in soluble or secreted form depending on the need and the vector/host system employed.

Expression of heteromeric receptors such as antibodies or functional fragments thereof on the surface of M13 can be accomplished, for example, using the vector system shown in Figure 1. Construction of the vectors enabling one of ordinary skill to make them are explicitly set out in Example I. The complete nucleotide sequences are given in Figures 2 and 3 (SEQ ID NOS: 1 and 2). This system produces randomly combined populations of heavy (Hc) and light (Lc) chain antibody fragments functionally linked to expression elements. The Hc polypeptide is produced as a fusion protein with the M13 coat protein encoded by gene VIII. The gVIII-Hc fusion protein therefore anchors the assembled Hc and Lc polypeptides on the surface of M13. The diversity of Hc and Lc combinations obtained by this system can be 5×10^7 or greater. Diversity of less than 5×10^7 can also be obtained and will be determined by the need and type of heteromeric receptor to be expressed.

Populations of Hc and Lc encoding sequences to be combined into a vector for coexpression are each cloned into separate vectors. For the vectors shown in Figure 1, diverse populations of sequences encoding Hc polypeptides are cloned into M13IX30 (SEQ ID NO: 1). Sequences encoding Lc polypeptides are cloned into M13IX11 (SEQ ID NO: 2). The populations are inserted between the Xho I-Spe I or Stu I restriction enzyme sites in M13IX30 and between the Sac I-Xba I or Eco RV sites in M13IX11 (Figures 1A and B, respectively).

The populations of Hc and Lc sequences inserted into the vectors can be synthesized with appropriate restriction recognition sequences flanking opposite ends of the encoding sequences but this is not necessary. The sites allow annealing and ligation in-frame with expression elements of these sequences into a double-stranded vector restricted with the appropriate restriction nzyme. Alternatively, and a preferred embodiment, the Hc and Lc

sequences can be inserted into the vector without restriction of the DNA. This method of cloning is beneficial because naturally encoded restriction enzyme sites may be present within the sequences, thus, causing destruction of the sequence when treated with a restriction enzyme. For cloning without restriction, the sequences are treated briefly with a 3' to 5' exonuclease such as T4 DNA polymerase or exonuclease III. A 5' to 3' exonuclease will also accomplish the same function. The protruding 5' termini which remains should be complementary to single-stranded overhangs within the vector which remain after restriction at the cloning site and treatment with exonuclease. The exonuclease treated inserts are annealed with the restricted vector by methods known to one skilled in the art. The exonuclease method decreases background and is easier to perform.

The vector used for Hc populations, M13IX30 (Figure 1A; SEQ ID NO: 1) contains, in addition to expression elements, a sequence encoding the pseudo-wild type gVIII product downstream and in frame with the cloning sites. This gene encodes the wild type M13 gVIII amino acid sequence but has been changed at the nucleotide level to reduce homologous recombination with the wild type gVIII contained on the same vector. The wild type gVIII is present to ensure that at least some functional, non-fusion coat protein will be produced. The inclusion of a wild type gVIII therefore reduces the possibility of non-viable phage production and biological selection against certain peptide fusion proteins. Differential regulation of the two genes can also be used to control the relative ratio of the pseudo and wild type proteins.

Also contained downstream and in frame with the cloning sites is an amber stop codon. The stop codon is located between the inserted Hc sequences and the gVIII sequenc and is in frame. As was the function of the wild

type gVIII, the amber stop codon also reduces biological selection when combining vector portions to produce functional surface expression vectors. This is accomplished by using a non-suppressor (sup O) host strain because the non-suppressor strains will terminate expression after the Hc sequences but before the pseudo gVIII sequences. Therefore, the pseudo gVIII will essentially never be expressed on the phage surface under these circumstances. Instead, only soluble Hc polypeptides will be produced. Expression in a non-suppressor host strain can be advantageously utilized when one wishes to produce large populations of antibody fragments. Stop codons other than amber, such as opal and ochre, or molecular switches, such as inducible repressor elements, can also be used to unlink peptide expression from surface expression.

The vector used for Lc populations, M13IX11 (SEQ ID NO: 2), contains necessary expression elements and cloning sites for the Lc sequences, Figure 1B. As with M13IX30, upstream and in frame with the cloning sites is a leader sequence for sorting to the phage surface. Additionally, a ribosome binding site and Lac Z promoter/operator elements are also present for transcription and translation of the DNA sequences.

Both vectors contain two pairs of Mlu I-Hind III restriction enzyme sites (Figures 1A and B) for joining together the Hc and Lc encoding sequences and their associated vector sequences. Mlu I and Hind III are non-compatible restriction sites. The two pairs are symmetrically orientated about the cloning site so that only the vector portions containing the sequences to be expressed are exactly combined into a single vector. The two pairs of sites are oriented identically with respect to one another on both vectors and the DNA between the two sites must be homologous enough between both vectors to

allow annealing. This orientation allows cleavage of each circular vector into two portions and combination of essential components within each vector into a single circular vector where the encoded polypeptides can be coexpressed (Figure 1C).

Any two pairs of restriction enzyme sites can be used so long as they are symmetrically orientated about the cloning site and identically orientated on both vectors. The sites within each pair, however, should be non-identical or able to be made differentially recognized as a cleavage substrate. For example, the two pairs of restriction sites contained within the vectors shown in Figure 1 are Mlu I and Hind III. The sites are differentially cleavable by Mlu I and Hind III respectively. One skilled in the art knows how to substitute alternative pairs of restriction enzyme sites for the Mlu I-Hind III pairs described above. Also, instead of two Hind III and two Mlu I sites, a Hind III and Not I site can be paired with a Mlu I and a Sal I site, for example.

The combining step randomly brings together different Hc and Lc encoding sequences within the two diverse populations into a single vector (Figure 1C; M13IXHL). The vector sequences donated from each independent vector, M13IX30 and M13IX11, are necessary for production of viable phage. Also, since the pseudo gVIII sequences are contained in M13IX30, coexpression of functional antibody fragments as Lc associated gVIII-Hc fusion proteins cannot be accomplished on the phage surface until the vector sequences are linked as shown in M13IXHL.

The combining step is performed by restricting each population of Hc and Lc containing vectors with Mlu I and Hind III, respectively. The 3' termini of each restricted vector population is digested with a 3' to 5' exonuclease

as described above for inserting sequences into the cloning sites. The vector populations are mixed, allowed to anneal and introduced into an appropriate host. A non-suppressor host (Figure 1D) is preferably used during initial construction of the library to ensure that sequences are not selected against due to expression as fusion proteins. Phage isolated from the library constructed in a non-suppressor strain can be used to infect a suppressor strain for surface expression of antibody fragments.

A method for selecting a heteromeric receptor exhibiting binding activity toward a preselected molecule from a population of diverse heteromeric receptors, comprising: (a) operationally linking to a first vector a first population of diverse DNA sequences encoding a diverse population of first polypeptides, said first vector having two pairs of restriction sites symmetrically oriented about a cloning site; (b) operationally linking to a second vector a second population of diverse DNA sequences encoding a diverse population of second polypeptides, said second vector having two pairs of restriction sites symmetrically oriented about a cloning site in an identical orientation to that of the first vector; (c) combining the vector products of step (a) and (b) under conditions which allow only the operational combination of vector sequences containing said first and second DNA sequences; (d) introducing said population of combined vectors into a compatible host under conditions sufficient for expressing said population of first and second DNA sequences; and (e) determining the heteromeric receptors which bind to said preselected molecule. The invention also provides for determining the nucleic acid sequences encoding such polypeptides as well.

Surface expression of the antibody library is performed in an amber suppressor strain. As described above, the amber stop codon between the Hc sequence and the

gVIII sequence unlinks the two components in a non-suppressor strain. Isolating the phage produced from the non-suppressor strain and infecting a suppressor strain will link the Hc sequences to the gVIII sequence during expression (Figure 1E). Culturing the suppressor strain after infection allows the coexpression on the surface of M13 of all antibody species within the library as gVIII fusion proteins (gVIII-Fab fusion proteins). Alternatively, the DNA can be isolated from the non-suppressor strain and then introduced into a suppressor strain to accomplish the same effect.

The level of expression of gVIII-Fab fusion proteins can additionally be controlled at the transcriptional level. Both polypeptides of the gVIII-Fab fusion proteins are under the inducible control of the Lac Z promoter/operator system. Other inducible promoters can work as well and are known by one skilled in the art. For high levels of surface expression, the suppressor library is cultured in an inducer of the Lac Z promoter such as isopropylthio-ß-galactoside (IPTG). Inducible control is beneficial because biological selection against non-functional gVIII-Fab fusion proteins can be minimized by culturing the library under non-expressing conditions. Expression can then be induced only at the time of screening to ensure that the entire population of antibodies within the library are accurately represented on the phage surface. Also, this can be used to control the valency of the antibody on the phage surface.

The surface expression library is screened for specific Fab fragments which bind preselected molecules by standard affinity isolation procedures. Such methods include, for example, panning, affinity chromatography and solid phase blotting procedures. Panning as described by Parmley and Smith. Gene 73:305-318 (1988), which is incorporated herein by reference, is preferred because high

titers of phage can be screened easily, quickly and in small volumes. Furthermore, this procedure can select minor Fab fragments species within the population, which otherwise would have been undetectable, and amplified to substantially homogenous populations. The selected Fab fragments can be characterized by sequencing the nucleic acids encoding the polypeptides after amplification of the phage population.

The following examples are intended to illustrate but not limit the invention.

EXAMPLE I

Construction, Expression and Screening of Antibody Fragments on the Surface of M13

This example shows the synthesis of a diverse population of heavy (Hc) and light (Lc) chain antibody fragments and their expression on the surface of M13 as gene VIII-Fab fusion proteins. The expressed antibodies derive from the random mixing and coexpression of a Hc and Lc pair. Also demonstrated is the isolation and characterization of the expressed Fab fragments which bind benzodiazapam (BDP) and their corresponding nucleotide sequence.

Isolation of mRNA and PCR Amplification of Antibody Fragments

The surface expression library is constructed from mRNA isolated from a mouse that had been immunized with KLH-coupled benzodiazapam (BDP). BDP was coupled to keyhole limpet hemocyanin (KLH) using the techniques described in Antibodies: A Laboratory Manual, Harlow and Lane, eds., Cold Spring Harbor, New York (1988), which is incorporated herein by reference. Briefly, 10.0 milligrams (mg) of keyhole limpet hemocyanin and 0.5 mg of BDP with a

glutaryl spacer arm N-hydroxysuccinimide linker appendages. Coupling was performed as in Jonda et al., Science, 241:1188 (1988), which is incorporated herein by reference. The KLH-BDP conjugate was removed by gel filtration chromatography through Sephadex G-25.

The KLH-BDP conjugate was prepared for injection into mice by adding 100 μg of the conjugate to 250 μl of phosphate buffered saline (PBS). An equal volume of complete Freund's adjuvant was added and emulsified the entire solution for 5 minutes. Mice were injected with 300 μl of the emulsion. Injections were given subcutaneously at several sites using a 21 gauge needle. A second immunization with BDP was given two weeks later. This injection was prepared as follows: 50 μg of BDP was diluted in 250 μl of PBS and an equal volume of alum was mixed with the solution. The mice were injected intraperitoneally with 500 μl of the solution using a 23 gauge needle. One month later the mice were given a final injection of 50 μg of the conjugate diluted to 200 μl in PBS. This injection was given intravenously in the lateral tail vein using a 30 gauge needle. Five days after this final injection the mice were sacrificed and total cellular RNA was isolated from their spleens.

Total RNA was isolated from the spleen of a single mouse immunized as described above by the method of Chomczynski and Sacchi, Anal. Biochem., 162:156-159 (1987), which is incorporated herein by reference. Briefly, immediately after removing the spleen from the immunized mouse, the tissue was homogenized in 10 ml of a denaturing solution containing 4.0 M guanine isothiocyanate, 0.25 M sodium citrate at pH 7.0, and 0.1 M 2-mercaptoethanol using a glass homogenizer. One ml of sodium acetate at a concentration of 2 M at pH 4.0 was mixed with the homogenized spleen. One ml of saturated phenol was also mixed with the denaturing solution containing the

homogenized spleen. Two ml of a chloroform:isoamyl alcohol (24:1 v/v) mixture was added to this homogenate. The homogenate was mixed vigorously for ten seconds and maintained on ice for 15 minutes. The homogenate was then transferred to a thick-walled 50 ml polypropylene centrifuge tube (Fisher Scientific Company, Pittsburgh, PA). The solution was centrifuged at 10,000 x g for 20 minutes at 4°C. The upper RNA-containing aqueous layer was transferred to a fresh 50 ml polypropylene centrifuge tube and mixed with an equal volume of isopropyl alcohol. This solution was maintained at -20°C for at least one hour to precipitate the RNA. The solution containing the precipitated RNA was centrifuged at 10,000 x g for twenty minutes at 4°C. The pelleted total cellular RNA was collected and dissolved in 3 ml of the denaturing solution described above. Three mls of isopropyl alcohol was added to the resuspended total cellular RNA and vigorously mixed. This solution was maintained at -20°C for at least 1 hour to precipitate the RNA. The solution containing the precipitated RNA was centrifuged at 10,000 x g for ten minutes at 4°C. The pelleted RNA was washed once with a solution containing 75% ethanol. The pelleted RNA was dried under vacuum for 15 minutes and then resuspended in dimethyl pyrocarbonate (DEPC) treated (DEPC-H_2O) H_2O.

Poly A^+ RNA for use in first strand cDNA synthesis was prepared from the above isolated total RNA using a spin-column kit (Pharmacia, Piscataway, NJ) as recommended by the manufacturer. The basic methodology has been described by Aviv and Leder, Proc. Natl. Acad. Sci., USA, 69:1408-1412 (1972), which is incorporated herein by reference. Briefly, one half of the total RNA isolated from a single immunized mouse spleen prepared as described above was resuspended in one ml of DEPC-treated dH_2O and maintained at 65°C for five minutes. One ml of 2x high salt loading buffer (100 mM Tris-HCL at pH 7.5, 1 M sodium chloride, 2.0 mM disodium ethylene diamine tetraacetic acid (EDTA) at pH

8.0, and 0.2% sodium dodecyl sulfate (SDS)) was added to the resuspended RNA and the mixture was allowed to cool to room temperature. The mixture was then applied to an oligo-dT (Collaborative Research Type 2 or Type 3 Bedford, MA) column that was previously prepared by washing the oligo-dT with a solution containing 0.1 M sodium hydroxide and 5 mM EDTA and then equilibrating the column with DEPC-treated dH_2O. The eluate was collected in a sterile polypropylene tube and reapplied to the same column after heating the eluate for 5 minutes at 65°C. The oligo dT column was then washed with 2 ml of high salt loading buffer consisting of 50 mM Tris-HCL at pH 7.5, 500 mM sodium chloride, 1 mM EDTA at pH 8.0 and 0.1% SDS. The oligo dT column was then washed with 2 ml of 1 X medium salt buffer (50 mM Tris-HCL at pH 7.5, 100 mM sodium chloride, 1 mM EDTA at pH 8.0 and 0.1% SDS). The mRNA was eluted with 1 ml of buffer consisting of 10 mM Tris-HCL at pH 7.5, 1 mM EDTA at pH 8.0 and 0.05% SDS. The messenger RNA was purified by extracting this solution with phenol/chloroform followed by a single extraction with 100% chloroform, ethanol precipitated and resuspended in DEPC treated dH_2O.

In preparation for PCR amplification, mRNA was used as a template for cDNA synthesis. In a typical 250 μl reverse transcription reaction mixture, 5-10 μg of spleen mRNA in water was first annealed with 500 ng (0.5 pmol) of either the 3' V_H primer (primer 12, Table I) or the 3' V_L primer (primer 9, Table II) at 65°C for 5 minutes. Subsequently, the mixture was adjusted to contain 0.8 mM dATP, 0.8 mM dCTP, 0.8 mM dGTP, 0.8 mM dTTP, 100 mM Tris-HCL (pH 8.6), 10 mM $MgCl_2$, 40 mM KCl, and 20 mM 2-ME. Moloney-Murine Leukemia Virus (Bethesda Research Laboratories (BRL), Gaithersburg, MD) Reverse transcriptase, 26 units, was added and the solution was incubated for 1 hour at 40°C. The resultant first strand cDNA was phenol extracted, ethanol precipitated and then used in the polymerase chain

reaction (PCR) procedures described below for amplification of heavy and light chain sequences.

Primers used for amplification of heavy chain Fd fragments for construction of the M13IX30 library is shown in Table I. Amplification was performed in eight separate reactions, as described by Saiki et al., Science, 239:487-491 (1988), which is incorporated herein by reference, each reaction containing one of the 5' primers (primers 2 to,9; SEQ ID NOS: 7 through 14, respectively) and one of the 3' primers (primer 12; SEQ ID NO: 17) listed in Table I. The remaining 5' primers, used for amplification in a single reaction, are either a degenerate primer (primer 1; SEQ ID NO: 6) or a primer that incorporates inosine at four degenerate positions (primer 10; SEQ ID NO: 15). The remaining 3' primer (primer 11; SEQ ID NO: 16) was used to construct Fv fragments. The underlined portion of the 5' primers incorporates an Xho I site and that of the 3' primer an Spe I restriction site for cloning the amplified fragments into the M13IX30 vector in a predetermined reading frame for expression.

TABLE I

HEAVY CHAIN PRIMERS

1) 5'- AGGT CC A G CT G CTCGAGTC T GG - 3'
GA A T A

2) 5' - AGGTCCAGCTGCTCGAGTCTGG - 3'

3) 5' - AGGTCCAGCTGCTCGAGTCAGG - 3'

4) 5' - AGGTCCAGCTTCTCGAGTCTGG - 3'

5) 5' - AGGTCCAGCTTCTCGAGTCAGG - 3'

6) 5' - AGGTCCAACTGCTCGAGTCTGG - 3'

7) 5' - AGGTCCAACTGCTCGAGTCAGG - 3'

8) 5' - AGGTCCAACTTCTCGAGTCTGG - 3'

9) 5' - AGGTCCAACTTCTCGAGTCAGG - 3'

10) 5' - AGGTIIAICTICTCGAGTC T GG - 3'
A

11) 5' - CTATTAACTAGTAACGGTAACAGT - GGTGCCTTGCCCCA - 3'

12) 5' - AGGCTTACTAGTACAATCCCTGG - GCACAAT - 3'

Primers used for amplification of mouse kappa light chain sequences for construction of the M13IX11 library are shown in Table II. These primers were chosen to contain restriction sites which were compatible with vector and not present in the conserved sequences of the mouse light chain mRNA. Amplification was performed as described above in five separate reactions, each containing one of the 5' primers (primers 3 to 7; SEQ ID NOS: 20 through 24, respectively) and one of the 3' primers (primer 9; SEQ ID NO: 26) listed in Table II. The remaining 3' primer (primer 8; SEQ ID NO: 25) was used to construct Fv fragments. The underlined portion of the 5' primers depicts a Sac I restriction site and that of the 3' primers an Xba I restriction site for cloning of the amplified fragments into the M13IX11 vector in a predetermined reading frame for expression.

TABLE II

LIGHT CHAIN PRIMERS

1) 5' - CCAGTTCCGAGCTCGTTGTGACTCAGGAATCT - 3'

2) 5' - CCAGTTCCGAGCTCGTGTTGACGCAGCCGCCC - 3'

3) 5' - CCAGTTCCGAGCTCGTGCTCACCCAGTCTCCA - 3'

4) 5' - CCAGTTCCGAGCTCCAGATGACCCAGTCTCCA - 3'

5) 5' - CCAGATGTGAGCTCGTGATGACCCAGACTCCA - 3'

6) 5' - CCAGATGTGAGCTCGTCATGACCCAGTCTCCA - 3'

7) 5' - CCAGTTCCGAGCTCGTGATGACACAGTCTCCA - 3'

8) 5' - GCAGCATTCTAGAGTTTCAGCTCCAGCTTGCC - 3'

9) 5' - GCGCCGTCTAGAATTAACACTCATTCCTGTTGAA - 3'

PCR amplification for heavy and light chain fragments was performed in a 100 µl r action mixture containing the above described products of the reverse transcription reaction (≈5µg of the cDNA-RNA hybrid), 300 nmol of 3' V_H primer (primer 12, Table I; SEQ ID NO: 17), and one of the 5' V_H primers (primers 2-9, Table I; SEQ ID NOS: 7 through 14, respectively) for heavy chain amplification, or, 300 nmol of 3' V_L primer (primer 9, Table II; SEQ ID NO: 26), and one of the 5' V_L primers (primers 3-7, Table II; SEQ ID NOS: 20 through 24, respectively) for each light chain amplification, a mixture of dNTPs at 200 mM, 50 mM KCl, 10 mM Tris-HCl (pH 8.3), 15 mM $MgCl_2$, 0.1% gelatin, and 2 units of Thermus aquaticus DNA polymerase. The reaction mixture was overlaid with mineral oil and subjected to 40 cycles of amplification. Each amplification cycle involved denaturation at 92°C for 1 minute, annealing at 52°C for 2 minutes, and elongation at 72°C for 1.5 minutes. The amplified samples were extracted twice with phenol/$CHCl_3$ and once with $CHCl_3$, ethanol-precipitated, and stored at -70°C in 10 mM Tris-HCl, pH 7.5 1 mM EDTA. The resultant products were used in constructing the M13IX30 and M13IX11 libraries (see below).

Vector Construction

Two M13-based vectors, M13IX30 (SEQ ID NO: 1) and M13IX11 (SEQ ID NO: 2), were constructed for the cloning and propagation of Hc and Lc populations of antibody fragments, respectively. The vectors were constructed to facilitate the random joining and subsequent surface expression of antibody fragment populations.

M13IX30 (SEQ ID NO: 1), or the Hc vector, was constructed to harbor diverse populations of Hc antibody fragments. M13mp19 (Pharmacia, Piscataway, NJ) was the starting vector. This vector was modified to contain, in addition to the encoded wild type M13 gene VIII: (1) a

pseudo-wild type gene VIII sequence with an amber stop codon between it and the restriction sites for cloning oligonucleotides; (2) Stu I restriction site for insertion of sequences by hybridization and, Spe I and Xho I restriction sites in-frame with the pseudo-wild type gene VIII for cloning Hc sequences; (3) sequences necessary for expression, such as a promoter, signal sequence and translation initiation signals; (4) two pairs of Hind III-Mlu I sites for random joining of Hc and Lc vector portions, and (5) various other mutations to remove redundant restriction sites and the amino terminal portion of Lac Z.

Construction of M13IX30 was performed in four steps. In the first step, an M13-based vector containing the pseudo gVIII and various other mutations was constructed, M13IX01F. The second step involved the construction of a small cloning site in a separate M13mp18 vector to yield M13IX03. This vector was then expanded to contain expression sequences and restriction sites for Hc sequences to form M13IX04B. The fourth and final step involved the incorporation of the newly constructed sequences in M13IX04B into M13IX01F to yield M13IX30.

Construction of M13IX01F first involved the generation of a pseudo wild-type gVIII sequence for surface expression of antibody fragments. The pseudo-wild type gene encodes the identical amino acid sequence as that of the wild type gene; however, the nucleotide sequence has been altered so that only 63% identity exists between this gene and the encoded wild type gene VIII. Modification of the gene VIII nucleotide sequence used for surface expression reduces the possibility of homologous recombination with the wild type gene VIII contained on the same vector. Additionally, the wild type M13 gene VIII was retained in the vector system to ensure that at least some functional, non-fusion coat protein would be produced. The inclusion of wild type gene

VIII facilitates the growth of phage under conditions where there is surface expression of the polypeptides and therefore reduces the possibility of non-viable phage production from the fusion genes.

The pseudo-wild type gene VIII was constructed by chemically synthesizing a series of oligonucleotides which encode both strands of the gene. The oligonucleotides are presented in Table III.

TABLE III

Pseudo-Wild Type Gene VIII Oligonucleotide Series

	Top Strand Oligonucleotides	Sequence (5' to 3')
	VIII 03	GATCC TAG GCT GAA GGC GAT GAC CCT GCT AAG GCT GC
	VIII 04	A TTC AAT AGT TTA CAG GCA AGT GCT ACT GAG TAC A
	VIII 05	TT GGC TAC GCT TGG GCT ATG GTA GTA GTT ATA GTT
	VIII 06	GGT GCT ACC ATA GGG ATT AAA TTA TTC AAA AAG TT
	VIII 07	T ACG AGC AAG GCT TCT TA
	Bottom Strand Oligonucleotides	
	VIII 08	AGC TTA AGA AGC CTT GCT CGT AAA CTT TTT GAA TAA TTT
	VIII 09	AAT CCC TAT GGT AGC ACC AAC TAT AAC TAC TAC CAT
	VIII 10	AGC CCA AGC GTA GCC AAT GTA CTC AGT AGC ACT TG
	VIII 11	C CTG TAA ACT ATT GAA TGC AGC CTT AGC AGG GTC
	VIII 12	ATC GCC TTC AGC CTA G

Except for the terminal oligonucleotides VIII 03 (SEQ ID NO: 27) and VIII 08 (SEQ ID NO: 32), the above oligonucleotides (oligonucleotides VIII 04-07 (SEQ ID NOS: 28 through 31, respectively) and VIII 09-12 (SEQ ID NOS: 33

through 36, respectively)) were mixed at 200 ng each in 10 μl final volume, phosphorylated with T4 polynucleotide Kinase (Pharmacia) and 1 mM ATP at 37°C for 1 hour, heated to 70°C for 5 minutes, and annealed into double-stranded form by heating to 65°C for 3 minutes, followed by cooling to room temperature over a period of 30 minutes. The reactions were treated with 1.0 U of T4 DNA ligase (BRL) and 1 mM ATP at room temperature for 1 hour, followed by heating to 70°C for 5 minutes. Terminal oligonucleotides were then annealed to the ligated oligonucleotides. The annealed and ligated oligonucleotides yielded a double-stranded DNA flanked by a Bam HI site at its 5' end and by a Hind III site at its 3' end. A translational stop codon (amber) immediately follows the Bam HI site. The gene VIII sequence begins with the codon GAA (Glu) two codons 3' to the stop codon. The double-stranded insert was cloned in frame with the Eco RI and Sac I sites within the M13 polylinker. To do so, M13mp19 was digested with Bam HI (New England Biolabs, Beverley, MA) and Hind III (New England Biolabs) and combined at a molar ratio of 1:10 with the double-stranded insert. The ligations were performed at room temperature overnight in 1X ligase buffer (50 mM Tris-HCl, pH 7.8, 10 mM $MgCl_2$, 20 mM DTT, 1 mM ATP, 50 μg/ml BSA) containing 1.0 U of T4 DNA ligase (New England Biolabs). The ligation mixture was transformed into a host and screened for positive clones using standard procedures in the art.

Several mutations were generated within the construct to yield functional M13IX01F. The mutations were generated using the method of Kunkel et al., Meth. Enzymol. 154:367-382 (1987), which is incorporated herein by reference, for site-directed mutagenesis. The reagents, strains and protocols were obtained from a Bio Rad Mutagenesis kit (Bio Rad, Richmond, CA) and mutagenesis was performed as recommended by the manufacturer.

Two Fok I sites were removed from the vector as well as the Hind III site at the end of the pseudo gene VIII sequence using the mutant oligonucleotides 5'-CATTTTTGCAGATGGCTTAGA-3' (SEQ ID NO: 37) and 5'-TAGCATTAACGTCCAATA-3' (SEQ ID NO: 38). New Hind III and Mlu I sites were also introduced at position 3919 and 3951 of M13IX01F. The oligonucleotides used for this mutagenesis had the sequences 5'-ATATATTTTAGTAAGCTTCATCTTCT-3' (SEQ ID NO: 39) and 5'-GACAAAGAACGCGTGAAAACTTT-3' (SEQ ID NO: 40), respectively. The amino terminal portion of Lac Z was deleted by oligonucleotide-directed mutagenesis using the mutant oligonucleotide 5'-GCGGGCCTCTTCGCTATTGCTTAAGAAGCCTTGCT-3' (SEQ ID NO: 41). In constructing the above mutations, all changes made in a M13 coding region were performed such that the amino acid sequence remained unaltered. The resultant vector, M13IX01F, was used in the final step to construct M13IX30 (see below).

In the second step, M13mp18 was mutated to remove the 5' end of Lac Z up to the Lac i binding site and including the Lac Z ribosome binding site and start codon. Additionally, the polylinker was removed and a Mlu I site was introduced in the coding region of Lac Z. A single oligonucleotide was used for these mutagenesis and had the sequence 5'-AAACGACGGCCAGTGCCAAGTGACGCGTGTGAAATTGTTATCC-3' (SEQ ID NO: 42). Restriction enzyme sites for Hind III and Eco RI were introduced downstream of the Mlu I site using the oligonucleotide 5'-GGCGAAAGGGAATTCTGCAAGGCGATTAAGCTTGGG TAACGCC-3' (SEQ ID NO. 43). These modifications of M13mp18 yielded the precursor vector M13IX03.

The expression sequences and cloning sites were introduced into M13IX03 by chemically synthesizing a series of oligonucleotides which encode both strands of the desired sequence. The oligonucleotides are presented in Table IV.

TABLE IV

M13IX30 Oligonucleotide Series

Top Strand Oligonucleotides	Sequence (5' to 3')
084	GGCGTTACCCAAGCTTTGTACATGGAGAAAATAAAG
027	TGAAACAAAGCACTATTGCACTGGCACTCTTACCGT TACCGT
028	TACTGTTTACCCCTGTGACAAAAGCCGCCCAGGTCC AGCTGC
029	TCGAGTCAGGCCTATTGTGCCCAGGGATTGTACTAG TGGATCCG

Bottom Oligonucleotides	Sequence (5' to 3')
085	TGGCGAAAGGGAATTCGGATCCACTAGTACAATCCCTG
031	GGCACAATAGGCCTGACTCGAGCAGCTGGACCAGGGCG GCTT
032	TTGTCACAGGGGTAAACAGTAACGGTAACGGTAAGTGT GCCA
033	GTGCAATAGTGCTTTGTTTCACTTTATTTTCTCCATGT ACAA

The above oligonucleotides of Table IV, except for the terminal oligonucleotides 084 (SEQ ID NO: 44) and 085 (SEQ ID NO: 48), were mixed, phosphorylated, annealed and ligated to form a double-stranded insert as described in Example I. However, instead of cloning directly into the intermediate vector the insert was first amplified by PCR. The terminal oligonucleotides were used as primers for PCR. Oligonucleotide 084 (SEQ ID NO: 44) contains a Hind III site, 10 nucleotides internal to its 5' end and oligonucleotide 085 (SEQ ID NO: 48) has an Eco RI site at its 5' end. Following amplification, the products were restricted with Hind III and Eco RI and ligated, as describ d in Example I, into the polylinker of M13mp18 digested with the same two enzymes. The resultant double

stranded insert contained a ribosome binding site, a translation initiation codon followed by a leader sequence and three restriction enzyme sites for cloning random oligonucleotides (Xho I, Stu I, Spe I). The intermediate vector was named M13IX04.

During cloning of the double-stranded insert, it was found that one of the GCC codons in oligonucleotides 028 and its complement in 031 was deleted. Since this deletion did not affect function, the final construct is missing one of the two GCC codons. Additionally, oligonucleotide 032 (SEQ ID NO: 50) contained a GTG codon where a GAG codon was needed. Mutagenesis was performed using the oligonucleotide 5'-TAACGGTAAGAGTGCCAGTGC-3' (SEQ ID NO: 52) to convert the codon to the desired sequence. The resultant vector is named M13IX04B.

The third step in constructing M13IX30 involved inserting the expression and cloning sequences from M13IX04B upstream of the pseudo wild-type gVIII in M13IX01F. This was accomplished by digesting M13IX04B with Dra III and Bam HI and gel isolating the 700 base pair insert containing the sequences of interest. M13IX01F was likewise digested with Dra III and Bam HI. The insert was combined with the double digested vector at a molar ratio of 1:1 and ligated as described in Example I. The sequence of the final construct M13IX30, is shown in Figure 2 (SEQ ID NO: 1). Figure 1A also shows M13IX30 where each of the elements necessary for surface expression of Hc fragments is marked. It should be noted during modification of the vectors, certain sequences differed from the published sequence of M13mp18. The new sequences are incorporated into the sequences recorded herein.

M13IX11 (SEQ ID NO: 2), or the Lc vector, was constructed to harbor diverse populations of Lc antibody fragments. This vector was also constructed from M13mp19

and contains: (1) sequences necessary for expression, such as a promoter, signal s quence and translation initiation signals; (2) Eco RV restriction site for insertion of sequences by hybridization and Sac I and Xba I restriction sites for cloning of Lc sequences; (3) two pairs of Hind III-Mlu I sites for random joining of Hc and Lc vector portions, and (4) various other mutation to remove redundant restriction sites.

The expression, translation initiation signals, cloning sites, and one of the Mlu I sites were constructed by annealing of overlapping oligonucleotides as described above to produce a double-stranded insert containing a 5' Eco RI site and a 3' Hind III site. The overlapping oligonucleotides are shown in Table V and were ligated as a double-stranded insert between the Eco RI and Hind III sites of M13mp18 as described for the expression sequences inserted into M13IX03. The ribosome binding site (AGGAGAC) is located in oligonucleotide 015 and the translation initiation codon (ATG) is the first three nucleotides of oligonucleotide 016 (SEQ ID NO: 55).

TABLE V

Oligonucleotide Series for Construction of Translation Signals in M13IX11

Oligonucleotide	Sequence (5' to 3')
082	CACC TTCATG AATTC GGC AAG GAGACA GTCAT
015	AATT C GCC AAG GAG ACA GTC AT
016	AATG AAA TAC CTA TTG CCT ACG GCA GCC GCT GGA TTG TT
017	ATTA CTC GCT GCC CAA CCA GCC ATG GCC GAG CTC GTG AT
018	GACC CAG ACT CCA GATATC CAA CAG GAA TGA GTG TTA AT
019	TCT AGA ACG CGT C
083	TTCAGGTTGAAGC TTA CGC GTT CTA GAA TTA ACA CTC ATT CCTGT
021	TG GAT ATC TGG AGT CTG GGT CAT CAC GAG CTC GGC CAT G
022	GC TGG TTG GGC AGC GAG TAA TAA CAA TCC AGC GGC TGC C
023	GT AGG CAA TAG GTA TTT CAT TAT GAC TGT CCT TGG CG

Oligonucleotide 017 (SEQ ID NO: 56) contained a Sac I restriction site 67 nucleotides downstream from the ATG codon. The naturally occurring Eco RI site was removed and new Eco RI and Hind III sites were introduced downstream from the Sac I. Oligonucleotides 5'-TGACTGTCTCCTTGGCGTGTGAAATTGTTA-3' (SEQ ID NO: 63) and 5'-TAACACTCATTCCGGATGGAATTCTGGAGTCTGGGT-3' (SEQ ID NO: 64) were used to generate each of the mutations, respectively. The Lac Z ribosome binding site was removed when the

original Eco RI site in M13mp19 was mutated. Additionally, when the new Eco RI and Hind III sites were generated, a spontaneous 100 bp deletion was found just 3' to these sites. Since the deletion does not affect the function, it was retained in the final vector.

In addition to the above mutations, a variety of other modifications were made to incorporate or remove certain sequences. The Hind III site used to ligate the double-stranded insert was removed with the oligonucleotide 5'-GCCAGTGCCAAGTGACGCGTTCTA-3' (SEQ ID NO: 65). Second Hind III and Mlu I sites were introduced at positions 3922 and 3952, respectively, using the oligonucleotides 5'-ATATATTTTAGTAAGCTTCATCTTCT-3' (SEQ ID NO: 66) for the Hind III mutagenesis and 5'-GACAAAGAACGCGTGAAAACTTT-3' (SEQ ID NO: 67) for the Mlu I mutagenesis. Again, mutations within the coding region did not alter the amino acid sequence.

The sequence of the resultant vector, M13IX11, is shown in Figure 3 (SEQ ID NO: 2). Figure 1B also shows M13IX11 where each of the elements necessary for producing a surface expression library between Lc fragments is marked.

Library Construction

Each population of Hc and Lc sequences synthesized by PCR above are separately cloned into M13IX30 and M13IX11, respectively, to create Hc and Lc libraries.

The Hc and Lc products (5 μg) are mixed, ethanol precipitated and resuspended in 20 μl of NaOAc buffer (33 mM Tris acetate, pH 7.9, 10 mM Mg-acetate, 66 mM K-acetate, 0.5 mM DTT). Five units of T4 DNA polymerase is added and the reactions incubated at 30°C for 5 minutes to remove 3' termini by exonuclease digestion. Reactions are stopped by heating at 70°C for 5 minutes. M13IX30 is digested with

Stu I and M13IX11 is digested with Eco RV. Both vectors are treated with T4 DNA polymerase as described above and combined with the appropriate PCR products at a 1:1 molar ratio at 10 ng/μl to anneal in the above buffer at room temperature overnight. DNA from each annealing is electroporated into MK30-3 (Boehringer, Indianapolis, IN), as described below, to generate the Hc and Lc libraries.

E. coli MK30-3 is electroporated as described by Smith et al., Focus 12:38-40 (1990) which is incorporated herein by reference. The cells are prepared by inoculating a fresh colony of MK30-3 into 5 mls of SOB without magnesium (20 g bacto-tryptone, 5 g bacto-yeast extract, 0.584 g NaCl, 0.186 g KCl, dH_2O to 1,000 mls) and grown with vigorous aeration overnight at 37°C. SOB without magnesium (500 ml) is inoculated at 1:1000 with the overnight culture and grown with vigorous aeration at 37°C until the OD_{550} is 0.8 (about 2 to 3 h). The cells are harvested by centrifugation at 5,000 rpm (2,600 x g) in a GS3 rotor (Sorvall, Newtown, CT) at 4°C for 10 minutes, resuspended in 500 ml of ice-cold 10% (v/v) sterile glycerol, centrifuged and resuspended a second time in the same manner. After a third centrifugation, the cells are resuspended in 10% sterile glycerol at a final volume of about 2 ml, such that the OD_{550} of the suspension was 200 to 300. Usually, resuspension is achieved in the 10% glycerol that remained in the bottle after pouring off the supernate. Cells are frozen in 40 μl aliquots in microcentrifuge tubes using a dry ice-ethanol bath and stored frozen at -70°C.

Frozen cells are electroporated by thawing slowly on ice before use and mixing with about 10 pg to 500 ng of vector per 40 μl of cell suspension. A 40 μl aliquot is placed in an 0.1 cm electroporation chamber (Bio-Rad, Richmond, CA) and pulsed once at 0°C using 4 kΩ parallel resistor 25 μF, 1.88 KV, which gives a pulse length (τ) of

4 ms. A 10 µl aliquot of the pulsed cells are diluted into 1 ml SOC (98 mls SOB plus 1 ml of 2 M $MgCl_2$ and 1 ml of 2 M glucose) in a 12- x 75-mm culture tube, and the culture is shaken at 37°C for 1 hour prior to culturing in selective media, (see below).

Each of the libraries are cultured using methods known to one skilled in the art. Such methods can be found in Sanbrook et al., Molecular Cloning: A Laboratory Manuel, Cold Spring Harbor Laboratory, Cold Spring Harbor, 1989, and in Ausubel et al., Current Protocols in Molecular Biology, John Wiley and Sons, New York, 1989, both of which are incorporated herein by reference. Briefly, the above 1 ml library cultures are grown up by diluting 50-fold into 2XYT media (16 g tryptone, 10 g yeast extract, 5 g NaCl) and culturing at 37°C for 5-8 hours. The bacteria are pelleted by centrifugation at 10,000 x g. The supernatant containing phage is transferred to a sterile tube and stored at 4°C.

Double strand vector DNA containing Hc and Lc antibody fragments are isolated from the cell pellet of each library. Briefly, the pellet is washed in TE (10 mM Tris, pH 8.0, 1 mM EDTA) and recollected by centrifugation at 7,000 rpm for 5' in a Sorval centrifuge (Newtown, CT). Pellets are resuspended in 6 mls of 10% Sucrose, 50 mM Tris, pH 8.0. 3.0 ml of 10 mg/µl lysozyne is added and incubated on ice for 20 minutes. 12 mls of 0.2 M NaOH, 1% SDS is added followed by 10 minutes on ice. The suspensions are then incubated on ice for 20 minutes after addition of 7.5 mls of 3 M NaOAc, pH 4.6. The samples are centrifuged at 15,000 rpm for 15 minutes at 4°C, RNased and extracted with phenol/chloroform, followed by ethanol precipitation. The pellets are resuspended, weighed and an equal weight of $CsCl_2$ is dissolved into each tube until a density of 1.60 g/ml is achieved. EtBr is added to 600 µg/ml and the double-stranded DNA is isolated by

equilibrium centrifugati n in a TV-1665 rotor (Sorval) at 50,000 rpm for 6 hours. These DNAs from each right and left half sublibrary are used to generate forty libraries in which the right and left halves of the randomized oligonucleotides have been randomly joined together.

The surface expression library is formed by the random joining of the Hc containing portion of M13IX30 with the Lc containing portion of M13IX11. The DNAs isolated from each library was digested separately with an excess amount of restriction enzyme. The Lc population (5 μg) is digested with Hind III. The Hc (5 μg) population is digested with Mlu I. The reactions are stopped by phenol/chloroform extraction followed by ethanol precipitation. The pellets are washed in 70% ethanol and resuspended in 20 μl of NaOAc buffer. Five units of T4 DNA polymerase (Pharmacia) is added and the reactions incubated at 30°C for 5 minutes. Reactions are stopped by heating at 70°C for 5 minutes. The Hc and Lc DNAs are mixed to a final concentration of 10 ng each vector/μl and allowed to anneal at room temperature overnight. The mixture is electroporated into MK30-3 cells as described above.

Screening of Surface Expression Libraries

Purified phage are prepared from 50 ml liquid cultures of XL1 Blue™ cells (Stratagene, La Jolla, CA) which had been infected at a m.o.i. of 10 from the phage stocks stored at 4°C. The cultures are induced with 2 mM IPTG. Supernatants are cleared by two centrifugations, and the phage are precipitated by adding 1/7.5 volumes of PEG solution (25% PEG-8000, 2.5 M NaCl), followed by incubation at 4°C overnight. The precipitate is recovered by centrifugation for 90 minutes at 10,000 x g. Phage pellets are resuspended in 25 ml of 0.01 M Tris-HCl, pH 7.6, 1.0 mM EDTA, and 0.1% Sarkosyl and then shaken slowly at room temperature for 30 minutes. The solutions are adjusted to

0.5 M NaCl and to a final concentration of 5% polyethylene glycol. After 2 hours at 4°C, the precipitates containing the phage are recovered by centrifugation for 1 hour at 15,000 X g. The precipitates are resuspended in 10 ml of NET buffer (0.1 M NaCl, 1.0 mM EDTA, and 0.01 M Tris-HCl, pH 7.6), mixed well, and the phage repelleted by centrifugation at 170,000 X g for 3 hours. The phage pellets are resuspended overnight in 2 ml of NET buffer and subjected to cesium chloride centrifugation for 18 hours at 110,000 X g (3.86 g of cesium chloride in 10 ml of buffer). Phage bands are collected, diluted 7-hold with NET buffer, recentrifuged at 170,000 X g for 3 hours, resuspended, and stored at 4°C in 0.3 ml of NET buffer containing 0.1 mM sodium azide.

The BDP used for panning on streptavidin coated dishes is first biotinylated and then absorbed against UV-inactivated blocking phage (see below). The biotinylating reagents are dissolved in dimethylformamide at a ratio of 2.4 mg solid NHS-SS-Biotin (sulfosuccinimidyl 2-(biotinamido)ethyl-1,3'-dithiopropionate; Pierce, Rockford, IL) to 1 ml solvent and used as recommended by the manufacturer. Small-scale reactions are accomplished by mixing 1 µl dissolved reagent with 43 µl of 1 mg/ml BDP diluted in sterile bicarbonate buffer (0.1 M $NaHCO_3$, pH 8.6). After 2 hours at 25°C, residual biotinylating reagent is reacted with 500 µl 1 M ethanolamine (pH adjusted to 9 with HCl) for an additional 2 hours. The entire sample is diluted with 1 ml TBS containing 1 mg/ml BSA, concentrated to about 50 µl on a Centricon 30 ultra-filter (Amicon), and washed on the same filter three times with 2 ml TBS and once with 1 ml TBS containing 0.02% NaN_3 and 7 x 10^{12} UV-inactivated blocking phage (see below); the final retentate (60-80 µl) is stored at 4 °C. BDP biotinylated with the NHS-SS-Biotin reagent is linked to biotin via a disulfide-containing chain.

UV-irradiated M13 phage are used for blocking any biotinylated BDP which fortuitously binds filamentous phage in general. M13mp8 (Messing and Vieira, Gene 19: 262-276 (1982), which is incorporated herein by reference) is chosen because it carries two amber mutations, which ensure that the few phage surviving irradiation will not grow in the sup O strains used to titer the surface expression library. A 5 ml sample containing 5 x 10^{13} M13mp8 phage, purified as described above, is placed in a small petri plate and irradiated with a germicidal lamp at a distance of two feet for 7 minutes (flux 150 $\mu W/cm^2$). NaN_3 is added to 0.02% and phage particles concentrated to 10^{14} particles/ml on a Centricon 30-kDa ultrafilter (Amicon).

For panning, polystyrene petri plates (60 x 15 mm) are incubated with 1 ml of 1 mg/ml of streptavidin (BRL) in 0.1 M $NaHCO_3$ pH 8.6-0.02% NaN_3 in a small, air-tight plastic box overnight in a cold room. The next day streptavidin is removed and replaced with at least 10 ml blocking solution (29 mg/ml of BSA; 3 μg/ml of streptavidin; 0.1 M $NaHCO_3$ pH 8.6-0.02% NaN_3) and incubated at least 1 hour at room temperature. The blocking solution is removed and plates are washed rapidly three times with Tris buffered saline containing 0.5% Tween 20 (TBS-0.5% Tween 20).

Selection of phage expressing antibody fragments which bind BDP is performed with 5 μl (2.7 μg BDP) of blocked biotinylated BDP reacted with a 50 μl portion of the library. Each mixture is incubated overnight at 4°C, diluted with 1 ml TBS-0.5% Tween 20, and transferred to a streptavidin-coated petri plate prepared as described above. After rocking 10 minutes at room temperature, unbound phage are removed and plates washed ten times with TBS-0.5% Tween 20 over a period of 30-90 minutes. Bound phage are eluted from plates with 800 μl sterile elution buffer (1 mg/ml BSA, 0.1 M HCl, pH adjusted to 2.2 with glycerol) for 15 minutes and eluates neutralized with 48 μl

2 M Tris (pH unadjust d). A 20 µl portion of each eluate is titered on MK30-3 concentrated cells with dilutions of input phage.

A second round of panning is performed by treating 750 µl of first eluate from the library with 5 mM DTT for 10 minutes to break disulfide bonds linking biotin groups to residual biotinylated binding proteins. The treated eluate is concentrated on a Centricon 30 ultrafilter (Amicon), washed three times with TBS-0.5% Tween 20, and concentrated to a final volume of about 50 µl. Final retentate is transferred to a tube containing 5.0 µl (2.7 µg BDP) blocked biotinylated BDP and incubated overnight. The solution is diluted with 1 ml TBS-0.5% Tween 20, panned, and eluted as described above on fresh streptavidin-coated petri plates. The entire second eluate (800 µl) is neutralized with 48 µl 2 M Tris, and 20 µl is titered simultaneously with the first eluate and dilutions of the input phage. If necessary, further rounds of panning can be performed to obtain homogeneous populations of phage. Additionally, phage can be plaque purified if reagents are available for detection.

Template Preparation and Sequencing

Templates are prepared for sequencing by inoculating a 1 ml culture of 2XYT containing a 1:100 dilution of an overnight culture of XL1 with an individual plaque from the purified population. The plaques are picked using a sterile toothpick. The culture is incubated at 37°C for 5-6 hours with shaking and then transferred to a 1.5 ml microfuge tube. 200 µl of PEG solution is added, followed by vortexing and placed on ice for 10 minutes. The phage precipitate is recovered by centrifugation in a microfuge at 12,000 x g for 5 minutes. The supernatant is discarded and the pellet is resuspended in 230 µl of TE (10 mM Tris-HCl, pH 7.5, 1 mM EDTA) by gently pipeting with a yellow

pipet tip. Phenol (200 µl) is added, followed by a brief vortex and microfuged to separate the phases. The aqueous phase is transferred to a separate tube and extracted with 200 µl of phenol/chloroform (1:1) as described above for the phenol extraction. A 0.1 volume of 3 M NaOAc is added, followed by addition of 2.5 volumes of ethanol and precipated at -20°C for 20 minutes. The precipated templates are recovered by centrifugation in a microfuge at 12,000 x g for 8 minutes. The pellet is washed in 70% ethanol, dried and resuspended in 25 µl TE. Sequencing was performed using a Sequenase™ sequencing kit following the protocol supplied by the manufacturer (U.S. Biochemical, Cleveland, OH).

EXAMPLE II

Cloning of Heavy and Light Chain Sequences Without Restriction Enzyme Digestion

This example shows the simultaneous incorporation of antibody heavy and light chain fragment encoding sequences into a M13IXHL-type vector with the use of restriction endonucleases.

For the simultaneous incorporation of heavy and light chain encoding sequences into a single coexpression vector, a M13IXHL vector was produced that contained heavy and light chain encoding sequences for a mouse monoclonal antibody (DAN-18H4; Biosite, San Diego, CA). The inserted antibody fragment sequences are used as complementary sequences for the hybridization and incorporation of Hc and Lc sequences by site-directed mutagenesis. The genes encoding the heavy and light chain polypeptides were inserted into M13IX30 (SEQ ID NO: 1) and M13IX11 (SEQ ID NO: 2), respectively, and combined into a single surface expression vector as described in Example I. The resultant M13IXHL-type vector is termed M13IX50.

The combinations were performed under conditions that facilitate the formati n of one Hc and one Lc vector half into a single circularized vector. Briefly, the overhangs generated between the pairs of restriction sites after restriction with Mlu I or Hind III and exonuclease digestion are unequal (i.e., 64 nucleotides compared to 32 nucleotides). These unequal lengths result in differential hybridization temperatures for specific annealing of the complementary ends from each vector. The specific hybridization of each end of each vector half was accomplished by first annealing at 65°C in a small volume (about 100 $\mu g/\mu l$) to form a dimer of one Hc vector half and one Lc vector half. The dimers were circularized by diluting the mixture (to about 20 $\mu g/\mu l$) and lowering the temperature to about 25-37°C to allow annealing. T4 ligase was present to covalently close the circular vectors.

M13IX50 was modified such that it did not produce a functional polypeptide for the DAN monoclonal antibody. To do this, about eight amino acids were changed within the variable region of each chain by mutagenesis. The Lc variable region was mutagenized using the oligonucleotide 5'-CTGAACCTGTCTGGGACCACAGTTGATGCTATAGGATCAGATCTAGAATTCATT TAGAGACTGGCCTGGCTTCTGC-3' (SEQ ID NO: 68). The Hc sequence was mutagenized with the oligonucleotide 5'-T C G A C C G T T G G T A G G A A T A A T G C A A T T A A T G GAGTAGCTCTAAATTCAGAATTCATCTACACCCAGTGCATCCAGTAGCT-3' (SEQ ID NO: 69). An additional mutation was also introduced into M13IX50 to yield the final form of the vector. During construction of an intermediate to M13IX50 (M13IX04 described in Example I), a six nucleotide sequence was duplicated in oligonucleotide 027 and its complement 032. This sequence, 5'TTACCG-3' was deleted by mutagenesis using the oligonucleotide 5'-GGTAAACAGTAACGGTAAGAGTGCCAG-3' (SEQ ID NO: 70). The resultant vector was designated M13IX53.

M13IX53 can be produced as a single stranded form and

contains all the functional elements of the previously described M13IXHL vector except that it does not express functional antibody heteromers. The single-stranded vector can be hybridized to populations of single-stranded Hc and Lc encoding sequences for their incorporation into the vector by mutagenesis. Populations of single-stranded Hc and Lc encoding sequences can be produced by one skilled in the art from the PCR products described in Example I or by other methods known to one skilled in the art using the primers and teachings described therein. The resultant vectors with Hc and Lc encoding sequences randomly incorporated are propagated and screened for desired binding specificities as described in Example I.

Other vectors similar to M13IX53 and the vectors it's derived from, M13IX11 and M13IX30, have also been produced for the incorporation of Hc and Lc encoding sequences without restriction. In contrast to M13IX53, these vectors contain human antibody sequences for the efficient hybridization and incorporation of populations of human Hc and Lc sequences. These vectors are briefly described below. The starting vectors were either the Hc vector (M13IX30) or the Lc vector (M13IX11) previously described.

M13IX32 was generated from M13IX30 by removing the six nucleotide redundant sequence 5'-TTACCG-3' described above and mutation of the leader sequence to increase secretion of the product. The oligonucleotide used to remove the redundant sequence is the same as that given above. The mutation in the leader sequence was generated using the oligonucleotide 5'GGGCTTTTGCCACAGGGGT-3'. This mutagenesis resulted in the A residue at position 6353 of M13IX30 being changed to a G residue.

A decapeptide tag for affinity purification of antibody fragments was incorporated in the proper reading frame at the carboxy-terminal end of the Hc expression site

in M13IX32. The oligonucleotide used for this mutagenesis was 5'-CGCCTT CAGCCTAAGAAGCGTAGTCCGGAACGTCGTACGGGTAGGATCCA CTAG-3' (SEQ ID NO: 71). The resultant vector was designated M13IX33. Modifications to this or other vectors are envisioned which include various features known to one skilled in the art. For example, a peptidase cleavage site can be incorporated following the decapeptide tag which allows the antibody to be cleaved from the gene VIII portion of the fusion protein.

M13IX34 (SEQ ID NO: 3) was created from M13IX33 by cloning in the gene encoding a human IgG1 heavy chain. The reading frame of the variable region was changed and a stop codon was introduced to ensure that a functional polypeptide would not be produced. The oligonucleotide used for the mutagenesis of the variable region was 5'-CACCGGTTCGGGGAATTAGTCTTGACCAGGCAGCCCAGGGC-3' (SEQ ID NO: 72). The complete nucleotide sequence of this vector is shown in Figure 4 (SEQ ID NO: 3).

Several vectors of the M13IX11 series were also generated to contain similar modifications as that described for the vectors M13IX53 and M13IX34. The promoter region in M13IX11 was mutated to conform to the consensus sequence to generate M13IX12. The oligonucleotide used for this mutagenesis was 5'-ATTCCACAC ATTATACGAGCCGGAAGCATAAAGTGTCAAGCCTGGGGTGCC-3' (SEQ ID NO: 73). A human kappa light chain sequence was cloned into M13IX12 and the variable region subsequently deleted to generate M13IX13 (SEQ ID NO: 4). The complete nucleotide sequence of this vector is shown in Figure 5 (SEQ ID NO: 4). A similar vector, designated M13IX14, was also generated in which the human lambda light chain was inserted into M13IX12 followed by deletion of the variable region. The oligonucleotides used for the variable region deletion of M13IX13 and M13IX14 w re 5'-CTG CTCATCAGATGGCGGGAAGAGCTCGGCCATGGCTGGTTG-3' (SEQ ID NO: 74)

and 5'-GAACAGAGT GACCGAGGGGGCGAGCTCGGCCATGGCTGGTTG-3' (SEQ ID NO: 75), respectively.

The Hc and Lc vectors or modified forms thereof can be combined using the methods described in Example I to produce a single vector similar to M13IX53 that allows the efficient incorporation of human Hc and Lc encoding sequences by mutagenesis. An example of such a vector is the combination of M13IX13 with M13IX34. The complete nucleotide sequence of this vector, M13IX60, is shown in Figure 6 (SEQ ID NO: 5).

Additional modifications to any of the previously described vectors can also be performed to generate vectors which allow the efficient incorporation and surface expression of Hc and Lc sequences. For example, to alleviate the use of uracil selection against wild-type template during mutagenesis procedures, the variable region locations within the vectors can be substituted by a set of palindromic restriction enzyme sites (i.e., two similar sites in opposite orientation). The palindromic sites will loop out and hybridize together during the mutagenesis and thus form a double-stranded substrate for restriction endonuclease digestion. Cleavage of the site results in the destruction of the wild-type template. The variable region of the inserted Hc or Lc sequences will not be affected since they will be in single stranded form.

Following the methods of Example I, single-stranded Hc or Lc populations can be produced by a variety of methods known to one skilled in the art. For example, the PCR primers described in Example I can be used in asymmetric PCR to generate such populations. Gelfand et al., "PCR Protocols: A Guide to Methods and Applications", Ed by M.A. Innis (1990), which is incorporated herein by reference. Asymmetric PCR is a PCR method that differentially amplifies only a single strand of the double

stranded template. Such differential amplification is accomplished by decreasing the primer amount for the undesirable strand about 10-fold compared to that for the desirable strand. Alternatively, single-stranded populations can be produced from double-stranded PCR products generated as described in Example I except that the primer(s) used to generate the undesirable strand of the double-stranded products is first phosphorylated at its 5' end with a kinase. The resultant products can then be treated with a 5' to 3' exonuclease, such as lambda exonuclease (BRL, Bethesda, MD) to digest away the unwanted strand.

Single-stranded Hc and Lc populations generated by the methods described above or by others known to one skilled in the art are hybridized to complementary sequences encoded in the previously described vectors. The population of the sequences are subsequently incorporated into a double-stranded form of the vector by polymerase extension of the hybridized templates. Propagation and surface expression of the randomly combined Hc and Lc sequences are performed as described in Example I.

Although the invention has been described with reference to the presently preferred embodiment, it should be understood that various modifications can be made without departing from the spirit of the invention. Accordingly, the invention is limited only by the claims.

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT: HUSE, WILLIAM D.

(ii) TITLE OF INVENTION: SURFACE EXPRESSION LIBRARIES OF HETEROMERIC RECEPTORS

(iii) NUMBER OF SEQUENCES: 75

(iv) CORRESPONDENCE ADDRESS:
(A) ADDRESSEE: PRETTY, SCHROEDER, BRUEGGEMANN & CLARK
(B) STREET: 444 SO. FLOWER STREET, SUITE 200
(C) CITY: LOS ANGELES
(D) STATE: CALIFORNIA
(E) COUNTRY: UNITED STATES
(F) ZIP: 90071

(v) COMPUTER READABLE FORM:
(A) MEDIUM TYPE: Floppy disk
(B) COMPUTER: IBM PC compatible
(C) OPERATING SYSTEM: PC-DOS/MS-DOS
(D) SOFTWARE: PatentIn Release #1.0, Version #1.25

(vi) CURRENT APPLICATION DATA:
(A) APPLICATION NUMBER:
(B) FILING DATE:
(C) CLASSIFICATION:

(viii) ATTORNEY/AGENT INFORMATION:
(A) NAME: CAMPBELL, CATHRYN A.
(B) REGISTRATION NUMBER: 31,815
(C) REFERENCE/DOCKET NUMBER: P31 8882

(ix) TELECOMMUNICATION INFORMATION:
(A) TELEPHONE: 619-535-9001
(B) TELEFAX: 619-535-8949

(2) INFORMATION FOR SEQ ID NO:1:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 7445 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: both
(D) TOPOLOGY: circular

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

AATGCTACTA CTATTAGTAG AATTGATGCC ACCTTTTCAG CTCGCGCCCC AAATGAAAAT 60

ATAGCTAAAC AGGTTATTGA CCATTTGCGA AATGTATCTA ATGGTCAAAC TAAATCTACT 120

CGTTCGGCAGA ATTGGGAATC AACTGTTACA TGGAATGAAA CTTCCAGACA CCGTACTTTA 180

GTTGCATATT TAAAACATGT TGAGCTACAG CACCAGATTC AGCAATTAAG CTCTAAGCCA 240

TCTGCAAAAA TGACCTCTTA TCAAAAGGAG CAATTAAAGG TACTCTCTAA TCCTGACCTG 300

TTGGAGTTTG CTTCCGGTCT GGTTCGCTTT GAAGCTCGAA TTAAAACGCG ATATTTGAAG 360

TCTTTCGGGC TTCCTCTTAA TCTTTTTGAT GCAATCCGCT TTGCTTCTGA CTATAATAGT 420

CAGGGTAAAG ACCTGATTTT TGATTTATGG TCATTCTCGT TTTCTGAACT GTTTAAAGCA 480

TTTGAGGGGG ATTCAATGAA TATTTATGAC GATTCCGCAG TATTGGACGC TATCCAGTCT 540

AAACATTTTA CTATTACCCC CTCTGGCAAA ACTTCTTTTG CAAAAGCCTC TCGCTATTTT 600

GGTTTTTATC GTCGTCTGGT AAACGAGGGT TATGATAGTG TTGCTCTTAC TATGCCTCGT 660

AATTCCTTTT GGCGTTATGT ATCTGCATTA GTTGAATGTG GTATTCCTAA ATCTCAACTG 720

ATGAATCTTT CTACCTGTAA TAATGTTGTT CCGTTAGTTC GTTTTATTAA CGTAGATTTT 780

TCTTCCCAAC GTCCTGACTG GTATAATGAG CCAGTTCTTA AAATCGCATA AGGTAATTCA 840

CAATGATTAA AGTTGAAATT AAACCATCTC AAGCCCAATT TACTACTCGT TCTGGTGTTT 900

CTCGTCAGGG CAAGCCTTAT TCACTGAATG AGCAGCTTTG TTACGTTGAT TTGGGTAATG 960

AATATCCGGT TCTTGTCAAG ATTACTCTTG ATGAAGGTCA GCCAGCCTAT GCGCCTGGTC 1020

TGTACACCGT TCATCTGTCC TCTTTCAAAG TTGGTCAGTT CGGTTCCCTT ATGATTGACC 1080

GTCTGCGCCT CGTTCCGGCT AAGTAACATG GAGCAGGTCG CGGATTTCGA CACAATTTAT 1140

CAGGCGATGA TACAAATCTC CGTTGTACTT TGTTTCGCGC TTGGTATAAT CGCTGGGGGT 1200

CAAAGATGAG TGTTTTAGTG TATTCTTTCG CCTCTTTCGT TTTAGGTTGG TGCCTTCGTA 1260

GTGGCATTAC GTATTTTACC CGTTTAATGG AAACTTCCTC ATGAAAAAGT CTTTAGTCCT 1320

CAAAGCCTCT GTAGCCGTTG CTACCCTCGT TCCGATGCTG TCTTTCGCTG CTGAGGGTGA 1380

CGATCCCGCA AAAGCGGCCT TTAACTCCCT GCAAGCCTCA GCGACCGAAT ATATCGGTTA 1440

TGCGTGGGCG ATGGTTGTTG TCATTGTCGG CGCAACTATC GGTATCAAGC TGTTTAAGAA 1500

ATTCACCTCG AAAGCAAGCT GATAAACCGA TACAATTAAA GGCTCCTTTT GGAGCCTTTT 1560

TTTTTGGAGA TTTTCAACGT GAAAAAATTA TTATTCGCAA TTCCTTTAGT TGTTCCTTTC 1620

TATTCTCACT CCGCTGAAAC TGTTGAAAGT TGTTTAGCAA AACCCCATAC AGAAAATTCA 1680

TTTACTAACG TCTGGAAAGA CGACAAAACT TTAGATCGTT ACGCTAACTA TGAGGGTTGT 1740

CTGTGGAATG CTACAGGCGT TGTAGTTTGT ACTGGTGACG AAACTCAGTG TTACGGTACA 1800

TGGGTTCGTA TTGGGCTTGC TATCCCTGAA AATGAGGGTG GTGGCTCTGA GGGTGGCGGT 1860

TCTGAGGGTG GCGGTTCTGA GGGTGGCGGT ACTAAACCTC CTGAGTACGG TGATACACCT 1920

ATTCCGGGCT ATACTTATAT CAACCCTCTC GACGGCACTT ATCCGCCTGG TACTGAGCAA 1980

AACCCCGCTA ATCCTAATCC TTCTCTTGAG GAGTCTCAGC CTCTTAATAC TTTCATGTTT 2040

CAGAATAATA GGTTCCGAAA TAGGCAGGGG GCATTAACTG TTTATAGGGG CACTGTTACT 2100

CAAGGCACTG ACCCCGTTAA AACTTATTAC CAGTACACTC CTGTATCATC AAAAGCCATG 2160

TATGACGCTT ACTGGAACGG TAAATTCAGA GACTGCGCTT TCCATTCTGG CTTTAATGAA 2220

GATCCATTCG TTTGTGAATA TCAAGGCCAA TCGTCTGACC TGCCTCAACC TCCTGTCAAT 2280

GCTGGCGGCG GCTCTGGTGG TGGTTCTGGT GGCGGCTCTG AGGGTGGTGG CTCTGAGGGT 2340

GGCGGTTCTG AGGGTGGCGG CTCTGAGGGA GGCGGTTCCG GTGGTGGCTC TGGTTCCGGT 2400

GATTTTGATT ATGAAAAGAT GGCAAACGCT AATAAGGGGG CTATGACCGA AAATGCCGAT 2460

GAAAACGCGC TACAGTCTGA CGCTAAAGGC AAACTTGATT CTGTCGCTAC TGATTACGGT 2520
GCTGCTATCG ATGGTTTCAT TGGTGACGTT TCCGGCCTTG CTAATGGTAA TGGTGCTACT 2580
GGTGATTTTG CTGGCTCTAA TTCCCAAATG GCTCAAGTCG GTGACGGTGA TAATTCACCT 2640
TTAATGAATA ATTTCCGTCA ATATTTACCT TCCCTCCCTC AATCGGTTGA ATGTCGCCCT 2700
TTTGTCTTTA GCGCTGGTAA ACCATATGAA TTTTCTATTG ATTGTGACAA AATAAACTTA 2760
TTCCGTGGTG TCTTTGCGTT TCTTTTATAT GTTGCCACCT TTATGTATGT ATTTTCTACG 2820
TTTGCTAACA TACTGCGTAA TAAGGAGTCT TAATCATGCC AGTTCTTTTG GGTATTCCGT 2880
TATTATTGCG TTTCCTCGGT TTCCTTCTGG TAACTTTGTT CGGCTATCTG CTTACTTTTC 2940
TTAAAAAGGG CTTCGGTAAG ATAGCTATTG CTATTTCATT GTTTCTTGCT CTTATTATTG 3000
GGCTTAACTC AATTCTTGTG GGTTATCTCT CTGATATTAG CGCTCAATTA CCCTCTGACT 3060
TTGTTCAGGG TGTTCAGTTA ATTCTCCCGT CTAATGCGCT TCCCTGTTTT TATGTTATTC 3120
TCTCTGTAAA GGCTGCTATT TTCATTTTTG ACGTTAAACA AAAAATCGTT TCTTATTTGG 3180
ATTGGGATAA ATAATATGGC TGTTTATTTT GTAACTGGCA AATTAGGCTC TGGAAAGACG 3240
CTCGTTAGCG TTGGTAAGAT TCAGGATAAA ATTGTAGCTG GGTGCAAAAT AGCAACTAAT 3300
CTTGATTTAA GGCTTCAAAA CCTCCCGCAA GTCGGGAGGT TCGCTAAAAC GCCTCGCGTT 3360
CTTAGAATAC CGGATAAGCC TTCTATATCT GATTTGCTTG CTATTGGGCG CGGTAATGAT 3420
TCCTACGATG AAAATAAAAA CGGCTTGCTT GTTCTCGATG AGTGCGGTAC TTGGTTTAAT 3480
ACCCGTTCTT GGAATGATAA GGAAAGACAG CCGATTATTG ATTGGTTTCT ACATGCTCGT 3540
AAATTAGGAT GGGATATTAT TTTTCTTGTT CAGGACTTAT CTATTGTTGA TAAACAGGCG 3600
CGTTCTGCAT TAGCTGAACA TGTTGTTTAT TGTCGTCGTC TGGACAGAAT TACTTTACCT 3660
TTTGTCGGTA CTTTATATTC TCTTATTACT GGCTCGAAAA TGCCTCTGCC TAAATTACAT 3720
GTTGGCGTTG TTAAATATGG CGATTCTCAA TTAAGCCCTA CTGTTGAGCG TTGGCTTTAT 3780
ACTGGTAAGA ATTTGTATAA CGCATATGAT ACTAAACAGG CTTTTTCTAG TAATTATGAT 3840
TCCGGTGTTT ATTCTTATTT AACGCCTTAT TTATCACACG GTCGGTATTT CAAACCATTA 3900
AATTTAGGTC AGAAGATGAA GCTTACTAAA ATATATTTGA AAAAGTTTTC ACGCGTTCTT 3960
TGTCTTGCGA TTGGATTTGC ATCAGCATTT ACATATAGTT ATATAACCCA ACCTAAGCCG 4020
GAGGTTAAAA AGGTAGTCTC TCAGACCTAT GATTTTGATA AATTCACTAT TGACTCTTCT 4080
CAGCGTCTTA ATCTAAGCTA TCGCTATGTT TTCAAGGATT CTAAGGGAAA ATTAATTAAT 4140
AGCGACGATT TACAGAAGCA AGGTTATTCA CTCACATATA TTGATTTATG TACTGTTTCC 4200
ATTAAAAAAG GTAATTCAAA TGAAATTGTT AAATGTAATT AATTTTGTTT TCTTGATGTT 4260
TGTTTCATCA TCTTCTTTTG CTCAGGTAAT TGAAATGAAT AATTCGCCTC TGCGCGATTT 4320
TGTAACTTGG TATTCAAAGC AATCAGGCGA ATCCGTTATT GTTTCTCCCG ATGTAAAAGG 4380
TACTGT ACT GTATATTCAT CTGACGTTAA ACCTGAAAAT CTACGCAATT TCTTTATTTC 4440
TGTTTTACGT GCTAATAATT TTGATATGGT TGGTTCAATT CCTTCCATAA TTCAGAAGTA 4500

TAATCCAAAC AATCAGGATT ATATTGATGA ATTGCCATCA TCTGATAATC AGGAATATGA 4560

TGATAATTCC GCTCCTTCTG GTGGTTTCTT TGTTCCGCAA AATGATAATG TTACTCAAAC 4620

TTTTAAAATT AATAACGTTC GGGCAAAGGA TTTAATACGA GTTGTCGAAT TGTTTGTAAA 4680

GTCTAATACT TCTAAATCCT CAAATGTATT ATCTATTGAC GGCTCTAATC TATTAGTTGT 4740

TAGTGCCGCT AAAGATATTT TAGATAACCT TCCTCAATTC CTTTCTACTG TTGATTTGCC 4800

AACTGACCAG ATATTGATTG AGGGTTTGAT ATTTGAGGTT CAGCAAGGTG ATGCTTTAGA 4860

TTTTTCATTT GCTGCTGGCT CTCAGCGTGG CACTGTTGCA GGCGGTGTTA ATACTGACCG 4920

CCTCACCTCT GTTTTATCTT CTGCTGGTGG TTCGTTCGGT ATTTTTAATG GCGATGTTTT, 4980

AGGGCTATCA GTTCGCGCAT TAAAGACTAA TAGCCATTCA AAAATATTGT CTGTGCCACG 5040

TATTCTTACG CTTTCAGGTC AGAAGGGTTC TATCTCTGTT GGCCAGAATG TCCCTTTTAT 5100

TACTGGTCGT GTGACTGGTG AATCTGCCAA TGTAAATAAT CCATTTCAGA CGATTGAGCG 5160

TCAAAATGTA GGTATTTCCA TGAGCGTTTT TCCTGTTGCA ATGGCTGGCG GTAATATTGT 5220

TCTGGATATT ACCAGCAAGG CCGATAGTTT GAGTTCTTCT ACTCAGGCAA GTGATGTTAT 5280

TACTAATCAA AGAAGTATTG CTACAACGGT TAATTTGCGT GATGGACAGA CTCTTTTACT 5340

CGGTGGCCTC ACTGATTATA AAAACACTTC TCAAGATTCT GGCGTACCGT TCCTGTCTAA 5400

AATCCCTTTA ATCGGCCTCC TGTTTAGCTC CCGCTCTGAT TCCAACGAGG AAAGCACGTT 5460

ATACGTGCTC GTCAAAGCAA CCATAGTACG CGCCCTGTAG CGGCGCATTA AGCGCGGCGG 5520

GTGTGGTGGT TACGCGCAGC GTGACCGCTA CACTTGCCAG CGCCCTAGCG CCCGCTCCTT 5580

TCGCTTTCTT CCCTTCCTTT CTCGCCACGT TCGCCGGCTT TCCCCGTCAA GCTCTAAATC 5640

GGGGGCTCCC TTTAGGGTTC CGATTTAGTG CTTTACGGCA CCTCGACCCC AAAAAACTTG 5700

ATTTGGGTGA TGGTTCACGT AGTGGGCCAT CGCCCTGATA GACGGTTTTT CGCCCTTTGA 5760

CGTTGGAGTC CACGTTCTTT AATAGTGGAC TCTTGTTCCA AACTGGAACA ACACTCAACC 5820

CTATCTCGGG CTATTCTTTT GATTTATAAG GGATTTTGCC GATTTCGGAA CCACCATCAA 5880

ACAGGATTTT CGCCTGCTGG GGCAAACCAG CGTGGACCGC TTGCTGCAAC TCTCTCAGGG 5940

CCAGGCGGTG AAGGGCAATC AGCTGTTGCC CGTCTCGCTG GTGAAAAGAA AAACCACCCT 6000

GGCGCCCAAT ACGCAAACCG CCTCTCCCCG CGCGTTGGCC GATTCATTAA TGCAGCTGGC 6060

ACGACAGGTT TCCCGACTGG AAAGCGGGCA GTGAGCGCAA CGCAATTAAT GTGAGTTAGC 6120

TCACTCATTA GGCACCCCAG GCTTTACACT TTATGCTTCC GGCTCGTATG TTGTGTGGAA 6180

TTGTGAGCGG ATAACAATTT CACACGCGTC ACTTGGCACT GGCCGTCGTT TTACAACGTC 6240

GTGACTGGGA AAACCCTGGC GTTACCCAAG CTTTGTACAT GGAGAAAATA AAGTGAAACA 6300

AAGCACTATT GCACTGGCAC TCTTACCGTT ACCGTTACTG TTTACCCCTG TGACAAAAGC 6360

CGCCCAGGTC CAGCTGCTCG AGTCAGGCCT ATTGTGCCCA GGGGATTGTA CTAGTGGATC 6420

CTAGGCTGAA GGCGATGACC CTGCTAAGGC TGCATTCAAT AGTTTACAGG CAAGTGCTAC 6480

TGAGTACATT GGCTACGCTT GGGCTATGGT AGTAGTTATA GTTGGTGCTA CCATAGGGAT 6540

TAAATTATTC AAAAAGTTTA CGAGCAAGGC TTCTTAAGCA ATAGCGAAGA GGCCCGCACC 6600

GATCGCCCTT CCCAACAGTT GCGCAGCCTG AATGGCGAAT GGCGCTTTGC CTGGTTTCCG 6660

GCACCAGAAG CGGTGCCGGA AAGCTGGCTG GAGTGCGATC TTCCTGAGGC CGATACGGTC 6720

GTCGTCCCCT CAAACTGGCA GATGCACGGT TACGATGCGC CGATCTACAC CAACGTAACC 6780

TATCCCATTA CGGTCAATCC GCCGTTTGTT CCCACGGAGA ATCCGACGGG TTGTTACTCG 6840

CTCACATTTA ATGTTGATGA AAGCTGGCTA CAGGAAGGCC AGACGCGAAT TATTTTTGAT 6900

GGCGTTCCTA TTGGTTAAAA AATGAGCTGA TTTAACAAAA ATTTAACGCG AATTTTAACA 6960

AAATATTAAC GTTTACAATT TAAATATTTG CTTATACAAT CTTCCTGTTT TTGGGGCTTT 7020

TCTGATTATC AACCGGGGTA CATATGATTG ACATGCTAGT TTTACGATTA CCGTTCATCG 7080

ATTCTCTTGT TTGCTCCAGA CTCTCAGGCA ATGACCTGAT AGCCTTTGTA GATCTCTCAA 7140

AAATAGCTAC CCTCTCCGGC ATTAATTTAT CAGCTAGAAC GGTTGAATAT CATATTGATG 7200

GTGATTTGAC TGTCTCCGGC CTTTCTCACC CTTTTGAATC TTTACCTACA CATTACTCAG 7260

GCATTGCATT TAAAATATAT GAGGGTTCTA AAAATTTTTA TCCTTGCGTT GAAATAAAGG 7320

CTTCTCCCGC AAAAGTATTA CAGGGTCATA ATGTTTTTGG TACAACCGAT TTAGCTTTAT 7380

GCTCTGAGGC TTTATTGCTT AATTTTGCTA ATTCTTTGCC TTGCCTGTAT GATTTATTGG 7440

ACGTT 7445

(2) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 7317 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: both
(D) TOPOLOGY: circular

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2;

AATGCTACTA CTATTAGTAG AATTGATGCC ACCTTTTCAG CTCGCGCCCC AAATGAAAAT 60

ATAGCTAAAC AGGTTATTGA CCATTTGCGA AATGTATCTA ATGGTCAAAC TAAATCTACT 120

CGTTCGCAGA ATTGGGAATC AACTGTTACA TGGAATGAAA CTTCCAGACA CCGTACTTTA 180

GTTGCATATT TAAAACATGT TGAGCTACAG CACCAGATTC AGCAATTAAG CTCTAAGCCA 240

TCCGCAAAAA TGACCTCTTA TCAAAAGGAG CAATTAAAGG TACTCTCTAA TCCTGACCTG 300

TTGGAGTTTG CTTCCGGTCT GGTTCGCTTT GAAGCTCGAA TTAAAACGCG ATATTTGAAG 360

TCTTTCGGGC TTCCTCTTAA TCTTTTTGAT GCAATCCGCT TTGCTTCTGA CTATAATAGT 420

CAGGGTAAAG ACCTGATTTT TGATTTATGG TCATTCTCGT TTTCTGAACT GTTTAAAGCA 480

TTTGAGGGGG ATTCAATGAA TATTTATGAC GATTCCGCAG TATTGGACGC TATCCAGTCT 540

AAACATTTTA CTATTACCCC CTCTGGCAAA ACTTCTTTTG CAAAAGCCTC TCGCTATTTT 600

GGTTTTTATC GTCGTCTGGT AAACGAGGGT TATGATAGTG TTGCTCTTAC TATGCCTCGT 660

AATTCCTTTT GGCGTTATGT ATCTGCATTA GTTGAATGTG GTATTCCTAA ATCTCAACTG 720

ATGAATCTTT CTACCTGTAA TAATGTTGTT CCGTTAGTTC GTTTTATTAA CGTAGATTTT 780
TCTTCCCAAC GTCCTGACTG GTATAATGAG CCAGTTCTTA AAATCGCATA AGGTAATTCA 840
CAATGATTAA AGTTGAAATT AAACCATCTC AAGCCCAATT TACTACTCGT TCTGGTGTTT 900
CTCGTCAGGG CAAGCCTTAT TCACTGAATG AGCAGCTTTG TTACGTTGAT TTGGGTAATG 960
AATATCCGGT TCTTGTCAAG ATTACTCTTG ATGAAGGTCA GCCAGCCTAT GCGCCTGGTC 1020
TGTACACCGT TCATCTGTCC TCTTTCAAAG TTGGTCAGTT CGGTTCCCTT ATGATTGACC 1080
GTCTGCGCCT CGTTCCGGCT AAGTAACATG GAGCAGGTCG CGGATTTCGA CACAATTTAT 1140
CAGGCGATGA TACAAATCTC CGTTGTACTT TGTTTCGCGC TTGGTATAAT CGCTGGGGGT 1200
CAAAGATGAG TGTTTTAGTG TATTCTTTCG CCTCTTTCGT TTTAGGTTGG TGCCTTCGTA 1260
GTGGCATTAC GTATTTTACC CGTTTAATGG AAACTTCCTC ATGAAAAAGT CTTTAGTCCT 1320
CAAAGCCTCT GTAGCCGTTG CTACCCTCGT TCCGATGCTG TCTTTCGCTG CTGAGGGTGA 1380
CGATCCCGCA AAAGCGGCCT TTAACTCCCT GCAAGCCTCA GCGACCGAAT ATATCGGTTA 1440
TGCGTGGGCG ATGGTTGTTG TCATTGTCGG CGCAACTATC GGTATCAAGC TGTTTAAGAA 1500
ATTCACCTCG AAAGCAAGCT GATAAACCGA TACAATTAAA GGCTCCTTTT GGAGCCTTTT 1560
TTTTTGGAGA TTTTCAACGT GAAAAAATTA TTATTCGCAA TTCCTTTAGT TGTTCCTTTC 1620
TATTCTCACT CCGCTGAAAC TGTTGAAAGT TGTTTAGCAA AACCCCATAC AGAAAATTCA 1680
TTTACTAACG TCTGGAAAGA CGACAAAACT TTAGATCGTT ACGCTAACTA TGAGGGTTGT 1740
CTGTGGAATG CTACAGGCGT TGTAGTTTGT ACTGGTGACG AAACTCAGTG TTACGGTACA 1800
TGGGTTCCTA TTGGGCTTGC TATCCCTGAA AATGAGGGTG GTGGCTCTGA GGGTGGCGGT 1860
TCTGAGGGTG GCGGTTCTGA GGGTGGCGGT ACTAAACCTC CTGAGTACGG TGATACACCT 1920
ATTCCGGGCT ATACTTATAT CAACCCTCTC GACGGCACTT ATCCGCCTGG TACTGAGCAA 1980
AACCCCGCTA ATCCTAATCC TTCTCTTGAG GAGTCTCAGC CTCTTAATAC TTTCATGTTT 2040
CAGAATAATA GGTTCCGAAA TAGGCAGGGG GCATTAACTG TTTATACGGG CACTGTTACT 2100
CAAGGCACTG ACCCCGTTAA AACTTATTAC CAGTACACTC CTGTATCATC AAAAGCCATG 2160
TATGACGCTT ACTGGAACGG TAAATTCAGA GACTGCGCTT TCCATTCTGG CTTTAATGAA 2220
GATCCATTCG TTTGTGAATA TCAAGGCCAA TCGTCTGACC TGCCTCAACC TCCTGTCAAT 2280
GCTGGCGGCG GCTCTGGTGG TGGTTCTGGT GGCGGCTCTG AGGGTGGTGG CTCTGAGGGT 2340
GGCGGTTCTG AGGGTGGCGG CTCTGAGGGA GGCGGTTCCG GTGGTGGCTC TGGTTCCGGT 2400
GATTTTGATT ATGAAAAGAT GGCAAACGCT AATAAGGGGG CTATGACCGA AAATGCCGAT 2460
GAAAACGCGC TACAGTCTGA CGCTAAAGGC AAACTTGATT CTGTCGCTAC TGATTACGGT 2520
GCTGCTATCG ATGGTTTCAT TGGTGACGTT TCCGGCCTTG CTAATGGTAA TGGTGCTACT 2580
GGTGATTTTG CTGGCTCTAA TTCCCAAATG GCTCAAGTCG GTGACGGTGA TAATTCACCT 2640
TTAATGAATA ATTTCCGTCA ATATTTACCT TCCCTCCCTC AATCGGTTGA ATGTCGCCCT 2700
TTTGTCTTTA GCGCTGGTAA ACCATATGAA TTTTCTATTG ATTGTGACAA AATAAACTTA 2760

TTCCGTGGTG TCTTTGCGTT TCTTTTATAT GTTGCCACCT TTATGTATGT ATTTTCTACG 2820

TTTGCTAACA TACTGCGTAA TAAGGAGTCT TAATCATGCC AGTTCTTTTG GGTATTCCGT 2880

TATTATTGCG TTTCCTCGGT TTCCTTCTGG TAACTTTGTT CGGCTATCTG CTTACTTTTC 2940

TTAAAAAGGG CTTCGGTAAG ATAGCTATTG CTATTTCATT GTTTCTTGCT CTTATTATTG 3000

GGCTTAACTC AATTCTTGTG GGTTATCTCT CTGATATTAG CGCTCAATTA CCCTCTGACT 3060

TTGTTCAGGG TGTTCAGTTA ATTCTCCCGT CTAATGCGCT TCCCTGTTTT TATGTTATTC 3120

TCTCTGTAAA GGCTGCTATT TTCATTTTTG ACGTTAAACA AAAAATCGTT TCTTATTTGG 3180

ATTGGGATAA ATAATATGGC TGTTTATTTT GTAACTGGCA AATTAGGCTC TGGAAAGACG 3240

CTCGTTAGCG TTGGTAAGAT TCAGGATAAA ATTGTAGCTG GGTGCAAAAT AGCAACTAAT 3300

CTTGATTTAA GGCTTCAAAA CGTCCCGCAA GTCGGGAGGT TCGCTAAAAC GCCTCGCGTT 3360

CTTAGAATAC CGGATAAGCC TTCTATATCT GATTTGCTTG CTATTGGGCG CGGTAATGAT 3420

TCCTACGATG AAAATAAAAA CGGCTTGCTT GTTCTCGATG AGTGCGGTAC TTGGTTTAAT 3480

ACCCGTTCTT GGAATGATAA GGAAAGACAG CCGATTATTG ATTGGTTTCT ACATGCTCGT 3540

AAATTAGGAT GGGATATTAT TTTTCTTGTT CAGGACTTAT CTATTGTTGA TAAACAGGCG 3600

CGTTCTGCAT TAGCTGAACA TGTTGTTTAT TGTCGTCGTC TGGACAGAAT TACTTTACGT 3660

TTTGTCGGTA CTTTATATTC TCTTATTACT GGCTCGAAAA TGCCTCTGCC TAAATTACAT 3720

GTTGGCGTTG TTAAATATGG CGATTCTCAA TTAAGCCCTA CTGTTGAGCG TTGGCTTTAT 3780

ACTGGTAAGA ATTTGTATAA CGCATATGAT ACTAAACAGG CTTTTTCTAG TAATTATGAT 3840

TCCGGTGTTT ATTCTTATTT AACGCCTTAT TTATCACACG GTCGGTATTT CAAACCATTA 3900

AATTTAGGTC AGAAGATGAA GCTTACTAAA ATATATTTGA AAAAGTTTTC ACGCGTTCTT 3960

TGTCTTGCGA TTGGATTTGC ATCAGCATTT ACATATAGTT ATATAACCCA ACCTAAGCCG 4020

GAGGTTAAAA AGGTAGTCTC TCAGACCTAT GATTTTGATA AATTCACTAT TGACTCTTCT 4080

CAGCGTCTTA ATCTAAGCTA TCGCTATGTT TTCAAGGATT CTAAGGGAAA ATTAATTAAT 4140

AGCGACGATT TACAGAAGCA AGGTTATTCA CTCACATATA TTGATTTATG TACTGTTTCC 4200

ATTAAAAAAG GTAATTCAAA TGAAATTGTT AAATGTAATT AATTTTGTTT TCTTGATGTT 4260

TGTTTCATCA TCTTCTTTTG CTCAGGTAAT TGAAATGAAT AATTCGCCTC TGCGCGATTT 4320

TGTAACTTGG TATTCAAAGC AATCAGGCGA ATCCGTTATT GTTTCTCCCG ATGTAAAAGG 4380

TACTGTTACT GTATATTCAT CTGACGTTAA ACCTGAAAAT CTACGCAATT TCTTTATTTC 4440

TGTTTTACGT GCTAATAATT TTGATATGGT TGGTTCAATT CCTTCCATAA TTCAGAAGTA 4500

TAATCCAAAC AATCAGGATT ATATTGATGA ATTGCCATCA TCTGATAATC AGGAATATGA 4560

TGATAATTCC GCTCCTTCTG GTGGTTTCTT TGTTCCGCAA AATGATAATG TTACTCAAAC 4620

TTTTAAAATT AATAACGTTC GGGCAAAGGA TTTAATACGA GTTGTCGAAT TGTTTGTAAA 4680

GTCTAATACT TCTAAATCCT CAATGTATT ATCTATTGAC GGCTCTAATC TATTAGTTGT 4740

TAGTGCACCT AAAGATATTT TAGATAACCT TCCTCAATTC CTTTCTACTG TTGATTTGCC 4800

AACTGACCAG ATATTGATTG AGGGTTTGAT ATTTGAGGTT CAGCAAGGTG ATGCTTTAGA 4860

TTTTTCATTT GCTGCTGGCT CTCAGCGTGG CACTGTTGCA GGCGGTGTTA ATACTGACCG 4920

CCTCACCTCT GTTTTATCTT CTGCTGGTGG TTCGTTCGGT ATTTTTAATG GCGATGTTTT 4980

AGGGCTATCA GTTCGCGCAT TAAAGACTAA TAGCCATTCA AAAATATTGT CTGTGCCACG 5040

TATTCTTACG CTTTCAGGTC AGAAGGGTTC TATCTCTGTT GGCCAGAATG TCCCTTTTAT 5100

TACTGGTCGT GTGACTGGTG AATCTGCCAA TGTAAATAAT CCATTTCAGA CGATTGAGCG 5160

TCAAAATGTA GGTATTTCCA TGAGCGTTTT TCCTGTTGCA ATGGCTGGCG GTAATATTGT 5220

TCTGGATATT ACCAGCAAGG CCGATAGTTT GAGTTCTTCT ACTCAGGCAA GTGATGTTAT 5280

TACTAATCAA AGAAGTATTG CTACAACGGT TAATTTGCGT GATGGACAGA CTCTTTTACT 5340

CGGTGGCCTC ACTGATTATA AAAACACTTC TCAAGATTCT GGCGTACCGT TCCTGTCTAA 5400

AATCCCTTTA ATCGGCCTCC TGTTTAGCTC CCGCTCTGAT TCCAACGAGG AAAGCACGTT 5460

ATACGTGCTC GTCAAAGCAA CCATAGTACG CGCCCTGTAG CGGCGCATTA AGCGCGGCGG 5520

GTGTGGTGGT TACGCGCAGC GTGACCGCTA CACTTGCCAG CGCCCTAGCG CCCGCTCCTT 5580

TCGCTTTCTT CCCTTCCTTT CTCGCCACGT TCGCCGGCTT TCCCCGTCAA GCTCTAAATC 5640

GGGGGCTCCC TTTAGGGTTC CGATTTAGTG CTTTACGGCA CCTCGACCCC AAAAAACTTG 5700

ATTTGGGTGA TGGTTCACGT AGTGGGCCAT CGCCCTGATA GACGGTTTTT CGCCCTTTGA 5760

CGTTGGAGTC CACGTTCTTT AATAGTGGAC TCTTGTTCCA AACTGGAACA ACACTCAACC 5820

CTATCTCGGG CTATTCTTTT GATTTATAAG GGATTTTGCC GATTTCGGAA CCACCATCAA 5880

ACAGGATTTT CGCCTGCTGG GGCAAACCAG CGTGGACCGC TTGCTGCAAC TCTCTCAGGG 5940

CCAGGCGGTG AAGGGCAATC AGCTGTTGCC CGTCTCGCTG GTGAAAAGAA AAACCACCCT 6000

GGCGCCCAAT ACGCAAACCG CCTCTCCCCG CGCGTTGGCC GATTCATTAA TGCAGCTGGC 6060

ACGACAGGTT TCCCGACTGG AAAGCGGGCA GTGAGCGCAA CGCAATTAAT GTGAGTTAGC 6120

TCACTCATTA GGCACCCCAG GCTTTACACT TTATGCTTCC GGCTCGTATG TTGTGTGGAA 6180

TTGTGAGCGG ATAACAATTT CACACGCCAA GGAGACAGTC ATAATGAAAT ACCTATTGCC 6240

TACGGCAGCC GCTGGATTGT TATTACTCGC TGCCCAACCA GCCATGGCCG AGCTCGTGAT 6300

GACCCAGACT CCAGATATCC AACAGGAATG AGTGTTAATT CTAGAACGCG TCACTTGGCA 6360

CTGGCCGTCG TTTTACAACG TCGTGACTGG GAAAACCCTG GCGTTACCCA AGCTTAATCG 6420

CCTTGCAGAA TTCCCTTTCG CCAGCTGGCG TAATAGCGAA GAGGCCCGCA CCGATCGCCC 6480

TTCCCAACAG TTGCGCAGCC TGAATGGCGA ATGGCGCTTT GCCTGGTTTC CGGCACCAGA 6540

AGCGGTGCCG GAAAGCTGGC TGGAGTGCGA TCTTCCTGAG GCCGATACGG TCGTCGTCCC 6600

CTCAAACTGG CAGATGCACG GTTACGATGC GCCCATCTAC ACCAACGTAA CCTATCCCAT 6660

TACGGTCAAT CCGCCGTTTG TTCCCACGGA GAATCCGACG GGTTGTTACT CGCTCACATT 6720

TAATGTTGAT GAAAGCTGGC TACAGGAAGG CCAGACGCGA ATTATTTTTG ATGGCGTTCC 6780

TATTGGTTAA AAAATGAGCT GATTTAACAA AAATTTAACG CGAATTTTAA CAAAATATTA 6840

ACGTTTACAA TTTAAATATT TGCTTATACA ATCTTCCTGT TTTTGGGGCT TTTCTGATTA 6900

TCAACCGGGG TACATATGAT TGACATGCTA GTTTTACGAT TACCGTTCAT CGATTCTCTT 6960

GTTTGCTCCA GACTCTCAGG CAATGACCTG ATAGCCTTTG TAGATCTCTC AAAAATAGCT 7020

ACCCTCTCCG GCATTAATTT ATCAGCTAGA ACGGTTGAAT ATCATATTGA TGGTGATTTG 7080

ACTGTCTCCG GCCTTTCTCA CCCTTTTGAA TCTTTACCTA CACATTACTC AGGCATTGCA 7140

TTTAAAATAT ATGAGGGTTC TAAAAATTTT TATCCTTGCG TTGAAATAAA GGCTTCTCCC 7200

GCAAAAGTAT TACAGGGTCA TAATGTTTTT GGTACAACCG ATTTAGCTTT ATGCTCTGAG 7260

GCTTTATTGC TTAATTTTGC TAATTCTTTG CCTTGCCTGT ATGATTTATT GGATGTT 7317

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 7729 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: both
(D) TOPOLOGY: circular

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

AATGCTACTA CTATTAGTAG AATTGATGCC ACCTTTTCAG CTCGCGCCCC AAATGAAAAT 60

ATAGCTAAAC AGGTTATTGA CCATTTGCGA AATGTATCTA ATGGTCAAAC TAAATCTACT 120

CGTTCGCAGA ATTGGGAATC AACTGTTACA TGGAATGAAA CTTCCAGACA CCGTACTTTA 180

GTTGCATATT TAAAACATGT TGAGCTACAG CACCAGATTC AGCAATTAAG CTCTAAGCCA 240

TCTGCAAAAA TGACCTCTTA TCAAAAGGAG CAATTAAAGG TACTCTCTAA TCCTGACCTG 300

TTGGAGTTTG CTTCCGGTCT GGTTCGCTTT GAAGCTCGAA TTAAAACGCG ATATTTGAAG 360

TCTTTCGGGC TTCCTCTTAA TCTTTTTGAT GCAATCCGCT TTGCTTCTGA CTATAATAGT 420

CAGGGTAAAG ACCTGATTTT TGATTTATGG TCATTCTCGT TTTCTGAACT GTTTAAAGCA 480

TTTGAGGGGG ATTCAATGAA TATTTATGAC GATTCCGCAG TATTGGACGC TATCCAGTCT 540

AAACATTTTA CTATTACCCC CTCTGGCAAA ACTTCTTTTG CAAAAGCCTC TCGCTATTTT 600

GGTTTTTATC GTCGTCTGGT AAACGAGGGT TATGATAGTG TTGCTCTTAC TATGCCTCGT 660

AATTCCTTTT GGCGTTATGT ATCTGCATTA GTTGAATGTG GTATTCCTAA ATCTCAACTG 720

ATGAATCTTT CTACCTGTAA TAATGTTGTT CCGTTAGTTC GTTTTATTAA CGTAGATTTT 780

TCTTCCCAAC GTCCTGACTG GTATAATGAG CCAGTTCTTA AAATCGCATA AGGTAATTCA 840

CAATGATTAA AGTTGAAATT AAACCATCTC AAGCCCAATT TACTACTCGT TCTGGTGTTT 900

CTCGTCAGGG CAAGCCTTAT TCACTGAATG AGCAGCTTTG TTACGTTGAT TTGGGTAATG 960

AATATCCGGT TCTTGTCAAG ATTACTCTTG ATGAAGGTCA GCCAGCCTAT GCGCCTGGTC 1020

TGTACACCGT TCATCTGTCC TCTTTCAAAG TTGGTCAGTT CGGTTCCCTT ATGATTGACC 1080

GTCTGCGCCT CGTTCCGGCT AAGTAACATG GAGCAGGTCG CGGATTTCGA CACAATTTAT 1140

CAGGCGATGA TACAAATCTC CGTTGTACTT TGTTTCGCGC TTGGTATAAT CGCTGGGGGT 1200

CAAAGATGAG TGTTTTAGTG TATTCTTTCG CCTCTTTCGT TTTAGGTTGG TGCCTTCGTA 1260

GTGGCATTAC GTATTTTACC CGTTTAATGG AAACT[illegible]CCTC ATGAAAAAGT CTTTAGTCCT 1320

CAAAGCCTCT GTAGCCGTTG CTACCCTCGT TCC[illegible]TGCTG TCTTTCGCTG CTGAGGGTGA 1380

CGATCCCGCA AAAGCGGCCT TTAACTCCCT GCAAGCCTCA GCGACCGAAT ATATCGGTTA 1440

TGCGTGGGCG ATGGTTGTTG TCATTGTCGG CGCAACTATC GGTATCAAGC TGTTTAAGAA 1500

ATTCACCTCG AAAGCAAGCT GATAAACCGA TACAATTAAA GGCTCCTTTT GGAGCCTTTT 1560

TTTTTGGAGA TTTTCAACGT GAAAAAATTA TTATTCGCAA TTCCTTTAGT TGTTCCTTTC 1620

TATTCTCACT CCGCTGAAAC TGTTGAAAGT TGTTTAGCAA AACCCCATAC AGAAAATTCA 1680

TTTACTAACG TCTGGAAAGA CGACAAAACT TTAGATCGTT ACGCTAACTA TGAGGGTTGT 1740

CTGTGGAATG CTACAGGCGT TGTAGTTTGT ACTGGTGACG AAACTCAGTG TTACGGTACA 1800

TGGGTTCCTA TTGGGCTTGC TATCCCTGAA AATGAGGGTG GTGGCTCTGA GGGTGGCGGT 1860

TCTGAGGGTG GCGGTTCTGA GGGTGGCGGT ACTAAACCTC CTGAGTACGG TGATACACCT 1920

ATTCCGGGCT ATACTTATAT CAACCCTCTC GACGGCACTT ATCCGCCTGG TACTGAGCAA 1980

AACCCCGCTA ATCCTAATCC TTCTCTTGAG GAGTCTCAGC CTCTTAATAC TTTCATGTTT 2040

CAGAATAATA GGTTCCGAAA TAGGCAGGGG GCATTAACTG TTTATACGGG CACTGTTACT 2100

CAAGGCACTG ACCCCGTTAA AACTTATTAC CAGTACACTC CTGTATCATC AAAAGCCATG 2160

TATGACGCTT ACTGGAACGG TAAATTCAGA GACTGCGCTT TCCATTCTGG CTTTAATGAA 2220

GATCCATTCG TTTGTGAATA TCAAGGCCAA TCGTCTGACC TGCCTCAACC TCCTGTCAAT 2280

GCTGGCGGCG GCTCTGGTGG TGGTTCTGGT GGCGGCTCTG AGGGTGGTGG CTCTGAGGGT 2340

GGCGGTTCTG AGGGTGGCGG CTCTGAGGGA GGCGGTTCCG GTGGTGGCTC TGGTTCCGGT 2400

GATTTTGATT ATGAAAAGAT GGCAAACGCT AATAAGGGGG CTATGACCGA AAATGCCGAT 2460

GAAAACGCGC TACAGTCTGA CGCTAAAGGC AAACTTGATT CTGTCGCTAC TGATTACGGT 2520

GCTGCTATCG ATGGTTTCAT TGGTGACGTT TCCGGCCTTG CTAATGGTAA TGGTGCTACT 2580

GGTGATTTTG CTGGCTCTAA TTCCCAAATG GCTCAAGTCG GTGACGGTGA TAATTCACCT 2640

TTAATGAATA ATTTCCGTCA ATATTTACCT TCCCTCCCTC AATCGGTTGA ATGTCGCCCT 2700

TTTGTCTTTA GCGCTGGTAA ACCATATGAA TTTTCTATTG ATTGTGACAA AATAAACTTA 2760

TTCCGTGGTG TCTTTGCGTT TCTTTTATAT GTTGCCACCT TTATGTATGT ATTTTCTACG 2820

TTTGCTAACA TACTGCGTAA TAAGGAGTCT TAATCATGCC AGTTCTTTTG GGTATTCCGT 2880

TATTATTGCG TTTCCTCGGT TTCCTTCTGG TAACTTTGTT CGGCTATCTG CTTACTTTTC 2940

TTAAAAAGGG CTTCGGTAAG ATAGCTATTG CTATTTCATT GTTTCTTGCT CTTATTATTG 3000

GGCTTAACTC AATTCTTGTG GGTTATCTCT CTGATATTAG CGCTCAATTA CCCTCTGACT 3060

TTGTTCAGGG TGTTCAGTTA ATTCTCCCGT CTAATGCGCT TCCCTGTTTT TATGTTATTC 3120

TCTCTGTAAA GGCTGCTATT TTCATTTTTG ACGTTAAACA AAAAATCGTT TCTTATTTGG 3180

ATTGGGATAA ATAATATGGC TGTTTATTTT GTAACTGGCA AATTAGGCTC TGGAAAGACG 3240

CTCGTTAGCG TTGGTAAGAT TCAGGATAAA ATTGTAGCTG GGTGCAAAAT AGCAACTAAT 3300
CTTGATTTAA GGCTTCAAAA CCTCCCGCAA GTCGGGAGGT TCGCTAAAAC GCCTCGCGTT 3360
CTTAGAATAC CGGATAAGCC TTCTATATCT GATTTGCTTG CTATTGGGCG CGGTAATGAT 3420
TCCTACGATG AAAATAAAAA CGGCTTGCTT GTTCTCGATG AGTGCGGTAC TTGGTTTAAT 3480
ACCCGTTCTT GGAATGATAA GGAAAGACAG CCGATTATTG ATTGGTTTCT ACATGCTCGT 3540
AAATTAGGAT GGGATATTAT TTTTCTTGTT CAGGACTTAT CTATTGTTGA TAAACAGGCG 3600
CGTTCTGCAT TAGCTGAACA TGTTGTTTAT TGTCGTCGTC TGGACAGAAT TACTTTACCT 3660
TTTGTCGGTA CTTTATATTC TCTTATTACT GGCTCGAAAA TGCCTCTGCC TAAATTACAT 3720
GTTGGCGTTG TTAAATATGG CGATTCTCAA TTAAGCCCTA CTGTTGAGCG TTGGCTTTAT 3780
ACTGGTAAGA ATTTGTATAA CGCATATGAT ACTAAACAGG CTTTTTCTAG TAATTATGAT 3840
TCCGGTGTTT ATTCTTATTT AACGCCTTAT TTATCACACG GTCGGTATTT CAAACCATTA 3900
AATTTAGGTC AGAAGATGAA GCTTACTAAA ATATATTTGA AAAAGTTTTC ACGCGTTCTT 3960
TGTCTTGCGA TTGGATTTGC ATCAGCATTT ACATATAGTT ATATAACCCA ACCTAAGCCG 4020
GAGGTTAAAA AGGTAGTCTC TCAGACCTAT GATTTTGATA AATTCACTAT TGACTCTTCT 4080
CAGCGTCTTA ATCTAAGCTA TCGCTATGTT TTCAAGGATT CTAAGGGAAA ATTAATTAAT 4140
AGCGACGATT TACAGAAGCA AGGTTATTCA CTCACATATA TTGATTTATG TACTGTTTCC 4200
ATTAAAAAAG GTAATTCAAA TGAAATTGTT AAATGTAATT AATTTTGTTT TCTTGATGTT 4260
TGTTTCATCA TCTTCTTTTG CTCAGGTAAT TGAAATGAAT AATTCGCCTC TGCGCGATTT 4320
TGTAACTTGG TATTCAAAGC AATCAGGCGA ATCCGTTATT GTTTCTCCCG ATGTAAAAGG 4380
TACTGTTACT GTATATTCAT CTGACGTTAA ACCTGAAAAT CTACGCAATT TCTTTATTTC 4440
TGTTTTACGT GCTAATAATT TTGATATGGT TGGTTCAATT CCTTCCATAA TTCAGAAGTA 4500
TAATCCAAAC AATCAGGATT ATATTGATGA ATTGCCATCA TCTGATAATC AGGAATATGA 4560
TGATAATTCC GCTCCTTCTG GTGGTTTCTT TGTTCCGCAA AATGATAATG TTACTCAAAC 4620
TTTTAAAATT AATAACGTTC GGGCAAAGGA TTTAATACGA GTTGTCGAAT TGTTTGTAAA 4680
GTCTAATACT TCTAAATCCT CAAATGTATT ATCTATTGAC GGCTCTAATC TATTAGTTGT 4740
TAGTGCACCT AAAGATATTT TAGATAACCT TCCTCAATTC CTTTCTACTG TTGATTTGCC 4800
AACTGACCAG ATATTGATTG AGGGTTTGAT ATTTGAGGTT CAGCAAGGTG ATGCTTTAGA 4860
TTTTTCATTT GCTGCTGGCT CTCAGCGTGG CACTGTTGCA GGCGGTGTTA ATACTGACCG 4920
CCTCACCTCT GTTTTATCTT CTGCTGGTGG TTCGTTCGGT ATTTTTAATG GCGATGTTTT 4980
AGGGCTATCA GTTCGCGCAT TAAAGACTAA TAGCCATTCA AAAATATTGT CTGTGCCACG 5040
TATTCTTACG CTTTCAGGTC AGAAGGGTTC TATCTCTGTT GGCCAGAATG TCCCTTTTAT 5100
TACTGGTCGT GTGACTGGTG AATCTGCCAA TGTAAATAAT CCATTTCAGA CGATTGAGCG 5160
TCAAAATGTA GGTATTTCCA TGAGCGTTTT TCCTGTTGCA ATGGCTGGCG GTAATATTGT 5220
TCTGGATATT ACCAGCAAGG CCGATAGTTT GAGTTCTTCT ACTCAGGCAA GTGATGTTAT 5280

TACTAATCAA AGAAGTATTG CTACAACGGT TAATTTGCGT GATGGACAGA CTCTTTTACT 5340

CGGTGGCCTC ACTGATTATA AAAACACTTC TCAAGATTCT GGCGTACCGT TCCTGTCTAA 5400

AATCCCTTTA ATCGGCCTCC TGTTTAGCTC CCGCTCTGAT TCCAACGAGG AAAGCACGTT 5460

ATACGTGCTC GTCAAAGCAA CCATAGTACG CGCCCTGTAG CGGCGCATTA AGCGCGGCGG 5520

GTGTGCTGGT TACGCGCAGC GTGACCGCTA CACTTGCCAG CGCCCTAGCG CCCGCTCCTT 5580

TCGCTTTCTT CCCTTCCTTT CTCGCCACGT TCGCCGGCTT TCCCCGTCAA GCTCTAAATC 5640

GGGGGCTCCC TTTAGGGTTC CGATTTAGTG CTTTACGGCA CCTCGACCCC AAAAAACTTG 5700

ATTTGGGTGA TGGTTCACGT AGTGGGCCAT CGCCCTGATA GACGGTTTTT CGCCCTTTGA, 5760

CGTTGGAGTC CACGTTCTTT AATAGTGGAC TCTTGTTCCA AACTGGAACA ACACTCAACC 5820

CTATCTCGGG CTATTCTTTT GATTTATAAG GGATTTTGCC GATTTCGGAA CCACCATCAA 5880

ACAGGATTTT CGCCTGCTGG GGCAAACCAG CGTGGACCGC TTGCTGCAAC TCTCTCAGGG 5940

CCAGGCGGTG AAGGGCAATC AGCTGTTGCC CGTCTCGCTG GTGAAAAGAA AAACCACCCT 6000

GGCGCCCAAT ACGCAAACCG CCTCTCCCCG CGCGTTGGCC GATTCATTAA TGCAGCTGGC 6060

ACGACAGGTT TCCCGACTGG AAAGCGGGCA GTGAGCGCAA CGCAATTAAT GTGAGTTAGC 6120

TCACTCATTA GGCACCCCAG GCTTTACACT TTATGCTTCC GGCTCGTATG TTGTGTGGAA 6180

TTGTGAGCGG ATAACAATTT CACACGCGTC ACTTGGCACT GGCCGTCGTT TTACAACGTC 6240

GTGACTGGGA AAACCCTGGC GTTACCCAAG CTTTGTACAT GGAGAAAATA AAGTGAAACA 6300

AAGCACTATT GCACTGGCAC TCTTACCGTT ACTGTTTACC CCTGTGGCAA AAGCCCAGGT 6360

CCAGCTGCTC GAGTCGGTCT TCCCCCTGGC ACCCTCGTCC AAGAGCACCT CTGGGGGCAC 6420

AGCGGCCCTG GGCTGCCTGG TCAAGACTAA TTCCCCGAAC CGGTGACGGT GTCGTGGAAC 6480

TCAGGCGCCC TGACCAGCGG CGTGCACACC TTCCCGGCTG TCCTACAGTC CTCAGGACTC 6540

TACTCCCTCA GCAGCGTGGT GACCGTGCCC TCCAGCAGCT TGGGCACCCA GACCTACATC 6600

TGCAACGTGA ATCACAAGCC CAGCAACACC AAGGTGGACA AGAAAGCAGA GCCCAAATCT 6660

TGTACTAGTG GATCCTACCC GTACGACGTT CC ACTACG CTTCTTAGGC TGAAGGCGAT 6720

GACCCTGCTA AGGCTGCATT CAATAGTTTA CAGCCAAGTG CTACTGAGTA CATTGGCTAC 6780

GCTTGGGCTA TGGTAGTAGT TATAGTTGGT GCTACCATAG GGATTAAATT ATTCAAAAAG 6840

TTTACGAGCA AGGCTTCTTA AGCAATAGCG AAGAGGCCCG CACCGATCGC CCTTCCCAAC 6900

AGTTGCGCAG CCTGAATGGC GAATGGCGCT TTGCCTGGTT TCCGGCACCA GAAGCGGTGC 6960

CGGAAAGCTG GCTGGAGTGC GATCTTCCTG AGGCCGATAC GGTCGTCGTC CCCTCAAACT 7020

GGCAGATGCA CGGTTACGAT GCGCCCATCT ACACCAACGT AACCTATCCC ATTACGGTCA 7080

ATCCGCCGTT TGTTCCCACG GAGAATCCGA CGGGTTGTTA CTCGCTCACA TTTAATGTTG 7140

ATGAAAGCTG GCTACAGGAA GGCCAGACGC GAATTATTTT TGATGGCGTT CCTATTGGTT 7200

AAAAAATGAG CTGATTTAAC AAAAATTTAA CGCGAATTTT AACAAAATAT TAACGTTTAC 7260

AATTTAAATA TTTGCTTATA CAATCTTCCT GTTTTTGGGG CTTTTCTGAT TATCAACCGG 7320

GGTACATATG ATTGACATGC TAGTTTTACG ATTACCGTTC ATCGATTCTC TTGTTTGCTC 7380

CAGACTCTCA GGCAATGACC TGATAGCCTT TGTAGATCTC TCAAAAATAG CTACCCTCTC 7440

CGGCATTAAT TTATCAGCTA GAACGGTTGA ATATCATATT GATGGTGATT TGACTGTCTC 7500

CGGCCTTTCT CACCCTTTTG AATCTTTACC TACACATTAC TCAGGCATTG CATTTAAAAT 7560

ATATGAGGGT TCTAAAAATT TTTATCCTTG CGTTGAAATA AAGGCTTCTC CCGCAAAAGT 7620

ATTACAGGGT CATAATGTTT TTGGTACAAC CGATTTAGCT TTATGCTCTG AGGCTTTATT 7680

GCTTAATTTT GCTAATTCTT TGCCTTGCCT GTATGATTTA TTGGACGTT 7729

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 7557 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: both
(D) TOPOLOGY: circular

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

AATGCTACTA CTATTAGTAG AATTGATGCC ACCTTTTCAG CTCGCGCCCC AAATGAAAAT 60

ATAGCTAAAC AGGTTATTGA CCATTTGCGA AATGTATCTA ATGGTCAAAC TAAATCTACT 120

CGTTCGCAGA ATTGGGAATC AACTGTTACA TGGAATGAAA CTTCCAGACA CCGTACTTTA 180

GTTGCATATT TAAAACATGT TGAGCTACAG CACCAGATTC AGCAATTAAG CTCTAAGCCA 240

TCCGCAAAAA TGACCTCTTA TCAAAAGGAG CAATTAAAGG TACTCTCTAA TCCTGACCTG 300

TTGGAGTTTG CTTCCGGTCT GGTTCGCTTT GAAGCTCGAA TTAAAACGCG ATATTTGAAG 360

TCTTTCGGGC TTCCTCTTAA TCTTTTTGAT GCAATCCGCT TTGCTTCTGA CTATAATAGT 420

CAGGGTAAAG ACCTGATTTT TGATTTATGG TCATTCTCGT TTTCTGAACT GTTTAAAGCA 480

TTTGAGGGGG ATTCAATGAA TATTTATGAC GATTCCGCAG TATTGGACGC TATCCAGTCT 540

AAACATTTTA CTATTACCCC CTCTGGCAAA ACTTCTTTTG CAAAAGCCTC TCGCTATTTT 600

GGTTTTTATC GTCGTCTGGT AAACGAGGGT TATGATAGTG TTGCTCTTAC TATGCCTCGT 660

AATTCCTTTT GGCGTTATGT ATCTGCATTA GTTGAATGTG GTATTCCTAA ATCTCAACTG 720

ATGAATCTTT CTACCTGTAA TAATGTTGTT CCGTTAGTTC GTTTTATTAA CGTAGATTTT 780

TCTTCCCAAC GTCCTGACTG GTATAATGAG CCAGTTCTTA AAATCGCATA AGGTAATTCA 840

CAATGATTAA AGTTGAAATT AAACCATCTC AAGCCCAATT TACTACTCGT TCTGGTGTTT 900

CTCGTCAGGG CAAGCCTTAT TCACTGAATG AGCAGCTTTG TTACGTTGAT TTGGGTAATG 960

AATATCCGGT TCTTGTCAAG ATTACTCTTG ATGAAGGTCA GCCAGCCTAT GCGCCTGGTC 1020

TGTACACCGT TCATCTGTCC TCTTTCAAAG TTGGTCAGTT CGGTTCCCTT ATGATTGACC 1080

GTCTGCGCCT CGTTCCGGCT AAGTAACATG GAGCAGGTCG CGGATTTCGA CACAATTTAT 1140

CAGGCGATGA TACAAATCTC CGTTGTACTT TGTTTCGCGC TTGGTATAAT CGCTGGGGGT 1200

CAAAGATGAG TGTTTTAGTG TATTCTTTCG CCTCTTTCGT TTTAGGTTGG TGCCTTCGTA 1260

GTGGCATTAC GTATTTTACC CGTTTAATGG AAACTTCCTC ATGAAAAAGT CTTTAGTCCT 1320

CAAAGCCTCT GTAGCCGTTG CTACCCTCGT TCCGATGCTG TCTTTCGCTG CTGAGGGTGA 1380

CGATCCCGCA AAAGCGGCCT TTAACTCCCT GCAAGCCTCA GCGACCGAAT ATATCGGTTA 1440

TGCGTGGGCG ATGGTTGTTG TCATTGTCGG CGCAACTATC GGTATCAAGC TGTTTAAGAA 1500

ATTCACCTCG AAAGCAAGCT GATAAACCGA TACAATTAAA GGCTCCTTTT GGAGCCTTTT 1560

TTTTTGGAGA TTTTCAACGT GAAAAAATTA TTATTCGCAA TTCCTTTAGT TGTTCCTTTC 1620

TATTCTCACT CCGCTGAAAC TGTTGAAAGT TGTTTAGCAA AACCCCATAC AGAAAATTCA 1680

TTTACTAACG TCTGGAAAGA CGACAAAACT TTAGATCGTT ACGCTAACTA TGAGGGTTGT, 1740

CTGTGGAATG CTACAGGCGT TGTAGTTTGT ACTGGTGACG AAACTCAGTG TTACGGTACA 1800

TGGGTTCCTA TTGGGCTTGC TATCCCTGAA AATGAGGGTG GTGGCTCTGA GGGTGGCGGT 1860

TCTGAGGGTG GCGGTTCTGA GGGTGGCGGT ACTAAACCTC CTGAGTACGG TGATACACCT 1920

ATTCCGGGCT ATACTTATAT CAACCCTCTC GACGGCACTT ATCCGCCTGG TACTGAGCAA 1980

AACCCCGCTA ATCCTAATCC TTCTCTTGAG GAGTCTCAGC CTCTTAATAC TTTCATGTTT 2040

CAGAATAATA GGTTCCGAAA TAGGCAGGGG GCATTAACTG TTTATACGGG CACTGTTACT 2100

CAAGGCACTG ACCCCGTTAA AACTTATTAC CAGTACACTC CTGTATCATC AAAAGCCATG 2160

TATGACGCTT ACTGGAACGG TAAATTCAGA GACTGCGCTT TCCATTCTGG CTTTAATGAA 2220

GATCCATTCG TTTGTGAATA TCAAGGCCAA TCGTCTGACC TGCCTCAACC TCCTGTCAAT 2280

GCTGGCGGCG GCTCTGGTGG TGGTTCTGGT GGCGGCTCTG AGGGTGGTGG CTCTGAGGGT 2340

GGCGGTTCTG AGGGTGGCGG CTCTGAGGGA GGCGGTTCCG GTGGTGGCTC TGGTTCCGGT 2400

GATTTTGATT ATGAAAAGAT GGCAAACGCT AATAAGGGGG CTATGACCGA AAATGCCGAT 2460

GAAAACGCGC TACAGTCTGA CGCTAAAGGC AAACTTGATT CTGTCGCTAC TGATTACGGT 2520

GCTGCTATCG ATGGTTTCAT TGGTGACGTT TCCGGCCTTG CTAATGGTAA TGGTGCTACT 2580

GGTGATTTTG CTGGCTCTAA TTCCCAAATG GCTCAAGTCG GTGACGGTGA TAATTCACCT 2640

TTAATGAATA ATTTCCGTCA ATATTTACCT TCCCTCCCTC AATCGGTTGA ATGTCGCCCT 2700

TTTGTCTTTA GCGCTGGTAA ACCATATGAA TTTTCTATTG ATTGTGACAA AATAAACTTA 2760

TTCCGTGGTG TCTTTGCGTT TCTTTTATAT GTTGCCACCT TTATGTATGT ATTTTCTACG 2820

TTTGCTAACA TACTGCGTAA TAAGGAGTCT TAATCATGCC AGTTCTTTTG GGTATTCCGT 2880

TATTATTGCG TTTCCTCGGT TTCCTTCTGG TAACTTTGTT CGGCTATCTG CTTACTTTTC 2940

TTAAAAAGGG CTTCGGTAAG ATAGCTATTG CCTGTTTCTT GCTCTTATTA TTGGGCTTAA 3000

CTCAATTCTT GTGGGTTATC TCTCTGATAT TAGCGCTCAA TTACCCTCTG ACTTTGTTCA 3060

GGGTGTTCAG TTAATTCTCC CGTCTAATGC GCTTCCCTGT TTTTATGTTA TTCTCTCTGT 3120

AAAGGCTGCT ATTTTCATTT TTGACGTTAA ACAAAAAATC GTTTCTTATT TGGATTGGGA 3180

TAAATAATAT GGCTGTTTAT TTTGTAACTG GCAAATTAGG CTCTGGAAAG ACGCTCGTTA 3240

GCGTTGGTAA GATTCAGGAT AAAATTGTAG CTGGGTGCAA AATAGCAACT AATCTTGATT 3300

TAAGGCTTCA AAACCTCCCG CAAGTCGGGA GGTTCGCTAA AACGCCTCGC GTTCTTAGAA 3360

TACCGGATAA GCCTTCTATA TCTGATTTGC TTGCTATTGG GCGCGGTAAT GATTCCTACG 3420

ATGAAAATAA AAACGGCTTG CTTGTTCTCG ATGAGTGCGG TACTTGGTTT AATACCCGTT 3480

CTTGGAATGA TAAGGAAAGA CAGCCGATTA TTGATTGGTT TCTACATGCT CGTAAATTAG 3540

GATGGGATAT TATTTTTCTT GTTCAGGACT TATCTATTGT TGATAAACAG GCGCGTTCTG 3600

CATTAGCTGA ACATGTTGTT TATTGTCGTC GTCTGGACAG AATTACTTTA CCTTTTGTCG 3660

GTACTTTATA TTCTCTTATT ACTGGCTCGA AAATGCCTCT GCCTAAATTA CATGTTGGCG 3720

TTGTTAAATA TGGCGATTCT CAATTAAGCC CTACTGTTGA GCGTTGGCTT TATACTGGTA 3780

AGAATTTGTA TAACGCATAT GATACTAAAC AGGCTTTTTC TAGTAATTAT GATTCCGGTG 3840

TTTATTCTTA TTTAACGCCT TATTTATCAC ACGGTCGGTA TTTCAAACCA TTAAATTTAG 3900

GTCAGAAGAT GAAGCTTACT AAAATATATT TGAAAAAGTT TTCACGCGTT CTTTGTCTTG 3960

CGATTGGATT TGCATCAGCA TTTACATATA GTTATATAAC CCAACCTAAG CCGGAGGTTA 4020

AAAAGGTAGT CTCTCAGACC TATGATTTTG ATAAATTCAC TATTGACTCT TCTCAGCGTC 4080

TTAATCTAAG CTATCGCTAT GTTTTCAAGG ATTCTAAGGG AAAATTAATT AATAGCGACG 4140

ATTTACAGAA GCAAGGTTAT TCACTCACAT ATATTGATTT ATGTACTGTT TCCATTAAAA 4200

AAGGTAATTC AAATGAAATT GTTAAATGTA ATTAATTTTG TTTTCTTGAT GTTTGTTTCA 4260

TCATCTTCTT TTGCTCAGGT AATTGAAATG AATAATTCGC CTCTGCGCGA TTTTGTAACT 4320

TGGTATTCAA AGCAATCAGG CGAATCCGTT ATTGTTTCTC CCGATGTAAA AGGTACTGTT 4380

ACTGTATATT CATCTGACGT TAAACCTGAA AATCTACGCA ATTTCTTTAT TTCTGTTTTA 4440

CGTGCTAATA ATTTTGATAT GGTTGGTTCA ATTCCTTCCA TAATTCAGAA GTATAATCCA 4500

AACAATCAGG ATTATATTGA TGAATTGCCA TCATCTGATA ATCAGGAATA TGATGATAAT 4560

TCCGCTCCTT CTGGTGGTTT CTTTGTTCCG CAAAATGATA ATGTTACTCA AACTTTTAAA 4620

ATTAATAACG TTCGGGCAAA GGATTTAATA CGAGTTGTCG AATTGTTTGT AAAGTCTAAT 4680

ACTTCTAAAT CCTCAAATGT ATTATCTATT GACGGCTCTA ATCTATTAGT TGTTAGTGCA 4740

CCTAAAGATA TTTTAGATAA CCTTCCTCAA TTCCTTTCTA CTGTTGATTT GCCAACTGAC 4800

CAGATATTGA TTGAGGGTTT GATATTTGAG GTTCAGCAAG GTGATGCTTT AGATTTTTCA 4860

TTTGCTGCTG GCTCTCAGCG TGGCACTGTT GCAGGCGGTG TTAATACTGA CCGCCTCACC 4920

TCTGTTTTAT CTTCTGCTGG TGGTTCGTTC GGTATTTTTA ATGGCGATGT TTTAGGGCTA 4980

TCAGTTCGCG CATTAAAGAC TAATAGCCAT TCAAAAATAT TGTCTGTGCC ACGTATTCTT 5040

ACGCTTTCAG GTCAGAAGGG TTCTATCTCT GTTGGCCAGA ATGTCCCTTT TATTACTGGT 5100

CGTGTGACTG GTGAATCTGC CAATGTAAAT AATCCATTTC AGACGATTGA GCGTCAAAAT 5160

GTAGGTATTT CCATGAGCGT TTTTCCTGTT GCAATGGCTG GCGGTAATAT TGTTCTGGAT 5220

ATTACCAGCA AGGCCGATAG TTTGAGTTCT TCTACTCAGG CAAGTGATGT TATTACTAAT 5280

CAAAGAAGTA TTGCTACAAC GGTTAATTTG CGTGATGGAC AGACTCTTTT ACTCGGTGGC 5340

CTCACTGATT ATAAAAACAC TTCTCAAGA TCTGGCGTAC CGTTCCTGTC TAAAATCCCT 5400
TTAATCGGCC TCCTGTTTAG CTCCCGCTCT GATTCCAACG AGGAAAGCAC GTTATACGTG 5460
CTCGTCAAAG CAACCATAGT ACGCGCCCTG TAGCGGCGCA TTAAGCGCGG CGGGTGTGGT 5520
GGTTACGCGC AGCGTGACCG CTACACTTGC CAGCGCCCTA GCGCCCGCTC CTTTCGCTTT 5580
CTTCCCTTCC TTTCTCGCCA CGTTCGCCGG CTTTCCCCGT CAAGCTCTAA ATCGGGGGCT 5640
CCCTTTAGGG TTCCGATTTA GTGCTTTACG GCACCTCGAC CCCAAAAAAC TTGATTTGGG 5700
TGATGGTTCA CGTAGTGGGC CATCGCCCTG ATAGACGGTT TTTCGCCCTT TGACGTTGGA 5760
GTCCACGTTC TTTAATAGTG GACTCTTGTT CCAAACTGGA ACAACACTCA ACCCTATCTC 5820
GGGCTATTCT TTTGATTTAT AAGGGATTTT GCCGATTTCG GAACCACCAT CAAACAGGAT 5880
TTTCGCCTGC TGGGGCAAAC CAGCGTGGAC CGCTTGCTGC AACTCTCTCA GGGCCAGGCG 5940
GTGAAGGGCA ATCAGCTGTT GCCCGTCTCG CTGGTGAAAA GAAAAACCAC CCTGGCGCCC 6000
AATACGCAAA CCGCCTCTCC CCGCGCGTTG GCCGATTCAT TAATGCAGCT GGCACGACAG 6060
GTTTCCCGAC TGGAAAGCGG GCAGTGAGCG CAACGCAATT AATGTGAGTT AGCTCA TA 6120
TTAGGCACCC CAGGCTTTAC ACTTTATGCT TCCGGCTCGT ATGTTGTGTG GAATTG AG 6180
CGGATAACAA TTTCACACGC CAAGGAGACA GTCATAATGA AATACCTATT GCCTACGGCA 6240
GCCGCTGGAT TGTTATTACT CGCTGCCCAA CCAGCCATGG CCGAGCTCTT CCCGCCATCT 6300
GATGAGCAGT TGAAATCTGG AACTGCCTCT GTTGTGTGCC TGCTGAATAA CTTCTATCCC 6360
AGAGAGGCCA AAGTACAGTG GAAGGTGGAT AACGCCCTCC AATCGGGTAA CTCCCAGGAG 6420
AGTGTCACAG AGCAGGACAG CAAGGACAGC ACCTACAGCC TCAGCAGCAC CCTGACGCTG 6480
AGCAAAGCAG ACTACGAGAA ACACAAAGTC TACGCCTGCG AAGTCACCCA TCAGGGCCTG 6540
AGCTCGCCCG TCACAAAGAG CTTCAACAGG GGAGAGTGTT CTAGAACGCG TCACTTGGCA 6600
CTGGCCGTCG TTTTACAACG TCGTGACTGG GAAAACCCTG GCGTTACCCA AGCTTAATCG 6660
CCTTGCAGAA TTCCCTTTCG CCAGCTGGCG TAATAGCGAA GAGGCCCGCA CCGATCGCCC 6720
TTCCCAACAG TTGCGCAGCC TGAATGGCGA ATGGCGCTTT GCCTGGTTTC CGGCACCAGA 6780
AGCGGTGCCG GAAAGCTGGC TGGAGTGCGA TCTTCCTGAG GCCGATACGG TCGTCGTCCC 6840
CTCAAACTGG CAGATGCACG GTTACGATGC GCCCATCTAC ACCAACGTAA CCTATCCCAT 6900
TACGGTCAAT CCGCCGTTTG TTCCCACGGA GAATCCGACG GGTTGTTACT CGCTCACATT 6960
TAATGTTGAT GAAAGCTGGC TACAGGAAGG CCAGACGCGA ATTATTTTTG ATGGCGTTCC 7020
TATTGGTTAA AAAATGAGCT GATTTAACAA AAATTTAACG CGAATTTTAA CAAAATATTA 7080
ACGTTTACAA TTTAAATATT TGCTTATACA ATCTTCCTGT TTTTGGGGCT TTTCTGATTA 7140
TCAACCGGGG TACATATGAT TGACATGCTA GTTTTACGAT TACCGTTCAT CGATTCTCTT 7200
GTTTGCTCCA GACTCTCAGG CAATGACCTG ATAGCCTTTG TAGATCTCTC AAAAATAGCT 7260
ACCCTCTCCG GCATTAATTT ATCAGCTAGA ACGGTTGAAT ATCATATTGA TGGTGATTTG 7320
ACTGTCTCCG GCCTTTCTCA CCCTTTTGAA TCTTTACCTA CACATTACTC AGGCATTGCA 7380

TTTAAAATAT ATGAGGGTTC TAAAAATTTT TATCCTTGCG TTGAAATAAA GGCTTCTCCC 7440

GCAAAAGTAT TACAGGGTCA TAATGTTTTT GGTACAACCG ATTTAGCTTT ATGCTCTGAG 7500

GCTTTATTGC TTAATTTTGC TAATTCTTTG CCTTGCCTGT ATGATTTATT GGATGTT 7557

(2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 8118 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: both
(D) TOPOLOGY: circular

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

AATGCTACTA CTATTAGTAG AATTGATGCC ACCTTTTCAG CTCGCGCCCC AAATGAAAAT 60

ATAGCTAAAC AGGTTATTGA CCATTTGCGA AATGTATCTA ATGGTCAAAC TAAATCTACT 120

CGTTCGCAGA ATTGGGAATC AACTGTTACA TGGAATGAAA CTTCCAGACA CCGTACTTTA 180

GTTGCATATT TAAAACATGT TGAGCTACAG CACCAGATTC AGCAATTAAG CTCTAAGCCA 240

TCTGCAAAAA TGACCTCTTA TCAAAAGGAG CAATTAAAGG TACTCTCTAA TCCTGACCTG 300

TTGGAGTTTG CTTCCGGTCT GGTTCGCTTT GAAGCTCGAA TTAAAACGCG ATATTTGAAG 360

TCTTTCGGGC TTCCTCTTAA TCTTTTTGAT GCAATCCGCT TTGCTTCTGA CTATAATAGT 420

CAGGGTAAAG ACCTGATTTT TGATTTATGG TCATTCTCGT TTTCTGAACT GTTTAAAGCA 480

TTTGAGGGGG ATTCAATGAA TATTTATGAC GATTCCGCAG TATTGGACGC TATCCAGTCT 540

AAACATTTTA CTATTACCCC CTCTGGCAAA ACTTCTTTTG CAAAAGCCTC TCGCTATTTT 600

GGTTTTTATC GTCGTCTGGT AAACGAGGGT TATGATAGTG TTGCTCTTAC TATGCCTCGT 660

AATTCCTTTT GGCGTTATGT ATCTGCATTA GTTGAATGTG GTATTCCTAA ATCTCAACTG 720

ATGAATCTTT CTACCTGTAA TAATGTTGTT CCGTTAGTTC GTTTTATTAA CGTAGATTTT 780

TCTTCCCAAC GTCCTGACTG GTATAATGAG CCAGTTCTTA AAATCGCATA AGGTAATTCA 840

CAATGATTAA AGTTGAAATT AAACCATCTC AAGCCCAATT TACTACTCGT TCTGGTGTTT 900

CTCGTCAGGG CAAGCCTTAT TCACTGAATG AGCAGCTTTG TTACGTTGAT TTGGGTAATG 960

AATATCCGGT TCTTGTCAAG ATTACTCTTG ATGAAGGTCA GCCAGCCTAT GCGCCTGGTC 1020

TGTACACCGT TCATCTGTCC TCTTTCAAAG TTGGTCAGTT CGGTTCCCTT ATGATTGACC 1080

GTCTGCGCCT CGTTCCGGCT AAGTAACATG GAGCAGGTCG CGGATTTCGA CACAATTTAT 1140

CAGGCGATGA TACAAATCTC CGTTGTACTT TGTTTCGCGC TTGGTATAAT CGCTGGGGGT 1200

CAAAGATGAG TGTTTTAGTG TATTCTTTCG CCTCTTTCGT TTTAGGTTGG TGCCTTCGTA 1260

GTGGCATTAC GTATTTTACC CGTTTAATGG AAACTTCCTC ATGAAAAAGT CTTTAGTCCT 1320

CAAAGCCTCT GTAGCCGTTG CTACCCTCGT TCCGATGCTG TCTTTCGCTG CTGAGGGTGA 1380

CCATCCCGCA AAAGCGGCCT TTAACTCCCT GCAAGCCTCA GCGACCGAAT ATATCGGTTA 1440

TGCGTGGGCG ATGGTTGTTG TCATTGTCGG CGCAACTATC GGTATCAAGC TGTTTAAGAA 1500

ATTCACCTCG AAAGCAAGCT GATAAACCGA TACAATTAAA GGCTCCTTTT GGAGCCTTTT 1560
TTTTTGGAGA TTTTCAACGT GAAAAAATTA TTATTCGCAA TTCCTTTAGT TGTTCCTTTC 1620
TATTCTCACT GCGCTGAAAC TGTTGAAAGT TGTTTAGCAA AACCCCATAC AGAAAATTCA 1680
TTTACTAACG TCTGGAAAGA CGACAAAACT TTAGATCGTT ACGCTAACTA TGAGGGTTGT 1740
CTGTGGAATG CTACAGGCGT TGTAGTTTGT ACTGGTGACG AAACTCAGTG TTACGGTACA 1800
TGGGTTCCTA TTGGGCTTGC TATCCCTGAA AATGAGGGTG GTGGCTCTGA GGGTGGCGGT 1860
TCTGAGGGTG GCGGTTCTGA GGGTGGCGGT ACTAAACCTC CTGAGTACGG TGATACACCT 1920
ATTCCGGGCT ATACTTATAT CAACCCTCTC GACGGCACTT ATCCGCCTGG TACTGAGCAA 1980
AACCCCGCTA ATCCTAATCC TTCTCTTGAG GAGTCTCAGC CTCTTAATAC TTTCATGTTT 2040
CAGAATAATA GGTTCCGAAA TAGGCAGGGG GCATTAACTG TTTATACGGG CACTGTTACT 2100
CAAGGCACTG ACCCCGTTAA AACTTATTAC CAGTACACTC CTGTATCATC AAAAGCCATG 2160
TATGACGCTT ACTGGAACGG TAAATTCAGA GACTGCGCTT TCCATTCTGG CTTTAATGAA 2220
GATCCATTCG TTTGTGAATA TCAAGGCCAA TCGTCTGACC TGCCTCAACC TCCTGTCAAT 2280
GCTGGCGGCG GCTCTGGTGG TGGTTCTGGT GGCGGCTCTG AGGGTGGTGG CTCTGAGGGT 2340
GGCGGTTCTG AGGGTGGCGG CTCTGAGGGA GGCGGTTCCG GTGGTGGCTC TGGTTCCGGT 2400
GATTTTGATT ATGAAAAGAT GGCAAACGCT AATAAGGGGG CTATGACCGA AAATGCCGAT 2460
GAAAACGCGC TACAGTCTGA CGCTAAAGGC AAACTTGATT CTGTCGCTAC TGATTACGGT 2520
GCTGCTATCG ATGGTTTCAT TGGTGACGTT TCCGGCCTTG CTAATGGTAA TGGTGCTACT 2580
GGTGATTTTG CTGGCTCTAA TTCCCAAATG GCTCAAGTCG GTGACGGTGA TAATTCACCT 2640
TTAATGAATA ATTTCCGTCA ATATTTACCT TCCCTCCCTC AATCGGTTGA ATGTCGCCCT 2700
TTTGTCTTTA GCGCTGGTAA ACCATATGAA TTTTCTATTG ATTGTGACAA AATAAACTTA 2760
TTCCGTGGTG TCTTTGCGTT TCTTTTATAT GTTGCCACCT TTATGTATGT ATTTTCTACG 2820
TTTGCTAACA TACTGCGTAA TAAGGAGTCT TAATCATGCC AGTTCTTTTG GGTATTCCGT 2880
TATTATTGCG TTTCCTCGGT TTCCTTCTGG TAACTTTGTT CGGCTATCTG CTTACTTTTC 2940
TTAAAAAGGG CTTCGGTAAG ATAGCTATTG CTATTTCATT GTTTCTTGCT CTTATTATTG 3000
GGCTTAACTC AATTCTTGTG GGTTATCTCT CTGATATTAG CGCTCAATTA CCCTCTGACT 3060
TTGTTCAGGG TGTTCAGTTA ATTCTCCCGT CTAATGCGCT TCCCTGTTTT TATGTTATTC 3120
TCTCTGTAAA GGCTGCTATT TTCATTTTTG ACGTTAAACA AAAAATCGTT TCTTATTTGG 3180
ATTGGGATAA ATAATATGGC TGTTTATTTT GTAACTGGCA AATTAGGCTC TGGAAAGACG 3240
CTCGTTAGCG TTGGTAAGAT TCAGGATAAA ATTGTAGCTG GGTGCAAAAT AGCAACTAAT 3300
CTTGATTTAA GGCTTCAAAA CCTCCCGCAA GTCGGGAGGT TCGCTAAAAC GCCTCGCGTT 3360
CTTAGAATAC CGGATAAGCC TTCTATATCT GATTTGCTTG CTATTGGGCG CGGTAATGAT 3420
TCCTACGATG AAAATAAAAA CGGCTTGCTT GTTCTCGATG AGTGCGGTAC TTGGTTTAAT 3480
ACCCGTTCTT GGAATGATAA GGAAAGACAG CCGATTATTG ATTGGTTTCT ACATGCTCGT 3540

AAATTAGGAT GGGATATTAT TTTTCTTGTT CAGGACTTAT CTATTGTTGA TAAACAGGCG 3600
CGTTCTGCAT TAGCTGAACA TGTTGTTTAT TGTCGTCGTC TGGACAGAAT TACTTTACCT 3660
TTTGTCGGTA CTTTATATTC TCTTATTACT GGCTCGAAAA TGCCTCTGCC TAAATTACAT 3720
GTTGGCGTTG TTAAATATGG CGATTCTCAA TTAAGCCCTA CTGTTGAGCG TTGGCTTTAT 3780
ACTGGTAAGA ATTTGTATAA CGCATATGAT ACTAAACAGG CTTTTTCTAG TAATTATGAT 3840
TCCGGTGTTT ATTCTTATTT AACGCCTTAT TTATCACACG GTCGGTATTT CAAACCATTA 3900
AATTTAGGTC AGAAGATGAA GCTTACTAAA ATATATTTGA AAAAGTTTTC ACGCGTTCTT 3960
TGTCTTGCGA TTGGATTTGC ATCAGCATTT ACATATAGTT ATATAACCCA ACCTAAGCCG 4020
GAGGTTAAAA AGGTAGTCTC TCAGACCTAT GATTTTGATA AATTCACTAT TGACTCTTCT 4080
CAGCGTCTTA ATCTAAGCTA TCGCTATGTT TTCAAGGATT CTAAGGGAAA ATTAATTAAT 4140
AGCGACGATT TACAGAAGCA AGGTTATTCA CTCACATATA TTGATTTATG TACTGTTTCC 4200
ATTAAAAAAG GTAATTCAAA TGAAATTGTT AAATGTAATT AATTTTGTTT TCTTGATGTT 4260
TGTTTCATCA TCTTCTTTTG CTCAGGTAAT TGAAATGAAT AATTCGCCTC TGCGCGATTT 4320
TGTAACTTGG TATTCAAAGC AATCAGGCGA ATCCGTTATT GTTTCTCCCG ATGTAAAAGG 4380
TACTGTTACT GTATATTCAT CTGACGTTAA ACCTGAAAAT CTACGCAATT TCTTTATTTC 4440
TGTTTTACGT GCTAATAATT TTGATATGGT TGGTTCAATT CCTTCCATAA TTCAGAAGTA 4500
TAATCCAAAC AATCAGGATT ATATTGATGA ATTGCCATCA TCTGATAATC AGGAATATGA 4560
TGATAATTCC GCTCCTTCTG GTGGTTTCTT TGTTCCGCAA AATGATAATG TTACTCAAAC 4620
TTTTAAAATT AATAACGTTC GGGCAAAGGA TTTAATACGA GTTGTCGAAT TGTTTGTAAA 4680
GTCTAATACT TCTAAATCCT CAAATGTATT ATCTATTGAC GGCTCTAATC TATTAGTTGT 4740
TAGTGCACCT AAAGATATTT TAGATAACCT TCCTCAATTC CTTTCTACTG TTGATTTGCC 4800
AACTGACCAG ATATTGATTG AGGGTTTGAT ATTTGAGGTT CAGCAAGGTG ATGCTTTAGA 4860
TTTTTCATTT GCTGCTGGCT CTCAGCGTGG CACTGTTGCA GGCGGTGTTA ATACTGACCG 4920
CCTCACCTCT GTTTTATCTT CTGCTGGTGG TTCGTTCGGT ATTTTTAATG GCGATGTTTT 4980
AGGGCTATCA GTTCGCGCAT TAAAGACTAA TAGCCATTCA AAAATATTGT CTGTGCCACG 5040
TATTCTTACG CTTTCAGGTC AGAAGGGTTC TATCTCTGTT GGCCAGAATG TCCCTTTTAT 5100
TACTGGTCGT GTGACTGGTG AATCTGCCAA TGTAAATAAT CCATTTCAGA CGATTGAGCG 5160
TCAAAATGTA GGTATTTCCA TGAGCGTTTT TCCTGTTGCA ATGGCTGGCG GTAATATTGT 5220
TCTGGATATT ACCAGCAAGG CCGATAGTTT GAGTTCTTCT ACTCAGGCAA GTGATGTTAT 5280
TACTAATCAA AGAAGTATTG CTACAACGGT TAATTTGCGT GATGGACAGA CTCTTTTACT 5340
CGGTGGCCTC ACTGATTATA AAAACACTTC TCAAGATTCT GGCGTACCGT TCCTGTCTAA 5400
AATCCCTTTA ATCGGCCTCC TGTTTAGCTC CCGCTCTGAT TCCAACGAGG AAAGCACGTT 5460
ATACGT CTC GTCAAAGCAA CATAGTACG CGCCCTGTAG CGGCGCATTA AGCGCGGCGG 5520
GTGTGGTGGT TACGCGCAGC GTGACCGCTA CACTTGCCAG CGCCCTAGCG CCCGCTCCTT 5580

TCGCTTTCTT CCCTTCCTTT CTCGCCACGT TCGCCGGCTT TCCCCGTCAA GCTCTAAATC 5640
GGGGGCTCCC TTTAGGGTTC CGATTTAGTG CTTTACGGCA CCTCGACCCC AAAAAACTTG 5700
ATTTGGGTGA TGGTTCACGT AGTGGGCCAT CGCCCTGATA GACGGTTTTT CGCCCTTTGA 5760
CGTTGGAGTC CACGTTCTTT AATAGTGGAC TCTTGTTCCA AACTGGAACA ACACTCAACC 5820
CTATCTCGGG CTATTCTTTT GATTTATAAG GGATTTTGCC GATTTCGGAA CCACCATCAA 5880
ACAGGATTTT CGCCTGCTGG GGCAAACCAG CGTGGACCGC TTGCTGCAAC TCTCTCAGGG 5940
CCAGGCGGTG AAGGGCAATC AGCTGTTGCC CGTCTCGCTG GTGAAAAGAA AAACCACCCT 6000
GGCGCCCAAT ACGCAAACCG CCTCTCCCCG CGCGTTGGCC GATTCATTAA TGCAGCTGGC 6060
ACGACAGGTT TCCCGACTGG AAAGCGGGCA GTGAGCGCAA CGCAATTAAT GTGAGTTAGC 6120
TCACTCATTA GGCACCCCAG GCTTTACACT TTATGCTTCC GGCTCGTATG TTGTGTGGAA 6180
TTGTGAGCGG ATAACAATTT CACACGCCAA GGAGACAGTC ATAATGAAAT ACCTATTGCC 6240
TACGGCAGCC GCTGGATTGT TATTACTCGC TGCCCAACCA GCCATGGCCG AGCTCTTCCC 6300
GCCATCTGAT GAGCAGTTGA AATCTGGAAC TGCCTCTGTT GTGTGCCTGC TGAATAACTT 6360
CTATCCCAGA GAGGCCAAAG TACAGTGGAA GGTGGATAAC GCCCTCCAAT CGGGTAACTC 6420
CCAGGAGAGT GTCACAGAGC AGGACAGCAA GGACAGCACC TACAGCCTCA GCAGCACCCT 6480
GACGCTGAGC AAAGCAGACT ACGAGAAACA CAAAGTCTAC GCCTGCGAAG TCACCCATCA 6540
GGGCCTGAGC TCGCCCGTCA CAAAGAGCTT CAACAGGGGA GAGTGTTCTA GAACGCGTCA 6600
CTTGGCACTG GCCGTCGTTT TACAACGTCG TGACTGGGAA AACCCTGGCG TTACCCAAGC 6660
TTTGTACATG GAGAAAATAA AGTGAAACAA AGCACTATTG CACTGGCACT CTTACCGTTA 6720
CTGTTTACCC CTGTGGCAAA AGCCGCCTCC ACCAAGGGCC CATCGGTCTT CCCCCTGGCA 6780
CCCTCCTCCA AGAGCACCTC TGGGGGCACA GCGGCCCTGG GCTGCCTGGT CAAGACTAAT 6840
TCCCCGAACC GGTGACGGTG TCGTGGAACT CAGGCGCCCT GACCAGCGGC GTGCACACCT 6900
TCCCGGCTGT CCTACAGTCC TCAGGACTCT ACTCCCTCAG CAGCGTGGTG ACCGTGCCCT 6960
CCAGCAGCTT GGGCACCCAG ACCTACATCT GCAACGTGAA TCACAAGCCC AGCAACACCA 7020
AGGTGGACAA GAAAGCAGAG CCCAAATCTT GTACTAGTGG ATCCTACCCG TACGACGTTC 7080
CGGACTACGC TTCTTAGGCT GAAGGCGATG ACCCTGCTAA GGCTGCATTC AATAGTTTAC 7140
AGGCAAGTGC TACTGAGTAC ATTGGCTACG CTTGGGCTAT GGTAGTAGTT ATAGTTGGTG 7200
CTACCATAGG GATTAAATTA TTCAAAAAGT TTACGAGCAA GGCTTCTTAA GCAATAGCGA 7260
AGAGGCCCGC ACCGATCGCC CTTCCCAACA GTTGCGCAGC CTGAATGGCG AATGGCGCTT 7320
TGCCTGGTTT CCGGCACCAG AAGCGGTGCC GGAAAGCTGG CTGGAGTGCG ATCTTCCTGA 7380
GGCCGATACG GTCGTCGTCC CCTCAAACTG GCAGATGCAC GGTTACGATG CGCCCATCTA 7440
CACCAACGTA ACCTATCCCA TTACGGTCAA TCCGCCGTTT GTTCCCACGG AGAATCCGAC 7500
GGGTTGTTAC TCGCTCACAT TTAATGTTGA TGAAAGCTGG CTACAGGAAG GCCAGACGCG 7560
AATTATTTTT GATGGCGTTC CTATTGGTTA AAAAATGAGC TGATTTAACA AAAATTTAAC 7620

GCGAATTTTA ACAAAATATT AACGTTTACA ATTTAAATAT TTGCTTATAC AATCTTCCTG 7680

TTTTTGGGGC TTTTCTGATT ATCAACCGGG GTACATATGA TTGACATGCT AGTTTTACGA 7740

TTACCGTTCA TCGATTCTCT TGTTTGCTCC AGACTCTCAG GCAATGACCT GATAGCCTTT 7800

GTAGATCTCT CAAAAATAGC TACCCTCTCC GGCATTAATT TATCAGCTAG AACGGTTGAA 7860

TATCATATTG ATGGTGATTT GACTGTCTCC GGCCTTTCTC ACCCTTTTGA ATCTTTACCT 7920

ACACATTACT CAGGCATTGC ATTTAAAATA TATGAGGGTT CTAAAAATTT TTATCCTTGC 7980

GTTGAAATAA AGGCTTCTCC CGCAAAAGTA TTACAGGGTC ATAATGTTTT TGGTACAACC 8040

GATTTAGCTT TATGCTCTGA GGCTTTATTG CTTAATTTTG CTAATTCTTT GCCTTGCCTG 8100

TATGATTTAT TGGACGTT 8118

(2) INFORMATION FOR SEQ ID NO:6:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 22 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ix) FEATURE:
(A) NAME/KEY: misc_difference
(B) LOCATION: replace(5, "")
(D) OTHER INFORMATION: /note= "S REPRESENTS EQUAL MIXTURE OF G AND C"

(ix) FEATURE:
(A) NAME/KEY: misc_difference
(B) LOCATION: replace(6, "")
(D) OTHER INFORMATION: /note= "M REPRESENTS EQUAL MIXTURE OF A AND C"

(ix) FEATURE:
(A) NAME/KEY: misc_difference
(B) LOCATION: replace(8, "")
(D) OTHER INFORMATION: /note= "R REPRESENTS EQUAL MIXTURE OF A AND G"

(ix) FEATURE:
(A) NAME/KEY: misc_difference
(B) LOCATION: replace(11, "")
(D) OTHER INFORMATION: /note= "K REPRESENTS EQUAL MIXTURE OF G AND T"

(ix) FEATURE:
(A) NAME/KEY: misc_difference
(B) LOCATION: replace(20, "")
(D) OTHER INFORMATION: /note= "W REPRESENTS EQUAL MIXTURE OF A AND T"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

AGGTSMARCT KCTCGAGTCW GG 22

(2) INFORMATION FOR SEQ ID NO:7:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 22 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

AGGTCCAGCT GCTCGAGTCT GG 22

(2) INFORMATION FOR SEQ ID NO:8:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 22 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

AGGTCCAGCT GCTCGAGTCA GG 22

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 22 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

AGGTCCAGCT TCTCGAGTCT GG 22

(2) INFORMATION FOR SEQ ID NO:10:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 22 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

AGGTCCAGCT TCTCGAGTCA GG 22

(2) INFORMATION FOR SEQ ID NO:11:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 22 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

AGGTCCAACT GCTCGAGTCT GG 22

(2) INFORMATION FOR SEQ ID NO:12:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 22 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

AGGTCCAACT GCTCGAGTCA GG 22

(2) INFORMATION FOR SEQ ID NO:13:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 22 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

AGGTCCAACT TCTCGAGTCT GG 22

(2) INFORMATION FOR SEQ ID NO:14:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 22 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

AGGTCCAACT TCTCGAGTCA GG 22

(2) INFORMATION FOR SEQ ID NO:15:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 22 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ix) FEATURE:
(A) NAME/KEY: misc_difference
(B) LOCATION: replace(5..6, "")
(D) OTHER INFORMATION: /note= "N=INOSINE"

(ix) FEATURE:
(A) NAME/KEY: misc_difference
(B) LOCATION: replace(8, "")
(D) OTHER INFORMATION: /note= "N=INOSINE"

(ix) FEATURE:
(A) NAME/KEY: misc_diff rence
(B) LOCATION: replace(11, "")
(D) OTHER INFORMATION: /note= "N=INOSINE"

(ix) FEATURE:
(A) NAME/KEY: misc_difference
(B) LOCATION: replace(20, "")
(D) OTHER INFORMATION: /note= "W REPRESENTS EQUAL MIXTURE OF A AND T"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

AGGTNNANCT NCTCGAGTCW GG 22

(2) INFORMATION FOR SEQ ID NO:16:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 38 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

CTATTAACTA GTAACGGTAA CAGTGGTGCC TTGCCCCA 38

(2) INFORMATION FOR SEQ ID NO:17:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 30 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

AGGCTTACTA GTACAATCCC TGGGCACAAT 30

(2) INFORMATION FOR SEQ ID NO:18:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 32 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

CCAGTTCCGA GCTCGTTGTG ACTCAGGAAT CT 32

(2) INFORMATION FOR SEQ ID NO:19:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 32 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: s'ngle
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

CCAGTTCCGA GCTCGTGTTG ACGCAGCCGC CC 32

(2) INFORMATION FOR SEQ ID NO:20:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 32 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:

CCAGTTCCGA GCTCGTGCTC ACCCAGTCTC CA 32

(2) INFORMATION FOR SEQ ID NO:21:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 32 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:

CCAGTTCCGA GCTCCAGATG ACCCAGTCTC CA 32

(2) INFORMATION FOR SEQ ID NO:22:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 32 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

CCAGATGTGA GCTCGTGATG ACCCAGACTC CA 32

(2) INFORMATION FOR SEQ ID NO:23:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 32 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

CCAGATGTGA GCTCGTCATG ACCCAGTCTC CA 32

(2) INFORMATION FOR SEQ ID NO:24:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 32 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

CCAGTTCCGA GCTCGTGATG ACACAGTCTC CA 32

(2) INFORMATION FOR SEQ ID NO:25:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 32 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

GCAGCATTCT AGAGTTTCAG CTCCAGCTTG CC 32

(2) INFORMATION FOR SEQ ID NO:26:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 34 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

GCGCCGTCTA GAATTAACAC TCATTCCTGT TGAA 34

(2) INFORMATION FOR SEQ ID NO:27:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 37 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:

GATCCTAGGC TGAAGGCGAT GACCCTGCTA AGGCTGC 37

(2) INFORMATION FOR SEQ ID NO:28:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 35 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

ATTCAATAGT TTACAGGCAA GTGCTACTGA GTACA 35

(2) INFORMATION FOR SEQ ID NO:29:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 35 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

TTGGCTACGC TTGGGCTATG GTAGTAGTTA TAGTT 35

(2) INFORMATION FOR SEQ ID NO:30:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 35 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:

GGTGCTACCA TAGGGATTAA ATTATTCAAA AAGTT 35

(2) INFORMATION FOR SEQ ID NO:31:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 18 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:

TACGAGCAAG GCTTCTTA 18

(2) INFORMATION FOR SEQ ID NO:32:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 39 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:

AGCTTAAGAA GCCTTGCTCG TAAACTTTTT GAATAATTT 39

(2) INFORMATION FOR SEQ ID NO:33:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 36 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

AATCCCTATG GTAGCACCAA CTATAACTAC TACCAT 36

(2) INFORMATION FOR SEQ ID NO:34:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 35 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:

AGCCCAAGCG TAGCCAATGT ACTCAGTAGC ACTTG 35

(2) INFORMATION FOR SEQ ID NO:35:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 34 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:

CCTGTAAACT ATTGAATGCA GCCTTAGCAG GGTC 34

(2) INFORMATION FOR SEQ ID NO:36:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 16 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:

ATCGCCTTCA GCCTAG 16

(2) INFORMATION FOR SEQ ID NO:37:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 21 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:37:

CATTTTTGCA GATGGCTTAG A 21

(2) INFORMATION FOR SEQ ID NO:38:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 18 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:

TAGCATTAAC GTCCAATA 18

(2) INFORMATION FOR SEQ ID NO:39:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 26 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:

ATATATTTTA GTAAGCTTCA TCTTCT 26

(2) INFORMATION FOR SEQ ID NO:40:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 23 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:

GACAAAGAAC GCGTGAAAAC TTT 23

(2) INFORMATION FOR SEQ ID NO:41:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 35 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:41:

GCGGGCCTCT TCGCTATTGC TTAAGAAGCC TTGCT 35

(2) INFORMATION FOR SEQ ID NO:42:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 43 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:42:

AAACGACGGC CAGTGCCAAG TGACGCGTGT GAAATTGTTA TCC 43

(2) INFORMATION FOR SEQ ID NO:43:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 43 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:

GGCGAAAGGG AATTCTGCAA GGCGATTAAG CTTGGGTAAC GCC 43

(2) INFORMATION FOR SEQ ID NO:44:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 36 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:44:

GGCGTTACCC AAGCTTTGTA CATGGAGAAA ATAAAG 36

(2) INFORMATION FOR SEQ ID NO:45:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 42 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:45:

TGAAACAAAG CACTATTGCA CTGGCACTCT TACCGTTACC GT 42

(2) INFORMATION FOR SEQ ID NO:46:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 42 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:46:

TACTGTTTAC CCCTGTGACA AAAGCCGCCC AGGTCCAGCT GC 42

(2) INFORMATION FOR SEQ ID NO:47:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 44 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:47:

TCGAGTCAGG CCTATTGTGC CCAGGGATTG TACTAGTGGA TCCG 44

(2) INFORMATION FOR SEQ ID NO:48:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 38 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:48:

TGGCGAAAGG GAATTCGGAT CCACTAGTAC AATCCCTG 38

(2) INFORMATION FOR SEQ ID NO:49:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 42 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:49:

GGCACAATAG GCCTGACTCG AGCAGCTGGA CCAGGGCGGC TT 42

(2) INFORMATION FOR SEQ ID NO:50:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 42 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:50:

TTGTCACAGG GGTAAACAGT AACGGTAACG GTAAGTGTGC CA 42

(2) INFORMATION FOR SEQ ID NO:51:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 42 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:51:

GTGCAATAGT GCTTTGTTTC ACTTTATTTT CTCCATGTAC AA 42

(2) INFORMATION FOR SEQ ID NO:52:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 21 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:52:

TAACGGTAAG AGTGCCAGTG C 21

(2) INFORMATION FOR SEQ ID NO:53:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 32 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:53:

CACCTTCATG AATTCGGCAA GGAGACAGTC AT 32

(2) INFORMATION FOR SEQ ID NO:54:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 22 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:54:

AATTCGCCAA GGAGACAGTC AT 22

(2) INFORMATION FOR SEQ ID NO:55:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 39 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:55:

AATGAAATAC CTATTGCCTA CGGCAGCCGC TGGATTGTT 39

(2) INFORMATION FOR SEQ ID NO:56:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 39 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:56:

ATTACTCGCT GCCCAACCAG CCATGGCCGA GCTCGTGAT 39

(2) INFORMATION FOR SEQ ID NO:57:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 39 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:57:

GACCCAGACT CCAGATATCC AACAGGAATG AGTGTTAAT 39

(2) INFORMATION FOR SEQ ID NO:58:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 13 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:58:

TCTAGAACGC GTC 13

(2) INFORMATION FOR SEQ ID NO:59:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 45 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:59:

TTCAGGTTGA AGCTTACGCG TTCTAGAATT AACACTCATT CCTGT 45

(2) INFORMATION FOR SEQ ID NO:60:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 39 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:60:

TGGATATCTG GAGTCTGGGT CATCACGAGC TCGGCCATG 39

(2) INFORMATION FOR SEQ ID NO:61:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 39 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:61:

GCTGGTTGGG CAGCGAGTAA TAACAATCCA GCGGCTGCC 39

(2) INFORMATION FOR SEQ ID NO:62:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 37 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:62:

GTAGGCAATA GGTATTTCAT TATGACTGTC CTTGGCG 37

(2) INFORMATION FOR SEQ ID NO:63:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 30 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:63:

TGACTGTCTC CTTGGCGTGT GAAATTGTTA 30

(2) INFORMATION FOR SEQ ID NO:64:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 36 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:64:

TAACACTCAT TCCGGATGGA ATTCTGGAGT CTGGGT 36

(2) INFORMATION FOR SEQ ID NO:65:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 24 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:65:

GCCAGTGCCA AGTGACGCGT TCTA 24

(2) INFORMATION FOR SEQ ID NO:66:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 26 base pairs
(B) TYPE: nucl ic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:66:

ATATATTTTA GTAAGCTTCA TCTTCT 26

(2) INFORMATION FOR SEQ ID NO:67:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 23 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:67:

GACAAAGAAC GCGTGAAAAC TTT 23

(2) INFORMATION FOR SEQ ID NO:68:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 76 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:68:

CTGAACCTGT CTGGGACCAC AGTTGATGCT ATAGGATCAG ATCTAGAATT CATTTAGAGA 60

CTGGCCTGGC TTCTGC 76

(2) INFORMATION FOR SEQ ID NO:69:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 80 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:69:

TCGACCGTTG GTAGGAATAA TGCAATTAAT GGAGTAGCTC TAAATTCAGA ATTCATCTAC 60

ACCCAGTGCA TCCAGTAGCT 80

(2) INFORMATION FOR SEQ ID NO:70:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 27 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:70:

GGTAAACAGT AACGGTAAGA CTGCCAG 27

(2) INFORMATION FOR SEQ ID NO:71:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 54 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:71:

CGCCTTCAGC CTAAGAAGGG TAGTCCGGAA CGTCGTACGG GTAGGATCCA CTAG 54

(2) INFORMATION FOR SEQ ID NO:72:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 41 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:72:

CACCGGTTCG GGGAATTAGT CTTGACCAGG CAGCCCAGGG C 41

(2) INFORMATION FOR SEQ ID NO:73:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 51 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:73:

ATTCCACACA TTATACGAGC CGGAAGCATA AAGTGTCAAG CCTGGGGTGC C 51

(2) INFORMATION FOR SEQ ID NO:74:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 42 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:74:

CTGCTCATCA GATGGCGGGA AGAGCTCGGC CATGGCTGGT TG 42

(2) INFORMATION FOR SEQ ID NO:75:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 42 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:75:

GAACAGAGTG ACCGAGGGGG CGAGCTCGGC CATGGCTGGT TG 42

I Claim:

1. A composition of matter comprising a plurality of cells containing diverse combinations of first and second DNA sequences encoding first and second polypeptides which form heteromeric receptors, one or both of said polypeptides being expressed as fusion proteins on the surface of a cell.

2. The composition of claim 1, wherein said plurality of cells are E. coli.

3. The composition of claim 1, wherein said heteromeric receptors selected from the group consisting of antibodies, T cell receptors, integrins, hormone receptors and transmitter receptors.

4. The composition of claim 1, wherein said first and second DNA sequences encode functional portions of heteromeric receptors.

5. The composition of claim 4, wherein said first and second DNA sequences encode functional portions of the variable heavy and variable light chains of an antibody.

6. The composition of claim 1, wherein said cell produces filamentous bacteriophage.

7. The composition of claim 6, wherein said filamentous bacteriophage are selected from the group consisting of M13, fd and f1.

8. The composition of claim 6, wherein at least one of the encod d first or second polypeptides is expressed as a fusion protein with gene VIII.

9. A kit for the preparation of vectors useful for the coexpression of two or more DNA sequences encoding polypeptides which form heteromeric receptors comprising two vectors, a first vector having two pairs of restriction sites symmetrically oriented about a cloning site which can be combined with a second vector, having two pairs of restriction sites symmetrically oriented about a cloning site and in an identical orientation to that of the first vector, wherein one or both vectors contains sequences necessary for expression of polypeptides encoded by DNA sequences inserted in said cloning sites.

10. The kit of claim 9, wherein said first and second vectors are circular.

11. The kit of claim 9, wherein said expression peptides is as fusion proteins on the surface of a cell.

12. The kit of claim 9, wherein said cell produces filamentous bacteriophage.

13. The kit of claim 9, wherein said filamentous bacteriophage is selected from the group consisting of M13, fd and f1.

14. The kit of claim 13, wherein at least one of the DNA sequences is expressed as a fusion protein with gene VIII.

15. The kit of claim 9, wherein said two pairs of restriction sites are Hind III-Mlu I and Hind III-Mlu I.

16. A cloning system for the coexpression of two or more DNA sequences encoding polyp ptides which form a heteromeric receptor, comprising a set of first vectors having a diverse population of first DNA sequences and a set of second vectors having a diverse population second DNA sequences, said first and second vectors having two pairs of restriction sites symmetrically oriented about a cloning site for containing said first and second populations of DNA sequences so as to allow only the operational combination of vector sequences containing said first and second DNA sequences.

17. The cloning system of claim 16, wherein said first and second vectors are circular.

18. The cloning system of claim 16, wherein said heteromeric receptors selected from the group consisting of antibodies, T cell receptors, integrins, hormone receptors and transmitter receptors.

19. The cloning system of claim 16, wherein said first and second DNA sequences encode functional portions of heteromeric receptors.

20. The cloning system of claim 19, wherein said first and second DNA sequences encode functional portions of the variable heavy and variable light chains of an antibody.

21. The cloning system of claim 16, wherein said coexpression of two or more DNA sequences encoding polypeptides which form a heteromeric receptor is on the surface of cell.

22. The cloning system of claim 16, wherein said cell produces a filamentous bacteriophage.

23. The cloning system of claim 22 wherein said filamentous bacteriophage selected from the group consisting of M13, fd and f1.

24. The cloning system of claim 23, wherein at least one of the DNA sequences is expressed as a fusion protein with the protein product of gene VIII.

25. The cloning system of claim 16, wherein said two pairs of restriction sites are Hind III-Mlu I and Hind III-Mlu I.

26. A plurality of expression vectors containing a plurality of possible first and second DNA sequences encoding polypeptides which form a heteromeric receptor exhibiting binding activity toward a preselected molecule, said DNA sequence encoding heteromeric receptors being operatively linked to genes encoding surface proteins of a cell.

27. The expression vectors of claim 26, wherein said expression vectors are circular.

28. The expression vectors of claim 23, wherein said heteromeric receptors are selected from the group consisting of antibodies, T cell receptors, integrins, hormone receptors and transmitter receptors.

29. The expression vectors of claim 26, wherein said first and second DNA sequences encode functional portions of heteromeric receptors.

30. The expression vectors of claim 29, wherein said first and second DNA sequences encode functional portions of the variable heavy and variable light chains of an antibody.

31. The expression vectors of claim 26, wherein said cells produce filamentous bacteriophage.

32. The expression vectors of claim 26, wherein said filamentous bacteriophage are selected from the group consisting of M13, fd and f1.

33. The expression vectors of claim 32, wherein at least one of the encoded first or second polypeptides is expressed as a fusion protein with gene VIII.

34. A method of constructing a diverse population of vectors capable of expressing a diverse population of heteromeric receptors, comprising:

(a) operationally linking to a first vector a first population of diverse DNA sequences encoding a diverse population of first polypeptides, said first vector having two pairs of restriction sites symmetrically oriented about a cloning site;

(b) operationally linking to a second vector a second population of diverse DNA sequences encoding a diverse population of second polypeptides, said second vector having two pairs of restriction sites symmetrically oriented about a cloning site in an identical orientation to that of the first vector; and

(c) combining the vector products of step (a) and (b) under conditions which allow only the operational combination of vector sequences containing said first and second DNA sequences.

35. The method of claim 34, wherein said first and second vectors are circular.

36. The method of claim 34, wherein said heteromeric receptors are selected from the group consisting of antibodies, T cell receptors, integrins, hormone receptors and transmitter receptors.

37. The method of claim 34, wherein said first and second DNA sequences encode functional portions of the variable heavy and variable light chains of an antibody.

38. The method of claim 34, wherein said expression of a diverse population of heteromeric receptors is on the surface of a cell.

39. The method of claim 37, wherein said cell produces a bacteriophage.

40. The method of claim 39, wherein said filamentous bacteriophage is selected from the group consisting of M13, fd and f1.

41. The method of claim 34, wherein at least one of said first or second DNA sequences is expressed as a gene VIII fusion protein.

42. The method of claim 34, wherein said two pairs of restriction sites are Hind III-Mlu I and Hind III-Mlu I.

43. The method of claim 34, wherein said combining step further comprises:

(C1) restricting said first vector with a restriction enzyme recognizing one of the restriction sites encoded in said two pairs of restriction sites;

(C2) restricting said second vector with a different restriction enzyme recognizing the second restriction site encoded in said two pairs of restriction sites;

(C3) digesting the 3' ends of said restricted first and second vectors with an exonuclease; and

(C4) annealing said first and second vectors.

44. A method for selecting a heteromeric receptor exhibiting binding activity toward a preselected molecule from a population of diverse heteromeric receptors, comprising:

(a) operationally linking to a first vector a first population of diverse DNA sequences encoding a diverse population of first polypeptides, said first vector having two pairs of restriction sites symmetrically oriented about a cloning site;

(b) operationally linking to a second vector a second population of diverse DNA sequences encoding a diverse population of second polypeptides, said second vector having two pairs of restriction sites symmetrically oriented about a cloning site in an identical orientation to that of the first vector;

(c) combining the vector products of step (a) and (b) under conditions which allow only the operational combination of vector sequences containing said first and second DNA sequences.

(d) introducing said population of combined vectors into a compatible host under conditions sufficient for expressing said population of first and second DNA sequences; and

(e) determining the heteromeric receptors which bind to said preselected molecule.

45. The method of claim 44, wherein said first and second vectors are circular.

46. The method of claim 44, wherein said heteromeric receptors are selected from the group consisting of antibodies, T cell receptors, integrins, hormone receptors and transmitter receptors.

47. The method of claim 44, wherein said first and second DNA sequences encode functional portions of heteromeric receptors.

48. The method of claim 47, wherein said first and second DNA sequences encode functional portions of the variable heavy and variable light chains of an antibody.

49. The method of claim 44, wherein said expression of a diverse population of heteromeric receptors is on the surface of a cell.

50. The method of claim 49, wherein said cell produces a filamentous bacteriophage.

51. The method of claim 50, wherein said filamentous bacteriophage is selected from the group consisting of M13, fd and f1.

52. The method of claim 51, wherein at least one of said first or second DNA sequences is expressed as a gene VIII fusion protein.

53. The method of claim 44, wherein said two pairs of restriction sites are Hind III-Mlu I and Hind III-Mlu I.

54. The method of claim 44, wherein said combining step further comprises:

(C1) restricting said first vector with a restriction enzyme recognizing one of the restriction sites encoded in said two pairs of restriction sites;

(C2) restricting said second vector with a different restriction enzyme recognizing the second restriction site encoded in said two pairs of restriction sites;

(C3) digesting the 3' ends of said restricted first and second vectors with an exonuclease; and

(C4) annealing said first and second vectors.

55. A method for determining the nucleic acid sequences encoding a heteromeric receptor exhibiting binding activity toward a preselected molecule from a diverse population of heteromeric receptors, comprising:

(a) operationally linking to a first vector a first population of diverse DNA sequences encoding a diverse population of first polypeptides, said first vector having two pairs of restriction sites symmetrically oriented about a cloning site;

(b) operationally linking to a second vector a second population of diverse DNA sequences encoding a diverse population of second polypeptides, said second vector having two pairs of restriction sites symmetrically oriented about a cloning site in an identical orientation to that of the first vector;

(c) combining the vector products of step (a) and (b) under conditions which allow only the operational combination of vector sequences containing said first and second DNA sequences.

(d) introducing said population of combined vectors into a compatible host under conditions sufficient for expressing said population of first and second DNA sequences;

(e) determining the heteromeric receptors which bind to said preselected molecule;

(f) isolating the nucleic acid sequences encoding said first and second polypeptides; and

(g) sequencing said nucleic acid sequences.

56. The method of claim 55, wherein said first and second vectors are circular.

57. The method of claim 55, wherein said first heteromeric receptors selected from the group consisting of antibodies, T cell receptors, integrins, hormone receptors and transmitter receptors.

58. The method of claim 55, wherein said first and second DNA sequences encode functional portions of heteromeric receptors.

59. The method of claim 58, wherein said first and second DNA sequences encode functional portions of the variable heavy and variable light chains of an antibody.

60. The method of claim 55, wherein said expression of a diverse population of heteromeric receptors is on the surface of a cell filamentous bacteriophage selected from the group consisting of M13, fd and f1 and at least one of said first or second DNA sequences is expressed as a gene VIII fusion protein.

61. The method of claim 55, wherein said cell produces filamentous bacteriophage.

62. The method of claim 61, wherein said filamentous bacteriophage is selected from the group consisting of M13, fd and f1.

63. The method of claim 62, wherein at least one of said frist or second DNA sequences is expressed as a gene VIII fusion protein.

64. The method of claim 50, wherein said two pairs of restriction sites are Hind III-Mlu I and Hind III-Mlu I.

65. The method of claim 50, wherein said combining step further comprises:

(C1) restricting said first vector with a restriction enzyme recognizing one of the restriction sites encoded in said two pairs of restriction sites;

(C2) restricting said second vector with a different restriction enzyme recognizing the second restriction site encoded in said two pairs of restriction sites;

(C3) digesting the 3' ends of said restricted first and second vectors with an exonuclease; and

(C4) annealing said first and second vectors.

66. A vector comprising two copies of a gene encoding a filamentous bacteriophage coat protein, one copy of said gene capable of being operationally linked to a DNA sequence encoding a polypeptide of a heteromeric receptor wherein said DNA sequence can be expressed as a fusion protein on the surface of said filamentous bacteriophage or as a soluble polypeptide.

67. The vector of claim 66, wherein said two copies of said gene encode substantially the same amino acid sequence but have different nucleotide sequences.

68. The vector of claim 66, wherein said one copy of said gene is expressed on the surface of said filamentous bacteriophage.

69. The vector of claim 66, wherein said bacteriophage coat protein is M13 gene VIII.

70. The vector of claim 66, wherein said vector has substantially the same sequence as that shown in Figure 2 (SEQ ID NO: 1).

71. A vector comprising sequences necessary for the coexpression of two or more inserted DNA sequences encoding polypeptides which form heteromeric receptors and two copies of a gene encoding a filamentous bacteriophage coat protein, one copy of said gene capable of being operationally linked to one of said two or more inserted DNA sequences wherein said DNA sequence can be expressed as a fusion protein on the surface of said filamentous bacteriophage or as a soluble polypeptide.

72. The vector of claim 71, wherein said two copies of said gene encode substantially the same amino acid sequence but have different nucleotide sequences.

73. The vector of claim 71, wherein said one copy of said gene is expressed on the surface of said filamentous bacteriophage.

74. The vector of claim 71, wherein said bacteriophage coat protein is M13 gene VIII.

75. The vector of claim 71, wherein said vector has substantially the same sequence as that shown in Figure 6 (SEQ ID NO: 5).

FIG. 1


Spe I
g VIII
amber
Xho I
Hind III
Mlu I
Lac p/o
M13IX30
g VIII
Mlu I
Hind III
Mlu I
Hind III
Mlu I
Xba I
Sac I
Lac p/o
M13IX11
Mlu I
Hind III
Hind III
MIX
LIGATE
Spe I
g VIII
amber
Xho I
Hind III
Mlu I
Xba I
M13IXHL
Lac p/o
g VIII
Sac I
Hind III
Mlu I
sup O
INFECT
sup E

```
        |   10      |   20      |   30      |   40      |   50      |   60
   1 AATGCTACTA CTATTAGTAG AATTGATGCC ACCTTTTCAG CTCGCGCCCC AAATGAAAAT 60
  61 ATAGCTAAAC AGGTTATTGA CCATTTGCGA AATGTATCTA ATGGTCAAAC TAAATCTACT 120
 121 CGTTCGCAGA ATTGGGAATC AACTGTTACA TGGAATGAAA CTTCCAGACA CCGTACTTTA 180
 181 GTTGCATATT TAAAACATGT TGAGCTACAG CACCAGATTC AGCAATTAAG CTCTAAGCCA 240
 241 TCTGCAAAAA TGACCTCTTA TCAAAAGGAG CAATTAAAGG TACTCTCTAA TCCTGACCTG 300
 301 TTGGAGTTTG CTTCCGGTCT GGTTCGCTTT GAAGCTCGAA TTAAAACGCG ATATTTGAAG 360
 361 TCTTTCGGGC TTCCTCTTAA TCTTTTTGAT GCAATCCGCT TTGCTTCTGA CTATAATAGT 420
 421 CAGGGTAAAG ACCTGATTTT TGATTTATGG TCATTCTCGT TTTCTGAACT GTTTAAAGCA 480
 481 TTTGAGGGGG ATTCAATGAA TATTTATGAC GATTCCGCAG TATTGGACGC TATCCAGTCT 540
 541 AAACATTTTA CTATTACCCC CTCTGGCAAA ACTTCTTTTG CAAAAGCCTC TCGCTATTTT 600
 601 GGTTTTTATC GTCGTCTGGT AAACGAGGGT TATGATAGTG TTGCTCTTAC TATGCCTCGT 660
 661 AATTCCTTTT GGCGTTATGT ATCTGCATTA GTTGAATGTG GTATTCCTAA ATCTCAACTG 720
 721 ATGAATCTTT CTACCTGTAA TAATGTTGTT CCGTTAGTTC GTTTTATTAA CGTAGATTTT 780
 781 TCTTCCCAAC GTCCTGACTG GTATAATGAG CCAGTTCTTA AAATCGCATA AGGTAATTCA 840
 841 CAATGATTAA AGTTGAAATT AAACCATCTC AAGCCCAATT TACTACTCGT TCTGGTGTTT 900
 901 CTCGTCAGGG CAAGCCTTAT TCACTGAATG AGCAGCTTTG TTACGTTGAT TTGGGTAATG 960
 961 AATATCCGGT TCTTGTCAAG ATTACTCTTG ATGAAGGTCA GCCAGCCTAT GCGCCTGGTC 1020
1021 TGTACACCGT TCATCTGTCC TCTTTCAAAG TTGGTCAGTT CGGTTCCCTT ATGATTGACC 1080
1081 GTCTGCGCCT CGTTCCGGCT AAGTAACATG GAGCAGGTCG CGGATTTCGA CACAATTTAT 1140
1141 CAGGCGATGA TACAAATCTC CGTTGTACTT TGTTTCGCGC TTGGTATAAT CGCTGGGGGT 1200
1201 CAAAGATGAG TGTTTTAGTG TATTCTTTCG CCTCTTTCGT TTTAGGTTGG TGCCTTCGTA 1260
1261 GTGGCATTAC GTATTTTACC CGTTTAATGG AAACTTCCTC ATGAAAAAGT CTTTAGTCCT 1320
1321 CAAAGCCTCT GTAGCCGTTG CTACCCTCGT TCCGATGCTG TCTTTCGCTG CTGAGGGTGA 1380
1381 CGATCCCGCA AAAGCGGCCT TTAACTCCCT GCAAGCCTCA GCGACCGAAT ATATCGGTTA 1440
1441 TGCGTGGGCG ATGGTTGTTG TCATTGTCGG CGCAACTATC GGTATCAAGC TGTTTAAGAA 1500
1501 ATTCACCTCG AAAGCAAGCT GATAAACCGA TACAATTAAA GGCTCCTTTT GGAGCCTTTT 1560
1561 TTTTTGGAGA TTTTCAACGT GAAAAAATTA TTATTCGCAA TTCCTTTAGT TGTTCCTTTC 1620
1621 TATTCTCACT CCGCTGAAAC TGTTGAAAGT TGTTTAGCAA AACCCCATAC AGAAAATTCA 1680
1681 TTTACTAACG TCTGGAAAGA CGACAAAACT TTAGATCGTT ACGCTAACTA TGAGGGTTGT 1740
1741 CTGTGGAATG CTACAGGCGT TGTAGTTTGT ACTGGTGACG AAACTCAGTG TTACGGTACA 1800
1801 TGGGTTCCTA TTGGGCTTGC TATCCCTGAA AATGAGGGTG GTGGCTCTGA GGGTGGCGGT 1860
1861 TCTGAGGGTG GCGGTTCTGA GGGTGGCGGT ACTAAACCTC CTGAGTACGG TGATACACCT 1920
1921 ATTCCGGGCT ATACTTATAT CAACCCTCTC GACGGCACTT ATCCGCCTGG TACTGAGCAA 1980
1981 AACCCCGCTA ATCCTAATCC TTCTCTTGAG GAGTCTCAGC CTCTTAATAC TTTCATGTTT 2040
2041 CAGAATAATA GGTTCCGAAA TAGGCAGGGG GCATTAACTG TTTATACGGG CACTGTTACT 2100
2101 CAAGGCACTG ACCCCGTTAA AACTTATTAC CAGTACACTC CTGTATCATC AAAAGCCATG 2160
2161 TATGACGCTT ACTGGAACGG TAAATTCAGA GACTGCGCTT TCCATTCTGG CTTTAATGAA 2220
2221 GATCCATTCG TTTGTGAATA TCAAGGCCAA TCGTCTGACC TGCCTCAACC TCCTGTCAAT 2280
2281 GCTGGCGGCG GCTCTGGTGG TGGTTCTGGT GGCGGCTCTG AGGGTGGTGG CTCTGAGGGT 2340
2341 GGCGGTTCTG AGGGTGGCGG CTCTGAGGGA GGCGGTTCCG GTGGTGGCTC TGGTTCCGGT 2400
2401 GATTTTGATT ATGAAAAGAT GGCAAACGCT AATAAGGGGG CTATGACCGA AAATGCCGAT 2460
2461 GAAAACGCGC TACAGTCTGA CGCTAAAGGC AAACTTGATT CTGTCGCTAC TGATTACGGT 2520
2521 GCTGCTATCG ATGGTTTCAT TGGTGACGTT TCCGGCCTTG CTAATGGTAA TGGTGCTACT 2580
2581 GGTGATTTTG CTGGCTCTAA TTCCCAAATG GCTCAAGTCG GTGACGGTGA TAATTCACCT 2640
2641 TTAATGAATA ATTTCCGTCA ATATTTACCT TCCCTCCCTC AATCGGTTGA ATGTCGCCCT 2700
2701 TTTGTCTTTA GCGCTGGTAA ACCATATGAA TTTTCTATTG ATTGTGACAA AATAAACTTA 2760
2761 TTCCGTGGTG TCTTTGCGTT TCTTTTATAT GTTGCCACCT TTATGTATGT ATTTTCTACG 2820
2821 TTTGCTAACA TACTGCGTAA TAAGGAGTCT TAATCATGCC AGTTCTTTTG GGTATTCCGT 2880
2881 TATTATTGCG TTTCCTCGGT TTCCTTCTGG TAACTTTGTT CGGCTATCTG CTTACTTTTC 2940
2941 TTAAAAAGGG CTTCGGTAAG ATAGCTATTG CTATTTCATT GTTTCTTGCT CTTATTATTG 3000
3001 GGCTTAACTC AATTCTTGTG GGTTATCTCT CTGATATTAG CGCTCAATTA CCCTCTGACT 3060
3061 TTGTTCAGGG TGTTCAGTTA ATTCTCCCGT CTAATGCGCT TCCCTGTTTT TATGTTATTC 3120
3121 TCTCTGTAAA GGCTGCTATT TTCATTTTTG ACGTTAAACA AAAAATCGTT TCTTATTTGG 3180
3181 ATTGGGATAA ATAATATGGC TGTTTATTTT GTAACTGGCA AATTAGGCTC TGGAAAGACG 3240
3241 CTCGTTAGCG TTGGTAAGAT TCAGGATAAA ATTGTAGCTG GGTGCAAAAT AGCAACTAAT 3300
3301 CTTGATTTAA GGCTTCAAAA CCTCCCGCAA GTCGGGAGGT TCGCTAAAAC GCCTCGCGTT 3360
3361 CTTAGAATAC CGGATAAGCC TTCTATATCT GATTTGCTTG CTATTGGGCG CGGTAATGAT 3420
3421 TCCTACGATG AAAATAAAAA CGGCTTGCTT GTTCTCGATG AGTGCGGTAC TTGGTTTAAT 3480
3481 ACCCGTTCTT GGAATGATAA GGAAAGACAG CCGATTATTG ATTGGTTTCT ACATGCTCGT 3540
3541 AAATTAGGAT GGGATATTAT TTTTCTTGTT CAGGACTTAT CTATTGTTGA TAAACAGGCG 3600
3601 CGTTCTGCAT TAGCTGAACA TGTTGTTTAT TGTCGTCGTC TGGACAGAAT TACTTTACCT 3660
3661 TTTGTCGGTA CTTTATATTC TCTTATTACT GGCTCGAAAA TGCCTCTGCC TAAATTACAT 3720
3721 GTTGGCGTTG TTAAATATGG CGATTCTCAA TTAAGCCCTA CTGTTGAGCG TTGGCTTTAT 3780
```

FIG. 2–1

```
3781 ACTGGTAAGA ATTTGTATAA CGCATATGAT ACTAAACAGG CTTTTTCTAG TAATTATGAT 3840
3841 TCCGGTGTTT ATTCTTATTT AACGCCTTAT TTATCACACG GTCGGTATTT CAAACCATTA 3900
3901 AATTTAGGTC AGAAGATGAA GCTTACTAAA ATATATTTGA AAAAGTTTTC ACGCGTTCTT 3960
3961 TGTCTTGCGA TTGGATTTGC ATCAGCATTT ACATATAGTT ATATAACCCA ACCTAAGCCG 4020
4021 GAGGTTAAAA AGGTAGTCTC TCAGACCTAT GATTTTGATA AATTCACTAT TGACTCTTCT 4080
4081 CAGCGTCTTA ATCTAAGCTA TCGCTATGTT TTCAAGGATT CTAAGGGAAA ATTAATTAAT 4140
4141 AGCGACGATT TACAGAAGCA AGGTTATTCA CTCACATATA TTGATTTATG TACTGTTTCC 4200
4201 ATTAAAAAAG GTAATTCAAA TGAAATTGTT AAATGTAATT AATTTTGTTT TCTTGATGTT 4260
4261 TGTTTCATCA TCTTCTTTTG CTCAGGTAAT TGAAATGAAT AATTCGCCTC TGCGCGATTT 4320
4321 TGTAACTTGG TATTCAAAGC AATCAGGCGA ATCCGTTATT GTTTCTCCCG ATGTAAAAGG 4380
4381 TACTGTTACT GTATATTCAT CTGACGTTAA ACCTGAAAAT CTACGCAATT TCTTTATTTC 4440
4441 TGTTTTACGT GCTAATAATT TTGATATGGT TGGTTCAATT CCTTCCATAA TTCAGAAGTA 4500
4501 TAATCCAAAC AATCAGGATT ATATTGATGA ATTGCCATCA TCTGATAATC AGGAATATGA 4560
4561 TGATAATTCC GCTCCTTCTG GTGGTTTCTT TGTTCCGCAA AATGATAATG TTACTCAAAC 4620
4621 TTTTAAAATT AATAACGTTC GGGCAAAGGA TTTAATACGA GTTGTCGAAT TGTTTGTAAA 4680
4681 GTCTAATACT TCTAAATCCT CAAATGTATT ATCTATTGAC GGCTCTAATC TATTAGTTGT 4740
4741 TAGTGCACCT AAAGATATTT TAGATAACCT TCCTCAATTC CTTTCTACTG TTGATTTGCC 4800
4801 AACTGACCAG ATATTGATTG AGGGTTTGAT ATTTGAGGTT CAGCAAGGTG ATGCTTTAGA 4860
4861 TTTTTCATTT GCTGCTGGCT CTCAGCGTGG CACTGTTGCA GGCGGTGTTA ATACTGACCG 4920
4921 CCTCACCTCT GTTTTATCTT CTGCTGGTGG TTCGTTCGGT ATTTTTAATG GCGATGTTTT 4980
4981 AGGGCTATCA GTTCGCGCAT TAAAGACTAA TAGCCATTCA AAAATATTGT CTGTGCCACG 5040
5041 TATTCTTACG CTTTCAGGTC AGAAGGGTTC TATCTCTGTT GGCCAGAATG TCCCTTTTAT 5100
5101 TACTGGTCGT GTGACTGGTG AATCTGCCAA TGTAAATAAT CCATTTCAGA CGATTGAGCG 5160
5161 TCAAAATGTA GGTATTTCCA TGAGCGTTTT TCCTGTTGCA ATGGCTGGCG GTAATATTGT 5220
5221 TCTGGATATT ACCAGCAAGG CCGATAGTTT GAGTTCTTCT ACTCAGGCAA GTGATGTTAT 5280
5281 TACTAATCAA AGAAGTATTG CTACAACGGT TAATTTGCGT GATGGACAGA CTCTTTTACT 5340
5341 CGGTGGCCTC ACTGATTATA AAAACACTTC TCAAGATTCT GGCGTACCGT TCCTGTCTAA 5400
5401 AATCCCTTTA ATCGGCCTCC TGTTTAGCTC CCGCTCTGAT TCCAACGAGG AAAGCACGTT 5460
5461 ATACGTGCTC GTCAAAGCAA CCATAGTACG CGCCCTGTAG CGGCGCATTA AGCGCGGCGG 5520
5521 GTGTGGTGGT TACGCGCAGC GTGACCGCTA CACTTGCCAG CGCCCTAGCG CCCGCTCCTT 5580
5581 TCGCTTTCTT CCCTTCCTTT CTCGCCACGT TCGCCGGCTT TCCCCGTCAA GCTCTAAATC 5640
5641 GGGGGCTCCC TTTAGGGTTC CGATTTAGTG CTTTACGGCA CCTCGACCCC AAAAAACTTG 5700
5701 ATTTGGGTGA TGGTTCACGT AGTGGGCCAT CGCCCTGATA GACGGTTTTT CGCCCTTTGA 5760
5761 CGTTGGAGTC CACGTTCTTT AATAGTGGAC TCTTGTTCCA AACTGGAACA ACACTCAACC 5820
5821 CTATCTCGGG CTATTCTTTT GATTTATAAG GGATTTTGCC GATTTCGGAA CCACCATCAA 5880
5881 ACAGGATTTT CGCCTGCTGG GGCAAACCAG CGTGGACCGC TTGCTGCAAC TCTCTCAGGG 5940
5941 CCAGGCGGTG AAGGGCAATC AGCTGTTGCC CGTCTCGCTG GTGAAAAGAA AAACCACCCT 6000
6001 GGCGCCCAAT ACGCAAACCG CCTCTCCCCG CGCGTTGGCC GATTCATTAA TGCAGCTGGC 6060
6061 ACGACAGGTT TCCCGACTGG AAAGCGGGCA GTGAGCGCAA CGCAATTAAT GTGAGTTAGC 6120
6121 TCACTCATTA GGCACCCCAG GCTTTACACT TTATGCTTCC GGCTCGTATG TTGTGTGGAA 6180
6181 TTGTGAGCGG ATAACAATTT CACACGCGTC ACTTGGGACT GGCCGTCGTT TTACAACGTC 6240
6241 GTGACTGGGA AAACCCTGGC GTTACCCAAG CTTTGTACAT GGAGAAAATA AAGTGAAACA 6300
6301 AAGCACTATT GCACTGGCAC TCTTACCGTT ACCGTTACTG TTTACCCCTG TGACAAAAGC 6360
6361 CGCCCAGGTC CAGCTGCTCG AGTCAGGCCT ATTGTGCCCA GGGGATTGTA CTAGTGGATC 6420
6421 CTAGGCTGAA GGCGATGACC CTGCTAAGGC TGCATTCAAT AGTTTACAGG CAAGTGCTAC 6480
6481 TGAGTACATT GGCTACGCTT GGGCTATGGT AGTAGTTATA GTTGGTGCTA CCATAGGGAT 6540
6541 TAAATTATTC AAAAAGTTTA CGAGCAAGGC TTCTTAAGCA ATAGCGAAGA GGCCCGCACC 6600
6601 GATCGCCCTT CCCAACAGTT GCGCAGCCTG AATGGCGAAT GGCGCTTTGC CTGGTTTCCG 6660
6661 GCACCAGAAG CGGTGCCGGA AAGCTGGCTG GAGTGCGATC TTCCTGAGGC CGATACGGTC 6720
6721 GTCGTCCCCT CAAACTGGCA GATGCACGGT TACGATGCGC CCATCTACAC CAACGTAACC 6780
6781 TATCCCATTA CGGTCAATCC GCCGTTTGTT CCCACGGAGA ATCCGACGGG TTGTTACTCG 6840
6841 CTCACATTTA ATGTTGATGA AAGCTGGCTA CAGGAAGGCC AGACGCGAAT TATTTTTGAT 6900
6901 GGCGTTCCTA TTGGTTAAAA AATGAGCTGA TTTAACAAAA ATTTAACGCG AATTTTAACA 6960
6961 AAATATTAAC GTTTACAATT TAAATATTTG CTTATACAAT CTTCCTGTTT TTGGGGCTTT 7020
7021 TCTGATTATC AACCGGGGTA CATATGATTG ACATGCTAGT TTTACGATTA CCGTTCATCG 7080
7081 ATTCTCTTGT TTGCTCCAGA CTCTCAGGCA ATGACCTGAT AGCCTTTGTA GATCTCTCAA 7140
7141 AAATAGCTAC CCTCTCCGGC ATTAATTTAT CAGCTAGAAC GGTTGAATAT CATATTGATG 7200
7201 GTGATTTGAC TGTCTCCGGC CTTTCTCACC CTTTTGAATC TTTACCTACA CATTACTCAG 7260
7261 GCATTGCATT TAAAATATAT GAGGGTTCTA AAAATTTTTA TCCTTGCGTT GAAATAAAGG 7320
7321 CTTCTCCCGC AAAAGTATTA CAGGGTCATA ATGTTTTTGG TACAACCGAT TTAGCTTTAT 7380
7381 GCTCTGAGGC TTTATTGCTT AATTTTGCTA ATTCTTTGCC TTGCCTGTAT GATTTATTGG 7440
7441 ACGTT                                                          7445
```

FIG. 2–2

```
          |   10       |  20       |  30       |  40       |  50       |  60
    1 AATGCTACTA CTATTAGTAG AATTGATGCC ACCTTTTCAG CTCGCGCCCC AAATGAAAAT  60
   61 ATAGCTAAAC AGGTTATTGA CCATTTGCGA AATGTATCTA ATGGTCAAAC TAAATCTACT 120
  121 CGTTCGCAGA ATTGGGAATC AACTGTTACA TGGAATGAAA CTTCCAGACA CCGTACTTTA 180
  181 GTTGCATATT TAAAACATGT TGAGCTACAG CACCAGATTC AGCAATTAAG CTCTAAGCCA 240
  241 TCCGCAAAAA TGACCTCTTA TCAAAAGGAG CAATTAAAGG TACTCTCTAA TCCTGACCTG 300
  301 TTGGAGTTTG CTTCCGGTCT GGTTCGCTTT GAAGCTCGAA TTAAAACGCG ATATTTGAAG 360
  361 TCTTTCGGGC TTCCTCTTAA TCTTTTTGAT GCAATCCGCT TTGCTTCTGA CTATAATAGT 420
  421 CAGGGTAAAG ACCTGATTTT TGATTTATGG TCATTCTCGT TTTCTGAACT GTTTAAAGCA 480
  481 TTTGAGGGGG ATTCAATGAA TATTTATGAC GATTCCGCAG TATTGGACGC TATCCAGTCT 540
  541 AAACATTTTA CTATTACCCC CTCTGGCAAA ACTTCTTTTG CAAAAGCCTC TCGCTATTTT 600
  601 GGTTTTTATC GTCGTCTGGT AAACGAGGGT TATGATAGTG TTGCTCTTAC TATGCCTCGT 660
  661 AATTCCTTTT GGCGTTATGT ATCTGCATTA GTTGAATGTG GTATTCCTAA ATCTCAACTG 720
  721 ATGAATCTTT CTACCTGTAA TAATGTTGTT CCGTTAGTTC GTTTTATTAA CGTAGATTAT 780
  781 TCTTCCCAAC GTCCTGACTG GTATAATGAG CCAGTTCTTA AAATCGCATA AGGTAATTCA 840
  841 CAATGATTAA AGTTGAAATT AAACCATCTC AAGCCCAATT TACTACTCGT TCTGGTGTTT 900
  901 CTCGTCAGGG CAAGCCTTAT TCACTGAATG AGCAGCTTTG TTACGTTGAT TTGGGTAATG 960
  961 AATATCCGGT TCTTGTCAAG ATTACTCTTG ATGAAGGTCA GCCAGCCTAT GCGCCTGGTC 1020
 1021 TGTACACCGT TCATCTGTCC TCTTTCAAAG TTGGTCAGTT CGGTTCCCTT ATGATTGACC 1080
 1081 GTCTGCGCCT CGTTCCGGCT AAGTAACATG GAGCAGGTCG CGGATTTCGA CACAATTTAT 1140
 1141 CAGGCGATGA TACAAATCTC CGTTGTACTT TGTTTCGCGC TTGGTATAAT CGCTGGGGGT 1200
 1201 CAAAGATGAG TGTTTTAGTG TATTCTTTCG CCTCTTTCGT TTTAGGTTGG TGCCTTCGTA 1260
 1261 GTGGCATTAC GTATTTTACC CGTTTAATGG AAACTTCCTC ATGAAAAAGT CTTTAGTCCT 1320
 1321 CAAAGCCTCT GTAGCCGTTG CTACCCTCGT TCCGATGCTG TCTTTCGCTG CTGAGGGTGA 1380
 1381 CGATCCCGCA AAAGCGGCCT TTAACTCCCT GCAAGCCTCA GCGACCGAAT ATATCGGTTA 1440
 1441 TGCGTGGGCG ATGGTTGTTG TCATTGTCGG CGCAACTATC GGTATCAAGC TGTTTAAGAA 1500
 1501 ATTCACCTCG AAAGCAAGCT GATAAACCGA TACAATTAAA GGCTCCTTTT GGAGCCTTTT 1560
 1561 TTTTTGGAGA TTTTCAACGT GAAAAAATTA TTATTCGCAA TTCCTTTAGT TGTTCCTTTC 1620
 1621 TATTCTCACT CCGCTGAAAC TGTTGAAAGT TGTTTAGCAA AACCCCATAC AGAAAATTCA 1680
 1681 TTTACTAACG TCTGGAAAGA CGACAAAACT TTAGATCGTT ACGCTAACTA TGAGGGTTGT 1740
 1741 CTGTGGAATG CTACAGGCGT TGTAGTTTGT ACTGGTGACG AAACTCAGTG TTACGGTACA 1800
 1801 TGGGTTCCTA TTGGGCTTGC TATCCCTGAA AATGAGGGTG GTGGCTCTGA GGGTGGCGGT 1860
 1861 TCTGAGGGTG GCGGTTCTGA GGGTGGCGGT ACTAAACCTC CTGAGTACGG TGATACACCT 1920
 1921 ATTCCGGGCT ATACTTATAT CAACCCTCTC GACGGCACTT ATCCGCCTGG TACTGAGCAA 1980
 1981 AACCCCGCTA ATCCTAATCC TTCTCTTGAG GAGTCTCAGC CTCTTAATAC TTTCATGTTT 2040
 2041 CAGAATAATA GGTTCCGAAA TAGGCAGGGG GCATTAACTG TTTATACGGG CACTGTTACT 2100
 2101 CAAGGCACTG ACCCCGTTAA AACTTATTAC CAGTACACTC CTGTATCATC AAAAGCCATG 2160
 2161 TATGACGCTT ACTGGAACGG TAAATTCAGA GACTGCGCTT TCCATTCTGG CTTTAATGAA 2220
 2221 GATCCATTCG TTTGTGAATA TCAAGGCCAA TCGTCTGACC TGCCTCAACC TCCTGTCAAT 2280
 2281 GCTGGCGGCG GCTCTGGTGG TGGTTCTGGT GGCGGCTCTG AGGGTGGTGG CTCTGAGGGT 2340
 2341 GGCGGTTCTG AGGGTGGCGG CTCTGAGGGA GGCGGTTCCG GTGGTGGCTC TGGTTCCGGT 2400
 2401 GATTTTGATT ATGAAAAGAT GGCAAACGCT AATAAGGGGG CTATGACCGA AAATGCCGAT 2460
 2461 GAAAACGCGC TACAGTCTGA CGCTAAAGGC AAACTTGATT CTGTCGCTAC TGATTACGGT 2520
 2521 GCTGCTATCG ATGGTTTCAT TGGTGACGTT TCCGGCCTTG CTAATGGTAA TGGTGCTACT 2580
 2581 GGTGATTTTG CTGGCTCTAA TTCCCAAATG GCTCAAGTCG GTGACGGTGA TAATTCACCT 2640
 2641 TTAATGAATA ATTTCCGTCA ATATTTACCT TCCCTCCCTC AATCGGTTGA ATGTCGCCCT 2700
 2701 TTTGTCTTTA GCGCTGGTAA ACCATATGAA TTTTCTATTG ATTGTGACAA AATAAACTTA 2760
 2761 TTCCGTGGTG TCTTTGCGTT TCTTTTATAT GTTGCCACCT TTATGTATGT ATTTTCTACG 2820
 2821 TTTGCTAACA TACTGCGTAA TAAGGAGTCT TAATCATGCC AGTTCTTTTG GGTATTCCGT 2880
 2881 TATTATTGCG TTTCCTCGGT TTCCTTCTGG TAACTTTGTT CGGCTATCTG CTTACTTTTC 2940
 2941 TTAAAAAGGG CTTCGGTAAG ATAGCTATTG CTATTTCATT GTTTCTTGCT CTTATTATTG 3000
 3001 GGCTTAACTC AATTCTTGTG GGTTATCTCT CTGATATTAG CGCTCAATTA CCCTCTGACT 3060
 3061 TTGTTCAGGG TGTTCAGTTA ATTCTCCCGT CTAATGCGCT TCCCTGTTTT TATGTTATTC 3120
 3121 TCTCTGTAAA GGCTGCTATT TTCATTTTTG ACGTTAAACA AAAAATCGTT TCTTATTTGG 3180
 3181 ATTGGGATAA ATAATATGGC TGTTTATTTT GTAACTGGCA AATTAGGCTC TGGAAAGACG 3240
 3241 CTCGTTAGCG TTGGTAAGAT TCAGGATAAA ATTGTAGCTG GGTGCAAAAT AGCAACTAAT 3300
 3301 CTTGATTTAA GGCTTCAAAA CCTCCCGCAA GTCGGGAGGT TCGCTAAAAC GCCTCGCGTT 3360
 3361 CTTAGAATAC CGGATAAGCC TTCTATATCT GATTTGCTTG CTATTGGGCG CGGTAATGAT 3420
 3421 TCCTACGATG AAAATAAAAA CGGCTTGCTT GTTCTCGATG AGTGCGGTAC TTGGTTTAAT 3480
 3481 ACCCGTTCTT GGAATGATAA GGAAAGACAG CCGATTATTG ATTGGTTTCT ACATGCTCGT 3540
 3541 AAATTAGGAT GGGATATTAT TTTTCTTGTT CAGGACTTAT CTATTGTTGA TAAACAGGCG 3600
 3601 CGTTCTGCAT TACGTGAACA TGTTGTTTAT TGTCGTCGTC TGGACAGAAT TACTTTACCT 3660
 3661 TTTGTCGGTA CTTTATATTC TCTTATTACT GGCTCGAAAA TGCCTCTGCC TAAATTACAT 3720
 3721 GTTGGCGTTG TTAAATATGG CGATTCTCAA TTAAGCCCTA CTGTTGAGCG TTGGCTTTAT 3780
 3781 ACTGGTAAGA ATTTGTATAA CGCATATGAT ACTAAACAGG CTTTTTCTAG TAATTATGAT 3840
```

FIG. 3-1

```
3841 TCCGGTGTTT ATTCTTATTT AACGCCTTAT TTATCACAGG GTCGGTATTT CAAACCATTA 3900
3901 AATTTAGGTC AGAAGATGAA GCTTACTAAA ATATATTTGA AAAAGTTTTC ACGCGTTCTT 3960
3961 TGTCTTGCGA TTGGATTTGC ATCAGCATTT ACATATAGTT ATATAACCCA ACCTAAGCCG 4020
4021 GAGGTTAAAA AGGTAGTCTC TCAGACCTAT GATTTTGATA AATTCACTAT TGACTCTTCT 4080
4081 CAGCGTCTTA ATCTAAGCTA TCGCTATGTT TTCAAGGATT CTAAGGGAAA ATTAATTAAT 4140
4141 AGCGACGATT TACAGAAGCA AGGTTATTCA CTCACATATA TTGATTTATG TACTGTTTCC 4200
4201 ATTAAAAAAG GTAATTCAAA TGAAATTGTT AAATGTAATT AATTTTGTTT TCTTGATGTT 4260
4261 TGTTTCATCA TCTTCTTTTG CTCAGGTAAT TGAAATGAAT AATTCGCCTC TGCGCGATTT 4320
4321 TGTAACTTGG TATTCAAAGC AATCAGGCGA ATCCGTTATT GTTTCTCCCG ATGTAAAAGG 4380
4381 TACTGTTACT GTATATTCAT CTGACGTTAA ACCTGAAAAT CTACGCAATT TCTTTATTTC 4440
4441 TGTTTTACGT GCTAATAATT TTGATATGGT TGGTTCAATT CCTTCCATAA TTCAGAAGTA 4500
4501 TAATCCAAAC AATCAGGATT ATATTGATGA ATTGCCATCA TCTGATAATC AGGAATATGA 4560
4561 TGATAATTCC GCTCCTTCTG GTGGTTTCTT TGTTCCGCAA AATGATAATG TTACTCAAAC 4620
4621 TTTTAAAATT AATAACGTTC GGGCAAAGGA TTTAATACGA GTTGTCGAAT TGTTTGTAAA 4680
4681 GTCTAATACT TCTAAATCCT CAAATGTATT ATCTATTGAC GGCTCTAATC TATTAGTTGT 4740
4741 TAGTGCACCT AAAGATATTT TAGATAACCT TCCTCAATTC CTTTCTACTG TTGATTTGCC 4800
4801 AACTGACCAG ATATTGATTG AGGGTTTGAT ATTTGAGGTT CAGCAAGGTG ATGCTTTAGA 4860
4861 TTTTTCATTT GCTGCTGGCT CTCAGCGTGG CACTGTTGCA GGCGGTGTTA ATACTGACCG 4920
4921 CCTCACCTCT GTTTTATCTT CTGCTGGTGG TTCGTTCGGT ATTTTTAATG GCGATGTTTT 4980
4981 AGGGCTATCA GTTCGCGCAT TAAAGACTAA TAGCCATTCA AAAATATTGT CTGTGCCACG 5040
5041 TATTCTTACG CTTTCAGGTC AGAAGGGTTC TATCTCTGTT GGCCAGAATG TCCCTTTTAT 5100
5101 TACTGGTCGT GTGACTGGTG AATCTGCCAA TGTAAATAAT CCATTTCAGA CGATTGAGCG 5160
5161 TCAAAATGTA GGTATTTCCA TGAGCGTTTT TCCTGTTGCA ATGGCTGGCG GTAATATTGT 5220
5221 TCTGGATATT ACCAGCAAGG CCGATAGTTT GAGTTCTTCT ACTCAGGCAA GTGATGTTAT 5280
5281 TACTAATCAA AGAAGTATTG CTACAACGGT TAATTTGCGT GATGGACAGA CTCTTTTACT 5340
5341 CGGTGGCCTC ACTGATTATA AAAACACTTC TCAAGATTCT GGCGTACCGT TCCTGTCTAA 5400
5401 AATCCCTTTA ATCGGCCTCC TGTTTAGCTC CCGCTCTGAT TCCAACGAGG AAAGCACGTT 5460
5461 ATACGTGCTC GTCAAAGCAA CCATAGTACG CGCCCTGTAG CGGCGCATTA AGCGCGGCGG 5520
5521 GTGTGGTGGT TACGCGCAGC GTGACCGCTA CACTTGCCAG CGCCCTAGCG CCCGCTCCTT 5580
5581 TCGCTTTCTT CCCTTCCTTT CTCGCCACGT TCGCCGGCTT TCCCCGTCAA GCTCTAAATC 5640
5641 GGGGGCTCCC TTTAGGGTTC CGATTTAGTG CTTTACGGCA CCTCGACCCC AAAAAACTTG 5700
5701 ATTTGGGTGA TGGTTCACGT AGTGGGCCAT CGCCCTGATA GACGGTTTTT CGCCCTTTGA 5760
5761 CGTTGGAGTC CACGTTCTTT AATAGTGGAC TCTTGTTCCA AACTGGAACA ACACTCAACC 5820
5821 CTATCTCGGG CTATTCTTTT GATTTATAAG GGATTTTGCC GATTTCGGAA CCACCATCAA 5880
5881 ACAGGATTTT CGCCTGCTGG GGCAAACCAG CGTGGACCGC TTGCTGCAAC TCTCTCAGGG 5940
5941 CCAGGCGGTG AAGGGCAATC AGCTGTTGCC CGTCTCGCTG GTGAAAAGAA AAACCACCCT 6000
6001 GGCGCCCAAT ACGCAAACCG CCTCTCCCCG CGCGTTGGCC GATTCATTAA TGCAGCTGGC 6060
6061 ACGACAGGTT TCCCGACTGG AAAGCGGGCA GTGAGCGCAA CGCAATTAAT GTGAGTTAGC 6120
6121 TCACTCATTA GGCACCCCAG GCTTTACACT TTATGCTTCC GGCTCGTATG TTGTGTGGAA 6180
6181 TTGTGAGCGG ATAACAATTT CACACGCCAA GGAGACAGTC ATAATGAAAT ACCTATTGCC 6240
6241 TACGGCAGCC GCTGGATTGT TATTACTCGC TGCCCAACCA GCCATGGCCG AGCTCGTGAT 6300
6301 GACCCAGACT CCAGATATCC AACAGGAATG AGTGTTAATT CTAGAACGCG TCACTTGGCA 6360
6361 CTGGCCGTCG TTTTACAACG TCGTGACTGG GAAAACCCTG GCGTTACCCA AGCTTAATCG 6420
6421 CCTTGCAGAA TTCCCTTTCG CCAGCTGGCG TAATAGCGAA GAGGCCCGCA CCGATCGCCC 6480
6481 TTCCCAACAG TTGCGCAGCC TGATTGGCGA ATGGCCCTTT GCCTGGTTTC CGGCACCAGA 6540
6541 AGCGGTGCCG GAAAGCTGGC TGGAGTGCGA TCTTCCTGAG GCCGATACGG TCGTCGTCCC 6600
6601 CTCAAACTGG CAGATGCACG GTTACGATGC GCCCATCTAC ACCAACGTAA CCTATCCCAT 6660
6661 TACGGTCAAT CCGCCGTTTG TTCCCACGGA GAATCCGACG GGTTGTTACT CGCTCACATT 6720
6721 TAATGTTGAT GAAAGCTGGC TACAGGAAGG CCAGACGCGA ATTATTTTTG ATGGCGTTCC 6780
6781 TATTGGTTAA AAAATGAGCT GATTTAACAA AAATTTAACG CGAATTTTAA CAAAATATTA 6840
6841 ACGTTTACAA TTTAAATATT TGCTTATACA ATCTTCCTGT TTTTGGGGCT TTTCTGATTA 6900
6901 TCAACCGGGG TACATATGAT TGACATGCTA GTTTTACGAT TACCGTTCAT CGATTCTCTT 6960
6961 GTTTGCTCCA GACTCTCAGG CAATGACCTG ATAGCCTTTG TAGATCTCTC AAAAATAGCT 7020
7021 ACCCTCTCCG GCATTAATTT ATCAGCTAGA ACGGTTGAAT ATCATATTGA TGGTGATTTG 7080
7081 ACTGTCTCCG GCCTTTCTCA CCCTTTTGAA TCTTTACCTA CACATTACTC AGGCATTGCA 7140
7141 TTTAAAATAT ATGAGGGTTC TAAAAATTTT TATCCTTGCG TTGAAATAAA GGCTTCTCCC 7200
7201 GCAAAAGTAT TACAGGGTCA TAATGTTTTT GGTACAACCG ATTTAGCTTT ATGCTCTGAG 7260
7261 GCTTTATTGC TTAATTTTGC TAATTCTTTG CCTTGCCTGT ATGATTTATT GGATGTT    7317
        |  10      |  20      |  30      |  40      |  50      |  60
```

FIG. 3-2

```
          |   10      |   20      |   30      |   40      |   50      |   60
    1 AATGCTACTA CTATTAGTAG AATTGATGCC ACCTTTTCAG CTCGCGCCCC AAATGAAAAT 60
   61 ATAGCTAAAC AGGTTATTGA CCATTTGCGA AATGTATCTA ATGGTCAAAC TAAATCTACT 120
  121 CGTTCGCAGA ATTGGGAATC AACTGTTACA TGGAATGAAA CTTCCAGACA CCGTACTTTA 180
  181 GTTGCATATT TAAAACATGT TGAGCTACAG CACCAGATTC AGCAATTAAG CTCTAAGCCA 240
  241 TCTGCAAAAA TGACCTCTTA TCAAAAGGAG CAATTAAAGG TACTCTCTAA TCCTGACCTG 300
  301 TTGGAGTTTG CTTCCGGTCT GGTTCGCTTT GAAGCTCGAA TTAAAACGCG ATATTTGAAG 360
  361 TGTTTCGGGC TTCCTCTTAA TCTTTTTGAT GCAATCCGCT TTGCTTCTGA CTATAATAGT 420
  421 CAGGGTAAAG ACCTGATTTT TGATTTATGG TCATTCTCGT TTTCTGAACT GTTTAAAGCA 480
  481 TTTGAGGGGG ATTCAATGAA TATTTATGAC GATTCCGCAG TATTGGACGC TATCCAGTCT 540
  541 AAACATTTTA CTATTACCCC CTCTGGCAAA ACTTCTTTTG CAAAAGCCTC TCGCTATTTT 600
  601 GGTTTTTATC GTCGTCTGGT AAACGAGGGT TATGATAGTG TTGCTCTTAC TATGCCTCGT 660
  661 AATTCCTTTT GGCGTTATGT ATCTGCATTA GTTGAATGTG GTATTCCTAA ATCTCAACTG 720
  721 ATGAATCTTT CTACCTGTAA TAATGTTGTT CCGTTAGTTC GTTTTATTAA CGTAGATTTT 780
  781 TCTTCCCAAC GTCCTGACTG GTATAATGAG CCAGTTCTTA AAATCGCATA AGGTAATTCA 840
  841 CAATGATTAA AGTTGAAATT AAACCATCTC AAGCCCAATT TACTACTCGT TCTGGTGTTT 900
  901 CTCGTCAGGG CAAGCCTTAT TCACTGAATG AGCAGCTTTG TTACGTTGAT TTGGGTAATG 960
  961 AATATCCGGT TCTTGTCAAG ATTACTCTTG ATGAAGGTCA GCCAGCCTAT GCGCCTGGTC 1020
 1021 TGTACACCGT TCATCTGTCC TCTTTCAAAG TTGGTCAGTT CGGTTCCCTT ATGATTGACC 1080
 1081 GTCTGCGCCT CGTTCCGGCT AAGTAACATG GAGCAGGTCG CGGATTTCGA CACAATTTAT 1140
 1141 CAGGCGATGA TACAAATCTC CGTTGTACTT TGTTTCGCGC TTGGTATAAT CGCTGGGGGT 1200
 1201 CAAAGATGAG TGTTTTAGTG TATTCTTTCG CCTCTTTCGT TTTAGGTTGG TGCCTTCGTA 1260
 1261 GTGGCATTAC GTATTTTACC CGTTTAATGG AAACTTCCTC ATGAAAAAGT CTTTAGTCCT 1320
 1321 CAAAGCCTCT GTAGCCGTTG CTACCCTCGT TCCGATGCTG TCTTTCGCTG CTGAGGGTGA 1380
 1381 CGATCCCGCA AAAGCGGCCT TTAACTCCCT GCAAGCCTCA GCGACCGAAT ATATCGGTTA 1440
 1441 TGCGTGGGCG ATGGTTGTTG TCATTGTCGG CGCAACTATC GGTATCAAGC TGTTTAAGAA 1500
 1501 ATTCACCTCG AAAGCAAGCT GATAAACCGA TACAATTAAA GGCTCCTTTT GGAGCCTTTT 1560
 1561 TTTTTGGAGA TTTTCAACGT GAAAAAATTA TTATTCGCAA TTCCTTTAGT TGTTCCTTTC 1620
 1621 TATTCTCACT CCGCTGAAAC TGTTGAAAGT TGTTTAGCAA AACCCCATAC AGAAAATTCA 1680
 1681 TTTACTAACG TCTGGAAAGA CGACAAAACT TTAGATCGTT ACGCTAACTA TGAGGGTTGT 1740
 1741 CTGTGGAATG CTACAGGCGT TGTAGTTTGT ACTGGTGACG AAACTCAGTG TTACGGTACA 1800
 1801 TGGGTTCCTA TTGGGCTTGC TATCCCTGAA AATGAGGGTG GTGGCTCTGA GGGTGGCGGT 1860
 1861 TCTGAGGGTG GCGGTTCTGA GGGTGGCGGT ACTAAACCTC CTGAGTACGG TGATACACCT 1920
 1921 ATTCCGGGCT ATACTTATAT CAACCCTCTC GACGGCACTT ATCCGCCTGG TACTGAGCAA 1980
 1981 AACCCCGCTA ATCCTAATCC TTCTCTTGAG GAGTCTCAGC CTCTTAATAC TTTCATGTTT 2040
 2041 CAGAATAATA GGTTCCGAAA TAGGCAGGGG GCATTAACTG TTTATACGGG CACTGTTACT 2100
 2101 CAAGGCACTG ACCCCGTTAA AACTTATTAC CAGTACACTC CTGTATCATC AAAAGCCATG 2160
 2161 TATGACGCTT ACTGGAACGG TAAATTCAGA GACTGCGCTT TCCATTCTGG CTTTAATGAA 2220
 2221 GATCCATTCG TTTGTGAATA TCAAGGCCAA TCGTCTGACC TGCCTCAACC TCCTGTCAAT 2280
 2281 GCTGGCGGCG GCTCTGGTGG TGGTTCTGGT GGCGGCTCTG AGGGTGGTGG CTCTGAGGGT 2340
 2341 GGCGGTTCTG AGGGTGGCGG CTCTGAGGGA GGCGGTTCCG GTGGTGGCTC TGGTTCCGGT 2400
 2401 GATTTTGATT ATGAAAAGAT GGCAAACGCT AATAAGGGGG CTATGACCGA AAATGCCGAT 2460
 2461 GAAAACGCGC TACAGTCTGA CGCTAAAGGC AAACTTGATT CTGTCGCTAC TGATTACGGT 2520
 2521 GCTGCTATCG ATGGTTTCAT TGGTGACGTT TCCGGCCTTG CTAATGGTAA TGGTGCTACT 2580
 2581 GGTGATTTTG CTGGCTCTAA TTCCCAAATG GCTCAAGTCG GTGACGGTGA TAATTCACCT 2640
 2641 TTAATGAATA ATTTCCGTCA ATATTTACCT TCCCTCCCTC AATCGGTTGA ATGTCGCCCT 2700
 2701 TTTGTCTTTA GCGCTGGTAA ACCATATGAA TTTTCTATTG ATTGTGACAA AATAAACTTA 2760
 2761 TTCCGTGGTG TCTTTGCGTT TCTTTTATAT GTTGCCACCT TTATGTATGT ATTTTCTACG 2820
 2821 TTTGCTAACA TACTGCGTAA TAAGGAGTCT TAATCATGCC AGTTCTTTTG GGTATTCCGT 2880
 2881 TATTATTGCG TTTCCTCGGT TTCCTTCTGG TAACTTTGTT GCCGTATCTG CTTACTTTTC 2940
 2941 TTAAAAAGGG CTTCGGTAAG ATAGCTATTG CTATTTCATT GTTTCTTGCT CTTATTATTG 3000
 3001 GGCTTAACTC AATTCTTGTG GGTTATCTCT CTGATATTAG CGCTCAATTA CCCTCTGACT 3060
 3061 TTGTTCAGGG TGTTCAGTTA ATTCTCCCGT CTAATGCGCT TCCCTGTTTT TATGTTATTC 3120
 3121 TCTCTGTAAA GGCTGCTATT TTCATTTTTG ACGTTAAACA AAAAATCGTT TCTTATTTGG 3180
 3181 ATTGGGATAA ATAATATGGC TGTTTATTTT GTAACTGGCA AATTAGGCTC TGGAAAGACG 3240
 3241 CTCGTTAGCG TTGGTAAGAT TCAGGATAAA ATTGTAGCTG GGTGCAAAAT AGCAACTAAT 3300
 3301 CTTGATTTAA GGCTTCAAAA CCTCCCGCAA GTCGGGAGGT TCGCTAAAAC GCCTCGCGTT 3360
 3361 CTTAGAATAC CGGATAAGCC TTCTATATCT GATTTGCTTG CTATTGGGCG CGGTAATGAT 3420
 3421 TCCTACGATG AAAATAAAAA CGGCTTGCTT GTTCTCGATG AGTGCGGTAC TTGGTTTAAT 3480
 3481 ACCCGTTCTT GGAATGATAA GGAAAGACAG CCGATTATTG ATTGGTTTCT ACATGCTCGT 3540
 3541 AAATTAGGAT GGGATATTAT TTTTCTTGTT CAGGACTTAT CTATTGTTGA TAAACAGGCG 3600
 3601 CGTTCTGCAT TAGCTGAACA TGTTGTTTAT TGTCGTCGTC TGGACAGAAT TACTTTACCT 3660
 3661 TTTGTCGGTA CTTTATATTC TCTTATTACT GGCTCGAAAA TGCCTCTGCC TAAATTACAT 3720
 3721 GTTGGCGTTG TTAAATATGG CGATTCTCAA TTAAGCCCTA CTGTTGAGCG TTGGCTTTAT 3780
 3781 ACTGGTAAGA ATTTGTATAA CGCATATGAT ACTAAACAGG CTTTTTCTAG TAATTATGAT 3840
```

FIG. 4-1

```
3841 TCCGGTGTTT ATTCTTATTT AACGCCTTAT TTATCACACG GTCGGTATTT CAAACCATTA 3900
3901 AATTTAGGTC AGAAGATGAA GCTTACTAAA ATATATTTGA AAAAGTTTTC ACGCGTTCTT 3960
3961 TGTCTTGCGA TTGGATTTGC ATCAGCATTT ACATATAGTT ATATAACCCA ACCTAAGCCG 4020
4021 GAGGTTAAAA AGGTAGTCTC TCAGACCTAT GATTTTGATA AATTCACTAT TGACTCTTCT 4080
4081 CAGCGTCTTA ATCTAAGCTA TCGCTATGTT TTCAAGGATT CTAAGGGAAA ATTAATTAAT 4140
4141 AGCGACGATT TACAGAAGCA AGGTTATTCA CTCACATATA TTGATTTATG TACTGTTTCC 4200
4201 ATTAAAAAAG GTAATTCAAA TGAAATTGTT AAATGTAATT AATTTTGTTT TCTTGATGTT 4260
4261 TGTTTCATCA TCTTCTTTTG CTCAGGTAAT TGAAATGAAT AATTCGCCTC TGCGCGATTT 4320
4321 TGTAACTTGG TATTCAAAGC AATCAGGCGA ATCCGTTATT GTTTCTCCCG ATGTAAAAGG 4380
4381 TACTGTTACT GTATATTCAT CTGACGTTAA ACCTGAAAAT CTACGCAATT TCTTTATTTC 4440
4441 TGTTTTACGT GCTAATAATT TTGATATGGT TGGTTCAATT CCTTCCATAA TTCAGAAGTA 4500
4501 TAATCCAAAC AATCAGGATT ATATTGATGA ATTGCCATCA TCTGATAATC AGGAATATGA 4560
4561 TGATAATTCC GCTCCTTCTG GTGGTTTCTT TGTTCCGCAA AATGATAATG TTACTCAAAC 4620
4621 TTTTAAAATT AATAACGTTC GGGCAAAGGA TTTAATACGA GTTGTCGAAT TGTTTGTAAA 4680
4681 GTCTAATACT TCTAAATCCT CAAATGTATT ATCTATTGAC GGCTCTAATC TATTAGTTGT 4740
4741 TAGTGCACCT AAAGATATTT TAGATAACCT TCCTCAATTC CTTTCTACTG TTGATTTGCC 4800
4801 AACTGACCAG ATATTGATTG AGGGTTTGAT ATTTGAGGTT CAGCAAGGTG ATGCTTTAGA 4860
4861 TTTTTCATTT GCTGCTGGCT CTCAGCGTGG CACTGTTGCA GGCGGTGTTA ATACTGACCG 4920
4921 CCTCACCTCT GTTTTATCTT CTGCTGGTGG TTCGTTCGGT ATTTTTAATG GCGATGTTTT 4980
4981 AGGGCTATCA GTTCGCGCAT TAAAGACTAA TAGCCATTCA AAAATATTGT CTGTGCCACG 5040
5041 TATTCTTACG CTTTCAGGTC AGAAGGGTTC TATCTCTGTT GGCCAGAATG TCCCTTTTAT 5100
5101 TACTGGTCGT GTGACTGGTG AATCTGCCAA TGTAAATAAT CCATTTCAGA CGATTGAGCG 5160
5161 TCAAAATGTA GGTATTTCCA TGAGCGTTTT TCCTGTTGCA ATGGCTGGCG GTAATATTGT 5220
5221 TCTGGATATT ACCAGCAAGG CCGATAGTTT GAGTTCTTCT ACTCAGGCAA GTGATGTTAT 5280
5281 TACTAATCAA AGAAGTATTG CTACAACGGT TAATTTGCGT GATGGACAGA CTCTTTTACT 5340
5341 CGGTGGCCTC ACTGATTATA AAAACACTTC TCAAGATTCT GGCGTACCGT TCCTGTCTAA 5400
5401 AATCCCTTTA ATCGGCCTCC TGTTTAGCTC CCGCTCTGAT TCCAACGAGG AAAGCACGTT 5460
5461 ATACGTGCTC GTCAAAGCAA CCATAGTACG CGCCCTGTAG CGGCGCATTA AGCGCGGCGG 5520
5521 GTGTGGTGGT TACGCGCAGC GTGACCGCTA CACTTGCCAG CGCCCTAGCG CCCGCTCCTT 5580
5581 TCGCTTTCTT CCCTTCCTTT CTCGCCACGT TCGCCGGCTT TCCCCGTCAA GCTCTAAATC 5640
5641 GGGGGCTCCC TTTAGGGTTC CGATTTAGTG CTTTACGGCA CCTCGACCCC AAAAAACTTG 5700
5701 ATTTGGGTGA TGGTTCACGT AGTGGGCCAT CGCCCTGATA GACGGTTTTT CGCCCTTTGA 5760
5761 CGTTGGAGTC CACGTTCTTT AATAGTGGAC TCTTGTTCCA AACTGGAACA ACACTCAACC 5820
5821 CTATCTCGGG CTATTCTTTT GATTTATAAG GGATTTTGCC GATTTCGGAA CCACCATCAA 5880
5881 ACAGGATTTT CGCCTGCTGG GGCAAACCAG CGTGGACCGC TTGCTGCAAC TCTCTCAGGG 5940
5941 CCAGGCGGTG AAGGGCAATC AGCTGTTGCC CGTCTCGCTG GTGAAAAGAA AAACCACCCT 6000
6001 GGCGCCCAAT ACGCAAACCG CCTCTCCCCG CGCGTTGGCC GATTCATTAA TGCAGCTGGC 6060
6061 ACGACAGGTT TCCCGACTGG AAAGCGGGCA GTGAGCGCAA CGCAATTAAT GTGAGTTAGC 6120
6121 TCACTCATTA GGCACCCCAG GCTTTACACT TTATGCTTCC GGCTCGTATG TTGTGTGGAA 6180
6181 TTGTGAGCGG ATAACAATTT CACACGCGTC ACTTGGCACT GGCCGTCGTT TTACAACGTC 6240
6241 GTGACTGGGA AAACCCTGGC GTTACCCAAG CTTTGTACAT GGAGAAAATA AAGTGAAACA 6300
6301 AAGCACTATT GCACTGGCAC TCTTACCGTT ACTGTTTACC CCTGTGGCAA AAGCCCAGGT 6360
6361 CCAGCTGCTC GAGTCGGTCT TCCCCCTGGC ACCCTCCTCC AAGAGCACCT CTGGGGGCAC 6420
6421 AGCGGCCCTG GGCTGCCTGG TCAAGACTAA TTCCCCGAAC CGGTGACGGT GTCGTGGAAC 6480
6481 TCAGGCGCCC TGACCAGCGG CGTGCACACC TTCCCGGCTG TCCTACAGTC CTCAGGACTC 6540
6541 TACTCCCTCA GCAGCGTGGT GACCGTGCCC TCCAGCAGCT TGGGCACCCA GACCTACATC 6600
6601 TGCAACGTGA ATCACAAGCC CAGCAACACC AAGGTGGACA AGAAAGCAGA GCCCAAATCT 6660
6661 TGTACTAGTG GATCCTACCC GTACGACGTT CCGGACTACG CTTCTTAGGC TGAAGGCGAT 6720
6721 GACCCTGCTA AGGCTGCATT CAATAGTTTA CAGGCAAGTG CTACTGAGTA CATTGGCTAC 6780
6781 GCTTGGGCTA TGGTAGTAGT TATAGTTGGT GCTACCATAG GGATTAAATT ATTCAAAAAG 6840
6841 TTTACGAGCA AGGCTTCTTA AGCAATAGCG AAGAGGCCCG CACCGATCGC CCTTCCCAAC 6900
6901 AGTTGCGCAG CCTGAATGGC GAATGGCGCT TTGCCTGGTT TCCGGCACCA GAAGCGGTGC 6960
6961 CGGAAAGCTG GCTGGAGTGC GATCTTCCTG AGGCCGATAC GGTCGTCGTC CCCTCAAACT 7020
7021 GGCAGATGCA CGGTTACGAT GCGCCCATCT ACACCAACGT AACCTATCCC ATTACGGTCA 7080
7081 ATCCGCCGTT TGTTCCCACG GAGAATCCGA CGGGTTGTTA CTCGCTCACA TTTAATGTTG 7140
7141 ATGAAAGCTG GCTACAGGAA GGCCAGACGC GAATTATTTT TGATGGCGTT CCTATTGGTT 7200
7201 AAAAAATGAG CTGATTTAAC AAAAATTTAA CGCGAATTTT AACAAAATAT TAACGTTTAC 7260
7261 AATTTAAATA TTTGCTTATA CAATCTTCCT GTTTTTGGGG CTTTTCTGAT TATCAACCGG 7320
7321 GGTACATATG ATTGACATGC TACTTTTACG ATTACCGTTC ATCGATTCTC TTGTTTGCTC 7380
7381 CAGACTCTCA GGCAATGACC TGATAGCCTT TGTAGATCTC TCAAAAATAG CTACCCTCTC 7440
7441 CGGCATTAAT TTATCAGCTA GAACGGTTGA ATATCATATT GATGGTGATT TGACTGTCTC 7500
7501 CGGCCTTTCT CACCCTTTTG AATCTTTACC TACACATTAC TCAGGCATTG CATTTAAAAT 7560
7561 ATATGTGGGT TCTAAAAATT TTTATCCTTG CGTTGAAATA AAGGCTTCTC CCGCAAAAGT 7620
7621 ATTACAGGGT CATAATGTTT TTGGTACAAC CGATTTAGCT TTATGCTCTG AGGCTTTATT 7680
7681 GCTTAATTTT GCTAATTCTT TGCCTTGCCT GTATGATTTA TTGGACGTT 7729
        |  10     |  20     |  30     |  40     |  50     |  60
```

FIG. 4-2

SUBSTITUTE SHEET

```
      |  10       |  20       |  30       |  40       |  50       |  60
    1 AATGCTACTA CTATTAGTAG AATTGATGCC ACCTTTTCAG CTCGCGCCCC AAATGAAAAT 60
   61 ATAGCTAAAC AGGTTATTGA CCATTTGCGA AATGTATCTA ATGGTCAAAC TAAATCTACT 120
  121 CGTTCGCAGA ATTGGGAATC AACTGTTACA TGGAATGAAA CTTCCAGACA CCGTACTTTA 180
  181 GTTGCATATT TAAAACATGT TGAGCTACAG CACCAGATTC AGCAATTAAG CTCTAAGCCA 240
  241 TCCGCAAAAA TGACCTCTTA TCAAAAGGAG CAATTAAAGG TACTCTCTAA TCCTGACCTG 300
  301 TTGGAGTTTG CTTCCGGTCT GGTTCGCTTT GAAGCTCGAA TTAAAACGCG ATATTTGAAG 360
  361 TCTTTCGGGC TTCCTCTTAA TCTTTTTGAT GCAATCCGCT TTGCTTCTGA CTATAATAGT 420
  421 CAGGGTAAAG ACCTGATTTT TGATTTATGG TCATTCTCGT TTTCTGAACT GTTTAAAGCA 480
  481 TTTGAGGGGG ATTCAATGAA TATTTATGAC GATTCCGCAG TATTGGACGC TATCCAGTCT 540
  541 AAACATTTTA CTATTACCCC CTCTGGCAAA ACTTCTTTTG CAAAAGCCTC TCGCTATTTT 600
  601 GGTTTTTATC GTCGTCTGGT AAACGAGGGT TATGATAGTG TTGCTCTTAC TATGCCTCGT 660
  661 AATTCCTTTT GGCGTTATGT ATCTGCATTA GTTGAATGTG GTATTCCTAA ATCTCAACTG 720
  721 ATGAATCTTT CTACCTGTAA TAATGTTGTT CCGTTAGTTC GTTTTATTAA CGTAGATTTT 780
  781 TCTTCCCAAC GTCCTGACTG GTATAATGAG CCAGTTCTTA AAATCGCATA AGGTAATTCA 840
  841 CAATGATTAA AGTTGAAATT AAACCATCTC AAGCCCAATT TACTACTCGT TCTGGTGTTT 900
  901 CTCGTCAGGG CAAGCCTTAT TCACTGAATG AGCAGCTTTG TTACGTTGAT TTGGGTAATG 960
  961 AATATCCGGT TCTTGTCAAG ATTACTCTTG ATGAAGGTCA GCCAGCCTAT GCGCCTGGTC 1020
 1021 TGTACACCGT TCATCTGTCC TCTTTCAAAG TTGGTCAGTT CGGTTCCCTT ATGATTGACC 1080
 1081 GTCTGCGCCT CGTTCCGGCT AAGTAACATG GAGCAGGTCG CGGATTTCGA CACAATTTAT 1140
 1141 CAGGCGATGA TACAAATCTC CGTTGTACTT TGTTTCGCGC TTGGTATAAT CGCTGGGGGT 1200
 1201 CAAAGATGAG TGTTTTAGTG TATTCTTTCG CCTCTTTCGT TTTAGGTTGG TGCCTTCGTA 1260
 1261 GTGGCATTAC GTATTTTACC CGTTTAATGG AAACTTCCTC ATGAAAAAGT CTTTAGTCCT 1320
 1321 CAAAGCCTCT GTAGCCGTTG CTACCCTCGT TCCGATGCTG TCTTTCGCTG CTGAGGGTGA 1380
 1381 CGATCCCGCA AAAGCGGCCT TTAACTCCCT GCAAGCCTCA GCGACCGAAT ATATCGGTTA 1440
 1441 TGCGTGGGCG ATGGTTGTTG TCATTGTCGG CGCAACTATC GGTATCAAGC TGTTTAAGAA 1500
 1501 ATTCACCTCG AAAGCAAGCT GATAAACCGA TACAATTAAA GGCTCCTTTT GGAGCCTTTT 1560
 1561 TTTTTGGAGA TTTTCAACGT GAAAAAATTA TTATTCGCAA TTCCTTTAGT TGTTCCTTTC 1620
 1621 TATTCTCACT CCGCTGAAAC TGTTGAAAGT TGTTTAGCAA AACCCCATAC AGAAAATTCA 1680
 1681 TTTACTAACG TCTGGAAAGA CGACAAAACT TTAGATCGTT ACGCTAACTA TGAGGGTTGT 1740
 1741 CTGTGGAATG CTACAGGCGT TGTAGTTTGT ACTGGTGACG AAACTCAGTG TTACGGTACA 1800
 1801 TGGGTTCCTA TTGGGCTTGC TATCCCTGAA AATGAGGGTG GTGGCTCTGA GGGTGGCGGT 1860
 1861 TCTGAGGGTG GCGGTTCTGA GGGTGGCGGT ACTAAACCTC CTGAGTACGG TGATACACCT 1920
 1921 ATTCCGGGCT ATACTTATAT CAACCCTCTC GACGGCACTT ATCCGCCTGG TACTGAGCAA 1980
 1981 AACCCCGCTA ATCCTAATCC TTCTCTTGAG GAGTCTCAGC CTCTTAATAC TTTCATGTTT 2040
 2041 CAGAATAATA GGTTCCGAAA TAGGCAGGGG GCATTAACTG TTTATACGGG CACTGTTACT 2100
 2101 CAAGGCACTG ACCCCGTTAA AACTTATTAC CAGTACACTC CTGTATCATC AAAAGCCATG 2160
 2161 TATGACGCTT ACTGGAACGG TAAATTCAGA GACTGCGCTT TCCATTCTGG CTTTAATGAA 2220
 2221 GATCCATTCG TTTGTGAATA TCAAGGCCAA TCGTCTGACC TGCCTCAACC TCCTGTCAAT 2280
 2281 GCTGGCGGCG GCTCTGGTGG TGGTTCTGGT GGCGGCTCTG AGGGTGGTGG CTCTGAGGGT 2340
 2341 GGCGGTTCTG AGGGTGGCGG CTCTGAGGGA GGCGGTTCCG GTGGTGGCTC TGGTTCCGGT 2400
 2401 GATTTTGATT ATGAAAAGAT GGCAAACGCT AATAAGGGGG CTATGACCGA AAATGCCGAT 2460
 2461 GAAAACGCGC TACAGTCTGA CGCTAAAGGC AAACTTGATT CTGTCGCTAC TGATTACGGT 2520
 2521 GCTGCTATCG ATGGTTTCAT TGGTGACGTT TCCGGCCTTG CTAATGGTAA TGGTGCTACT 2580
 2581 GGTGATTTTG CTGGCTCTAA TTCCCAAATG GCTCAAGTCG GTGACGGTGA TAATTCACCT 2640
 2641 TTAATGAATA ATTTCCGTCA ATATTTACCT TCCCTCCCTC AATCGGTTGA ATGTCGCCCT 2700
 2701 TTTGTCTTTA GCGCTGGTAA ACCATATGAA TTTTCTATTG ATTGTGACAA AATAAACTTA 2760
 2761 TTCCGTGGTG TCTTTGCGTT TCTTTTATAT GTTGCCACCT TTATGTATGT ATTTTCTACG 2820
 2821 TTTGCTAACA TACTGCGTAA TAAGGAGTCT TAATCATGCC AGTTCTTTTG GGTATTCCGT 2880
 2881 TATTATTGCG TTTCCTCGGT TTCCTTCTGG TAACTTTGTT CGGCTATCTG CTTACTTTTC 2940
 2941 TTAAAAAGGG CTTCGGTAAG ATAGCTATTG CCTGTTTCTT GCTCTTATTA TTGGGCTTAA 3000
 3001 CTCAATTCTT GTGGGTTATC TCTCTGATAT TAGCGCTCAA TTACCCTCTG ACTTTGTTCA 3060
 3061 GGGTGTTCAG TTAATTCTCC CGTCTAATGC GCTTCCCTGT TTTTATGTTA TTCTCTCTGT 3120
 3121 AAAGGCTGCT ATTTTCATTT TTGACGTTAA ACAAAAAATC GTTTCTTATT TGGATTGGGA 3180
 3181 TAAATAATAT GGCTGTTTAT TTTGTAACTG GCAAATTAGG CTCTGGAAAG ACGCTCGTTA 3240
 3241 GCGTTGGTAA GATTCAGGAT AAAATTGTAG CTGGGTGCAA AATAGCAACT AATCTTGATT 3300
 3301 TAAGGCTTCA AAACCTCCCG CAAGTCGGGA GGTTCGCTAA AACGCCTCGC GTTCTTAGAA 3360
 3361 TACCGGATAA GCCTTCTATA TCTGATTTGC TTGCTATTGG GCGCGGTAAT GATTCCTACG 3420
 3421 ATGAAAATAA AAACGGCTTG CTTGTTCTCG ATGAGTGCGG TACTTGGTTT AATACCCGTT 3480
 3481 CTTGGAATGA TAAGGAAAGA CAGCCGATTA TTGATTGGTT TCTACATGCT CGTAAATTAG 3540
 3541 GATGGGATAT TATTTTTCTT GTTCAGGACT TATCTATTGT TGATAAACAG GCGCGTTCTG 3600
 3601 CATTAGCTGA ACATGTTGTT TATTCTCGTC GTCTGGACAG AATTACTTTA CCTTTTGTCG 3660
 3661 GTACTTTATA TTCTCTTATT ACTGGCTCGA AAATGCCTCT GCCTAAATTA CATGTTGGCG 3720
 3721 TTGTTAAATA TGGCGATTCT CAATTAAGCC CTACTGTTGA GCGTTGGCTT TATACTGGTA 3780
 3781 AGAATTTGTA TAACGCATAT GATACTAAAC AGGCTTTTTC TAGTAATTAT GATTCCGGTG 3840
```

FIG. 5–1

SUBSTITUTE SHEET

```
3841 TTTATTCTTA TTTAACGCCT TATTTATCAC ACGGTCGGTA TTTCAAACCA TTAAATTTAG 3900
3901 GTCAGAAGAT GAAGCTTACT AAAATATATT TGAAAAAGTT TTCACGCGTT CTTTTTCTTG 3960
3961 CGATTGGATT TGCATCAGCA TTTACATATA GTTATATAAC CCAACCTAAG CCGGAGGTTA 4020
4021 AAAAGGTAGT CTCTCAGACC TATGATTTTG ATAAATTCAC TATTGACTCT TCTCAGCGTC 4080
4081 TTAATCTAAG CTATCGCTAT GTTTTCAAGG ATTCTAAGGG AAAATTAATT AATAGCGACG 4140
4141 ATTTACAGAA GCAAGGTTAT TCACTCACAT ATATTGATTT ATGTACTGTT TCCATTAAAA 4200
4201 AAGGTAATTC AAATGAAATT GTTAAATGTA ATTAATTTTG TTTTCTTGAT GTTTGTTTCA 4260
4261 TCATCTTCTT TTGCTCAGGT AATTGAAATG AATAATTCGC CTCTGCGCGA TTTTGTAACT 4320
4321 TGGTATTCAA AGCAATCAGG CGAATCCGTT ATTGTTTCTC CCGATGTAAA AGGTACTGTT 4380
4381 ACTGTATATT CATCTGACGT TAAACCTGAA AATCTACGCA ATTTCTTTAT TTCTGTTTTA 4440
4441 CGTGCTAATA ATTTTGATAT GGTTGGTTCA ATTCCTTCCA TAATTCAGAA GTATAATCCZ 4500
4501 AACAATCAGG ATTATATTGA TGAATTGCCA TCATCTGATA ATCAGGAATA TGATGATAAT 4560
4561 TCCGCTCCTT CTGGTGGTTT CTTTGTTCCG CAAAATGATA ATGTTACTCA AACTTTTAAA 4620
4621 ATTAATAACG TTCGGGCAAA GGATTTAATA CGAGTTGTCG AATTGTTTGT AAAGTCTAAT 4680
4681 ACTTCTAAAT CCTCAAATGT ATTATCTATT GACGGCTCTA ATCTATTAGT TGTTAGTGCA 4740
4741 CCTAAAGATA TTTTAGATAA CCTTCCTCAA TTCCTTTCTA CTGTTGATTT GCCAACTGAC 4800
4801 CAGATATTGA TTGAGGGTTT GATATTTGAG GTTCAGCAAG GTGATGCTTT AGATTTTTCA 4860
4861 TTTGCTGCTG GCTCTCAGCG TGGCACTGTT GCAGGCGGTG TTAATACTGA CCGCCTCACC 4920
4921 TCTGTTTTAT CTTCTGCTGG TGGTTCGTTC GGTATTTTTA ATGGCGATGT TTTAGGGCTA 4980
4981 TCAGTTCGCG CATTAAAGAC TAATAGCCAT TCAAAAATAT TGTCTGTGCC ACGTATTCTT 5040
5041 ACGCTTTCAG GTCAGAAGGG TTCTATCTCT GTTGGCCAGA ATGTCCCTTT TATTACTGGT 5100
5101 CGTGTGACTG GTGAATCTGC CAATGTAAAT AATCCATTTC AGACGATTGA GCGTCAAAAT 5160
5161 GTAGGTATTT CCATGAGCGT TTTTCCTGTT GCAATGGCTG GCGGTAATAT TGTTCTGGAT 5220
5221 ATTACCAGCA AGGCCGATAG TTTGAGTTCT TCTACTCAGG CAAGTGATGT TATTACTAAT 5280
5281 CAAAGAAGTA TTGCTACAAC GGTTAATTTG CGTGATGGAC AGACTCTTTT ACTCGGTGGC 5340
5341 CTCACTGATT ATAAAAACAC TTCTCAAGAT TCTGGCGTAC CGTTCCTGTC TAAAATCCCT 5400
5401 TTAATCGGCC TCCTGTTTAG CTCCCGCTCT GATTCCAACG AGGAAAGCAC GTTATACGTG 5460
5461 CTCGTCAAAG CAACCATAGT ACGCGCCCTG TAGCGGCGCA TTAAGCGCGG CGGGTGTGGT 5520
5521 GGTTACGCGC AGCGTGACCG CTACACTTGC CAGCGCCCTA GCGCCCGCTC CTTTCGCTTT 5580
5581 TTTCGCCTGC TGGGGCAAAC CAGCGTGGAC CGCTTGCTGC AACTCTCTCA GGGCCAGGCG 5940
5941 GTGAAGGGCA ATCAGCTGTT GCCCGTCTCG CTGGTGAAAA GAAAAACCAC CCTGGCGCCC 6000
6001 AATACGCAAA CCGCCTCTCC CCGCGCGTTG GCCGATTCAT TAATGCAGCT GGCACGACAG 6060
6061 GTTTCCCGAC TGGAAAGCGG GCAGTGAGCG CAACGCAATT AATGTGAGTT AGCTCACTCA 6120
6121 TTAGGCACCC CAGGCTTTAC ACTTTATGCT TCCGGCTCGT ATGTTGTGTG GAATTGTGAG 6180
6181 CGGATAACAA TTTCACACGC CAAGGAGACA GTCATAATGA AATACCTATT GCCTACGGCA 6240
6241 GCCGCTGGAT TGTTATTACT CGCTGCCCAA CCAGCCATGG CCGAGCTCTT CCCGCCATCT 6300
6301 GATGAGCAGT TGAAATCTGG AACTGCCTCT GTTGTGTGCC TGCTGAATAA CTTCTATCCC 6360
6361 AGAGAGGCCA AAGTACAGTG GAAGGTGGAT AACGCCCTCC AATCGGGTAA CTCCCAGGAG 6420
6421 AGTGTCACAG AGCAGGACAG CAAGGACAGC ACCTACAGCC TCAGCAGCAC CCTGACGCTG 6480
6481 AGCAAAGCAG ACTACGAGAA ACACAAAGTC TACGCCTGCG AAGTCACCCA TCAGGGCCTG 6540
6541 AGCTCGCCCG TCACAAAGAG CTTCAACAGG GGAGAGTGTT CTAGAACGCG TCACTTGGCA 6600
6601 CTGGCCGTCG TTTTACAACG TCGTGACTGG GAAAACCCTG GCGTTACCCA AGCTTAATCG 6660
6661 CCTTGCAGAA TTCCCTTTCG CCAGCTGGCG TAATAGCGAA GAGGCCCGCA CCGATCGCCC 6720
6721 TTCCCAACAG TTGCGCAGCC TGAATGGCGA ATGGCGCTTT GCCTGGTTTC CGGCACCAGA 6780
6781 AGCGGTGCCG CAAAGCTGGC TGGAGTGCGA TCTTCCTGAG GCCGATACGG TCGTCGTCCC 6840
6841 CTCAAACTGG CAGATGCACG GTTACGATGC GCCCATCTAC ACCAACGTAA CCTATCCCAT 6900
6901 TACGGTCAAT CCGCCGTTTG TTCCCACGGA GAATCCGACG GGTTGTTACT CGCTCACATT 6960
6961 TAATGTTGAT GAAAGCTGGC TACAGGAAGG CCAGACGCGA ATTATTTTTG ATGGCGTTCC 7020
7021 TATTGGTTAA AAAATGAGCT GATTTAACAA AAATTTAACG CGAATTTTAA CAAAATATTA 7080
7081 ACGTTTACAA TTTAAATATT TGCTTATACA ATCTTCCTGT TTTTGGGGCT TTTCTGATTA 7140
7141 TCAACCGGGG TACATATGAT TGACATGCTA GTTTTACGAT TACCGTTCAT CGATTCTCTT 7200
7201 GTTTGCTCCA GACTCTCAGG CAATGACCTG ATAGCCTTTG TAGATCTCTC AAAAATAGCT 7260
7261 ACCCTCTCCG GCATTAATTT ATCAGCTAGA ACGGTTGAAT ATCATATTGA TGGTGATTTG 7320
7321 ACTGTCTCCG GCCTTTCTCA CCCTTTTGAA TCTTTACCTA CACATTACTC AGGCATTGCA 7380
7381 TTTAAAATAT ATGAGGGTTC TAAAAATTTT TATCCTTGCG TTGAAATAAA GGCTTCTCCC 7440
7441 GCAAAAGTAT TACAGGGTCA TAATGTTTTT GGTACAACCG ATTTAGCTTT ATGCTCTGAG 7500
7501 GCTTTATTGC TTAATTTTGC TAATTCTTTG CCTTGCCTGT ATGATTTATT GGATGTT    7557
          |  10       |  20       |  30       |  40       |  50       |  60
```

FIG. 5-2

```
        |   10      |   20      |   30      |   40      |   50      |   60
   1 AATGCTACTA CTATTAGTAG AATTGATGCC ACCTTTTCAG CTCGCGCCCC AAATGAAAAT 60
  61 ATAGCTAAAC AGGTTATTGA CCATTTGCGA AATGTATCTA ATGGTCAAAC TAAATCTACT 120
 121 CGTTCGCAGA ATTGGGAATC AACTGTTACA TGGAATGAAA CTTCCAGACA CCGTACTTTA 180
 181 GTTGCATATT TAAAACATGT TGAGCTACAG CACCAGATTC AGCAATTAAG CTCTAAGCCA 240
 241 TCTGCAAAAA TGACCTCTTA TCAAAAGGAG CAATTAAAGG TACTCTCTAA TCCTGACCTG 300
 301 TTGGAGTTTG CTTCCGGTCT GGTTCGCTTT GAAGCTCGAA TTAAAACGCG ATATTTGAAG 360
 361 TCTTTCGGGC TTCCTCTTAA TCTTTTTGAT GCAATCCGCT TTGCTTCTGA CTATAATAGT 420
 421 CAGGGTAAAG ACCTGATTTT TGATTTATGG TCATTCTCGT TTTCTGAACT GTTTAAACGA 480
 481 TTTGAGGGGG ATTCAATGAA TATTTATGAC GATTCCGCAG TATTGGACGC TATCCAGTCT 540
 541 AAACATTTTA CTATTACCCC CTCTGGCAAA ACTTCTTTTG CAAAAGCCTC TCGCTATTTT 600
 601 GGTTTTTATC GTCGTCTGGT AAACGAGGGT TATGATAGTG TTGCTCTTAC TATGCCTCGT 660
 661 AATTCCTTTT GGCGTTATGT ATCTGCATTA GTTGAATGTG GTATTCCTAA ATCTCAACTG 720
 721 ATGAATCTTT CTACCTGTAA TAATGTTGTT CCGTTAGTTC GTTTTATTAA CGTAGATTTT 780
 781 TCTTCCCAAC GTCCTGACTG GTATAATGAG CCAGTTCTTA AAATCGCATA AGGTAATTCA 840
 841 CAATGATTAA AGTTGAAATT AAACCATCTC AAGCCCAATT TACTACTCGT TCTGGTGTTT 900
 901 CTCGTCAGGG CAAGCCTTAT TCACTGAATG AGCAGCTTTG TTACGTTGAT TTGGGTAATG 960
 961 AATATCCGGT TCTTGTCAAG ATTACTCTTG ATGAAGGTCA GCCAGCCTAT GCGCCTGGTC 1020
1021 TGTACACCGT TCATCTGTCC TCTTTCAAAG TTGGTCAGTT CGGTTCCCTT ATGATTGACC 1080
1081 GTCTGCGCCT CGTTCCGGCT AAGTAACATG GAGCAGGTCG CGGATTTCGA CACAATTTAT 1140
1141 CAGGCGATGA TACAAATCTC CGTTGTACTT TGTTTCGCGC TTGGTATAAT CGCTGGGGGT 1200
1201 CAAAGATGAG TGTTTTAGTG TATTCTTTCG CCTCTTTCGT TTTAGGTTGG TGCCTTCGTA 1260
1261 GTGGCATTAC GTATTTTACC CGTTTAATGG AAACTTCCTC ATGAAAAAGT CTTTAGTCCT 1320
1321 CAAAGCCTCT GTAGCCGTTG CTACCCTCGT TCCGATGCTG TCTTTCGCTG CTGAGGGTGA 1380
1381 CGATCCCGCA AAAGCGGCCT TTAACTCCCT GCAAGCCTCA GCGACCGAAT ATATCGGTTA 1440
1441 TGCGTGGGCG ATGGTTGTTG TCATTGTCGG CGCAACTATC GGTATCAAGC TGTTTAAGAA 1500
1501 ATTCACCTCG AAAGCAAGCT GATAAACCGA TACAATTAAA GGCTCCTTTT GGAGCCTTTT 1560
1561 TTTTTGGAGA TTTTCAACGT GAAAAAATTA TTATTCGCAA TTCCTTTAGT TGTTCCTTTC 1620
1621 TATTCTCACT CCGCTGAAAC TGTTGAAAGT TGTTTAGCAA AACCCCATAC AGAAAATTCA 1680
1681 TTTACTAACG TCTGGAAAGA CGACAAAACT TTAGATCGTT ACGCTAACTA TGAGGGTTGT 1740
1741 CTGTGGAATG CTACAGGCGT TGTAGTTTGT ACTGGTGACG AAACTCAGTG TTACGGTACA 1800
1801 TGGGTTCCTA TTGGGCTTGC TATCCCTGAA AATGAGGGTG GTGGCTCTGA GGGTGGCGGT 1860
1861 TCTGAGGGTG GCGGTTCTGA GGGTGGCGGT ACTAAACCTC CTGAGTACGG TGATACACCT 1920
1921 ATTCCGGGCT ATACTTATAT CAACCCTCTC GACGGCACTT ATCCGCCTGG TACTGAGCAA 1980
1981 AACCCCGCTA ATCCTAATCC TTCTCTTGAG GAGTCTCAGC CTCTTAATAC TTTCATGTTT 2040
2041 CAGAATAATA GGTTCCGAAA TAGGCAGGGG GCATTAACTG TTTATACGGG CACTGTTACT 2100
2101 CAAGGCACTG ACCCCGTTAA AACTTATTAC CAGTACACTC CTGTATCATC AAAAGCCATG 2160
2161 TATGACGCTT ACTGGAACGG TAAATTCAGA GACTGCGCTT TCCATTCTGG CTTTAATGAA 2220
2221 GATCCATTCG TTTGTGAATA TCAAGGCCAA TCGTCTGACC TGCCTCAACC TCCTGTCAAT 2280
2281 GCTGGCGGCG GCTCTGGTGG TGGTTCTGGT GGCGGCTCTG AGGGTGGTGG CTCTGAGGGT 2340
2341 GGCGGTTCTG AGGGTGGCGG CTCTGAGGGA GGCGGTTCCG GTGGTGGCTC TGGTTCCGGT 2400
2401 GATTTTGATT ATGAAAAGAT GGCAAACGCT AATAAGGGGG CTATGACCGA AAATGCCGAT 2460
2461 GAAAACGCGC TACAGTCTGA CGCTAAAGGC AAACTTGATT CTGTCGCTAC TGATTACGGT 2520
2521 GCTGCTATCG ATGGTTTCAT TGGTGACGTT TCCGGCCTTG CTAATGGTAA TGGTGCTACT 2580
2581 GGTGATTTTG CTGGCTCTAA TTCCCAAATG GCTCAAGTCG GTGACGGTGA TAATTCACCT 2640
2641 TTAATGAATA ATTTCCGTCA ATATTTACCT TCCCTCCCTC AATCGGTTGA ATGTCGCCCT 2700
2701 TTTGTCTTTA GCGCTGGTAA ACCATATGAA TTTTCTATTG ATTGTGACAA AATAAACTTA 2760
2761 TTCCGTGGTG TCTTTGCGTT TCTTTTATAT GTTGCCACCT TTATGTATGT ATTTTCTACG 2820
2821 TTTGCTAACA TACTGCGTAA TAAGGAGTCT TAATCATGCC AGTTCTTTTG GGTATTCCGT 2880
2881 TATTATTGCG TTTCCTCGGT TTCCTTCTGG TAACTTTGTT CGGCTATCTG CTTACTTTTC 2940
2941 TTAAAAAGGG CTTCGGTAAG ATAGCTATTG CTATTTCATT GTTTCTTGCT CTTATTATTG 3000
3001 GGCTTAACTC AATTCTTGTG GGTTATCTCT CTGATATTAG CGCTCAATTA CCCTCTGACT 3060
3061 TTGTTCAGGG TGTTCAGTTA ATTCTCCCGT CTAATGCGCT TCCCTGTTTT TATGTTATTC 3120
3121 TCTCTGTAAA GGCTGCTATT TTCATTTTTG ACGTTAAACA AAAAATCGTT TCTTATTTGG 3180
3181 ATTGGGATAA ATAATATGGC TGTTTATTTT GTAACTGGCA AATTAGGCTC TGGAAAGACG 3240
3241 CTCGTTAGCG TTGGTAAGAT TCAGGATAAA ATTGTAGCTG GGTGCAAAAT AGCAACTAAT 3300
3301 CTTGATTTAA GGCTTCAAAA CCTCCCGCAA GTCGGGAGGT TCGCTAAAAC GCCTCGCGTT 3360
3361 CTTAGAATAC CGGATAAGCC TTCTATATCT GATTTGCTTG CTATTGGGCG CGGTAATGAT 3420
3421 TCCTACGATG AAAATAAAAA CGGCTTGCTT GTTCTCGATG AGTGCGGTAC TTGGTTTAAT 3480
3481 ACCCGTTCTT GGAATGATAA GGAAAGACAG CCGATTATTG ATTGGTTTCT ACATGCTCGT 3540
3541 AAATTAGGAT GGGATATTAT TTTTCTTGTT CAGGACTTAT CTATTGTTGA TAAACAGGCG 3600
3601 CGTTCTGCAT TAGCTGAACA TGTTGTTTAT TGTCGTCGTC TGGACAGAAT TACTTTACCT 3660
3661 TTTGTCGGTA CTTTATATTC TCTTATTACT GGCTCGAAAA TGCCTCTGCC TAAATTACAT 3720
3721 GTTGGCGTTG TTAAATATGG CGATTCTCAA TTAAGCCCTA CTGTTGAGCG TTGGCTTTAT 3780
3781 ACTGGTAAGA ATTTGTATAA CGCATATGAT ACTAAACAGG CTTTTTCTAG TAATTATGAT 3840
3841 TCCGGTGTTT ATTCTTATTT AACGCCTTAT TTATCACACG GTCGGTATTT CAAACCATTA 3900
3901 AATTTAGGTC AGAAGATGAA GCTTACTAAA ATATATTTGA AAAAGTTTTC ACGCGTTCTT 3960
3961 TGTCTTGCGA TTGGATTTGC ATCAGCATTT ACATATAGTT ATATAACCCA ACTTAAGCCG 4020
4021 GAGGTTAAAA AGGTAGTCTC TCAGACCTAT GATTTTGATA AATTCACTAT TGACTCTTCT 4080
```

FIG. 6-1

SUBSTITUTE SHEET

```
4081 CAGCGTCTTA ATCTAAGCTA TCGCTATGTT TTCAAGGATT CTAAGGGAAA ATTAATTAAT 4140
4141 AGCGACGATT TACAGAAGCA AGGTTATTCA CTCACATATA TTGATTTATG TACTGTTTCC 4200
4201 ATTAAAAAAG GTAATTCAAA TGAAATTGTT AAATGTAATT AATTTTGTTT TCTTGATGTT 4260
4261 TGTTTCATCA TCTTCTTTTG CTCAGGTAAT TGAAATGAAT AATTCGCCTC TGCGCGATTT 4320
4321 TGTAACTTGG TATTCAAAGC AATCAGGCGA ATCCGTTATT GTTTCTCCCG ATGTAAAAGG 4380
4381 TACTGTTACT GTATATTCAT CTGACGTTAA ACCTGAAAAT CTACGCAATT TCTTTATTTC 4440
4441 TGTTTTACGT GCTAATAATT TTGATATGGT TGGTTCAATT CCTTCCATAA TTCAGAAGTA 4500
4501 TAATCCAAAC AATCAGGATT ATATTGATGA ATTGCCATCA TCTGATAATC AGGAATATGA 4560
4561 TGATAATTCC GCTCCTTCTG GTGGTTTCTT TGTTCCGCAA AATGATAATG TTACTCAAAC 4620
4621 TTTTAAAATT AATAACGTTC GGGCAAAGGA TTTAATACGA GTTGTCGAAT TGTTTGTAAA 4680
4681 GTCTAATACT TCTAAATCCT CAAATGTATT ATCTATTGAC GGCTCTAATC TATTAGTTGT 4740
4741 TAGTGCACCT AAAGATATTT TAGATAACCT TCCTCAATTC CTTTCTACTG TTGATTTGCC 4800
4801 AACTGACCAG ATATTGATTG AGGGTTTGAT ATTTGAGGTT CAGCAAGGTG ATGCTTTAGA 4860
4861 TTTTTCATTT GCTGCTGGCT CTCAGCGTGG CACTGTTGCA GGCGGTGTTA ATACTGACCG 4920
4921 CCTCACCTCT GTTTTATCTT CTGCTGGTGG TTCGTTCGGT ATTTTTAATG GCGATGTTTT 4980
4981 AGGGCTATCA GTTCGCGCAT TAAAGACTAA TAGCCATTCA AAAATATTGT CTGTGCCACG 5040
5041 TATTCTTACG CTTTCAGGTC AGAAGGGTTC TATCTCTGTT GGCCAGAATG TCCCTTTTAT 5100
5101 TACTGGTCGT GTGACTGGTG AATCTGCCAA TGTAAATAAT CCATTTCAGA CGATTGAGCG 5160
5161 TCAAAATGTA GGTATTTCCA TGAGCGTTTT TCCTGTTGCA ATGGCTGGCG GTAATATTGT 5220
5221 TCTGGATATT ACCAGCAAGG CCGATAGTTT GAGTTCTTCT ACTCAGGCAA GTGATGTTAT 5280
5281 TACTAATCAA AGAAGTATTG CTACAACGGT TAATTTGCGT GATGGACAGA CTCTTTTACT 5340
5341 CGGTGGCCTC ACTGATTATA AAAACACTTC TCAAGATTCT GGCGTACCGT TCCTGTCTAA 5400
5401 AATCCCTTTA ATCGGCCTCC TGTTTAGCTC CCGCTCTGAT TCCAACGAGG AAAGCACGTT 5460
5461 ATACGTGCTC GTCAAAGCAA CCATAGTACG CGCCCTGTAG CGGCGCATTA AGCGCGGCGG 5520
5521 GTGTGGTGGT TACGCGCAGC GTGACCGCTA CACTTGCCAG CGCCCTAGCG CCCGCTCCTT 5580
5581 TCGCTTTCTT CCCTTCCTTT CTCGCCACGT TCGCCGGCTT TCCCCGTCAA GCTCTAAATC 5640
5641 GGGGGCTCCC TTTAGGGTTC CGATTTAGTG CTTTACGGCA CCTCGACCCC AAAAAACTTG 5700
5701 ATTTGGGTGA TGGTTCACGT AGTGGGCCAT CGCCCTGATA GACGGTTTTT CGCCCTTTGA 5760
5761 CGTTGGAGTC CACGTTCTTT AATAGTGGAC TCTTGTTCCA AACTGGAACA ACACTCAACC 5820
5821 CTATCTCGGG CTATTCTTTT GATTTATAAG GGATTTTGCC GATTTCGGAA CCACCATCAA 5880
5881 ACAGGATTTT CGCCTGCTGG GGCAAACCAG CGTGGACCGC TTGCTGCAAC TCTCTCAGGG 5940
5941 CCAGGCGGTG AAGGGCAATC AGCTGTTGCC CGTCTCGCTG GTGAAAAGAA AAACCACCCT 6000
6001 GGCGCCCAAT ACGCAAACCG CCTCTCCCCG CGCGTTGGCC GATTCATTAA TGCAGCTGGC 6060
6061 ACGACAGGTT TCCCGACTGG AAAGCGGGCA GTGAGCGCAA CGCAATTAAT GTGAGTTAGC 6120
6121 TCACTCATTA GGCACCCCAG GCTTTACACT TTATGCTTCC GGCTCGTATG TTGTGTGGAA 6180
6181 TTGTGAGCGG ATAACAATTT CACACGCCAA GGAGACAGTC ATAATGAAAT ACCTATTGCC 6240
6241 TACGGCAGCC GCTGGATTGT TATTACTCGC TGCCCAACCA GCCATGGCCG AGCTCTTCCC 6300
6301 GCCATCTGAT GAGCAGTTGA AATCTGGAAC TGCCTCTGTT GTGTGCCTGC TGAATAACTT 6360
6361 CTATCCCAGA GAGGCCAAAG TACAGTGGAA GGTGGATAAC GCCCTCCAAT CGGGTAACTC 6420
6421 CCAGGAGAGT GTCACAGAGC AGGACAGCAA GGACAGCACC TACAGCCTCA GCAGCACCCT 6480
6481 GACGCTGAGC AAAGCAGACT ACGAGAAACA CAAAGTCTAC GCCTGCGAAG TCACCCATCA 6540
6541 GGGCCTGAGC TCGCCCGTCA CAAAGAGCTT CAACAGGGGA GAGTGTTCTA GAACGCGTCA 6600
6601 CTTGGCACTG GCCGTCGTTT TACAACGTCG TGACTGGGAA AACCCTGGCG TTACCCAAGC 6660
6661 TTTGTACATG GAGAAAATAA AGTGAAACAA AGCACTATTG CACTGGCACT CTTACCGTTA 6720
6721 CTGTTTACCC CTGTGGCAAA AGCCGCCTCC ACCAAGGGCC CATCGGTCTT CCCCCTGGCA 6780
6781 CCCTCCTCCA AGAGCACCTC TGGGGGCACA GCGGCCCTGG GCTGCCTGGT CAAGACTAAT 6840
6841 TCCCCGAACC GGTGACGGTG TCGTGGAACT CAGGCGCCCT GACCAGCGGC GTGCACACCT 6900
6901 TCCCGGCTGT CCTACAGTCC TCAGGACTCT ACTCCCTCAG CAGCGTGGTG ACCGTGCCCT 6960
6961 CCAGCAGCTT GGGCACCCAG ACCTACATCT GCAACGTGAA TCACAAGCCC AGCAACACCA 7020
7021 AGGTGGACAA GAAAGCAGAG CCCAAATCTT GTACTAGTGG ATCCTACCCG TACGACGTTC 7080
7081 CGGACTACGC TTCTTAGGCT GAAGGCGATG ACCCTGCTAA GGCTGCATTC AATAGTTTAC 7140
7141 AGGCAAGTGC TACTGAGTAC ATTGGCTACG CTTGGGCTAT GGTAGTAGTT ATAGTTGGTG 7200
7201 CTACCATAGG GATTAAATTA TTCAAAAAGT TTACGAGCAA GGCTTCTTAA GCAATAGCGA 7260
7261 AGAGGCCCGC ACCGATCGCC CTTCCCAACA GTTGCGCAGC CTGAATGGCG AATGGCGCTT 7320
7321 TGCCTGGTTT CCGGCACCAG AAGCGGTGCC GGAAAGCTGG CTGGAGTGCG ATCTTCCTGA 7380
7381 GGCCGATACG GTCGTCGTCC CCTCAAACTG GCAGATGCAC GGTTACGATG CGCCCATCTA 7440
7441 CACCAACGTA ACCTATCCCA TTACGGTCAA TCCGCCGTTT GTTCCCACGG AGAATCCGAC 7500
7501 GGGTTGTTAC TCGCTCACAT TTAATGTTGA TGAAAGCTGG CTACAGGAAG GCCAGACGCG 7560
7561 AATTATTTTT GATGGCGTTC CTATTGGTTA AAAAATGAGC TGATTTAACA AAAATTTAAC 7620
7621 GCGAATTTTA ACAAAATATT AACGTTTACA ATTTAAATAT TTGCTTATAC AATCTTCCTG 7680
7681 TTTTTGGGGC TTTTCTGATT ATCAACCGGG GTACATATGA TTGACATGCT AGTTTTACGA 7740
7741 TTACCGTTCA TCGATTCTCT TGTTTGCTCC AGACTCTCAG GCAATGACCT GATAGCCTTT 7800
7801 GTAGATCTCT CAAAAATAGC TACCCTCTCC GGCATTAATT TATCAGCTAG AACGGTTGAA 7860
7861 TATCATATTG ATGGTGATTT GACTGTCTCC GGCCTTTCTC ACCCTTTTGA ATCTTTACCT 7920
7921 ACACATTACT CAGGCATTGC TTTTAAAATA TATGAGGGTT CTAAAAATTT TTATCCTTGC 7980
7981 GTTGAAATAA AGGCTTCTCC CGCAAAAGTA TTACAGGGTC ATAATGTTTT TGGTACAACC 8040
8041 GATTTAGCTT TATGCTCTGA GGCTTTATTG CTTAATTTTG CTAATTCTTT GCCTTGCCTG 8100
8101 TATGATTTAT TGGACGTT                                              8118
```

FIG. 6-2

SUBSTITUTE SHEET

INTERNATIONAL SEARCH REPORT

International Application No. PCT/US91/07149

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) [6]

According to International Patent Classification (IPC) or to both National Classification and IPC

IPC(5): C12N 15/64, 15/70

U.S.Cl.: 435/252.3, 320.1

II. FIELDS SEARCHED

Minimum Documentation Searched [7]

Classification System	Classification Symbols
U.S.Cl.	435/69.7, 172.3, 252.3, 320.1

Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched [8]

APS, STN/MEDLINE, TERMS USED: SURFACE EXPRESSION VECTOR#, DIRECTED EVOLUTION, SINGLE CHAIN ANTIBOD?.

III. DOCUMENTS CONSIDERED TO BE RELEVANT [9]

Category *	Citation of Document, [11] with indication, where appropriate, of the relevant passages [12]	Relevant to Claim No. [13]
Y	WO, A, 89/09630 (FOX ET AL) 07 September 1989 see entire document.	1-75
Y	Nucleic Acids Research, Vol. 12, No. 9, issued SEPTEMBER 1984, BOSS ET AL, "Assembly of functional antibodies from immunoglobulin heavy and light chains synthesized in E. coli", pages 3791-3806, see the abstract.	5-75
Y	Proceedings of the National Academy of Sciences, Vol. 86, issued AUGUST 1989, SASTRY ET AL, "Cloning of the immunological repertoire in Escherichia coli for generation of monoclonal catalytic antibodies: Construction of a heavy chain variable-region specific cDNA library", pages 5728-5732, see the abstract.	1-75
Y	Science, Vol 246, issued 08 December 1989, Huse et al, "Generation of a Large Combinatorial Library of the Immunoglobulin Repertoire in Phage Lambda", pages 1275-1281, see entire document.	1-75

* Special categories of cited documents: [10]

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

IV. CERTIFICATION

Date of the Actual Completion of the International Search	Date of Mailing of this International Search Report
06 January 1992	21 JAN 1992
International Searching Authority	**Signature of Authorized Officer**
ISA/US	John D. Ulm

FURTHER INFORMATION CONTINUED FROM THE SECOND SHEET

Y	Gene, Vol. 73, issued 1988, PARMLEY ET AL, "Antibody-selectable filamentous fd phage vectors: affinity purification of target genes", pages 305-318, see entire document.	6-75

V. ☐ OBSERVATIONS WHERE CERTAIN CLAIMS WERE FOUND UNSEARCHABLE [1]

This international search report has not been established in respect of certain claims under Article 17(2) (a) for the following reasons:

1. ☐ Claim numbers . . , because they relate to subject matter [12] not required to be searched by this Authority, namely:

2. ☐ Claim numbers . . , because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out [13], specifically:

3. ☐ Claim numbers_____, because they are dependent claims not drafted in accordance with the second and third sentences of PCT Rule 6.4(a).

VI. ☐ OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING [2]

This International Searching Authority found multiple inventions in this international application as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims of the international application.

2. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims of the international application for which fees were paid, specifically claims:

3. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claim numbers:

4. ☐ As all searchable claims could be searched without effort justifying an additional fee, the International Searching Authority did not invite payment of any additional fee.

Remark on Protest

☐ The additional search fees were accompanied by applicant's protest.

☐ No protest accompanied the payment of additional search fees.